

1998  
DODGE/PLYMOUTH/CHRYSLER  
(PL)



Jeep

CHRYSLER • PLYMOUTH • DODGE • JEEP

THE MOPAR DIFFERENCE

VIN PLATE DECODING INFORMATION

1	2	3	4	5	6	7	8	9	10	11	12 thru 17
Country	Make	Vehicle Type	Other	Line	Series	Body Style	Engine	Check Digit	Model Year	Assy. Plant	Sequence No.

The following table interprets the VIN Plate positions shown above.

Position	Interpretation	Codes = Description
1	Country of Origin	1 = Built in U.S. by Chrysler Corporation. 3= Built in Mexico by Chrysler de Mexico .
2	Make	B = Dodge P = Plymouth C = Chrysler
3	Vehicle type	3 = Passenger Car
4	Passenger Safety	E = Restraint System Active Driver and Passenger Air Bag
5	Vehicle Line	S=Neon & Neon Sport
6	Series	2 = Low Line 4 = High Line 6 = Sport
7	Body Style	2 = 2 Door Pillared Hardtop (22) 7 = 4 Door Pillared Hardtop (42)
8	Engine	C = 2.0L 4 Cyl. 16V Gasoline (SFI) SOHC (ECB) Y = 2.0L 4 Cyl. 16V Gasoline (SFI) DOHC (ECC) A = 1.8L 4 Cyl. 16V SOHC Gasoline (SFI) (EBD)
9	Check Digit	
10	Model Year	V = 1997, W = 1998, X = 1999
11	Assembly Plant	T = Toluca D = Belvidere Assembly
12 thru 17	Vehicle Build Sequence	Model Year Assembly Sequence

# Group – 002


## Front Suspension & Drive



### GROUP 2 - Front Suspension & Drive

Illustration Title


Group-Fig. No.

<b>Front Suspension</b>	
Suspension, Front .....	Fig. 002-105
<b>Front Axle Drive Shafts</b>	
Shaft, Front Drive .....	Fig. 002-205



<div>002-100</div> <div>Front Suspension</div> <div></div>	<div>002-200</div> <div>Front Axle Drive Shafts</div> <div></div>		
---	--	--	--

Suspension, Front  
Figure 002-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Sales Code:  
[SDC]=Touring Suspension  
[SDE]=Wishbone Handling  
[SDF]= European Homologation Suspension  
[SDK]=Competition Suspension

NOTE: Sales Code ZCC thur ZRJ=Spring Group Types Found on Individual Vehical Sales Code Listing

1									STRUT, Front Suspension
	4626 835	2	D, P						[SDE]
	4626 681	2	D, P						[SDC]
	4626 778	2							[SDF] EXPORT
	4656 356	2	D, P						[SDK]
2	4626 830	2							BUMPER, Jounce, w/European
									Suspension (SDF), w/Competition
									Suspension (SDK)
3	4626 098	2							SHIELD, Shock Absorber Dust
4									SPRING, Front Coil
	5273 401	1	D, P						w/Firm Feel Suspension (SDC),
									Tag#401 (ZCA, ZRA)
	5273 402	1	D, P						w/Firm Feel Suspension (SDC)
									Tag#402 (ZCB,ZRB)
	5273 403	1	D, P						w/Firm Feel Suspension (SDC),
									Tag# 403 (ZCC,ZRC)
	5273 404	1	D, P						w/Firm Feel Suspension (SDC),
									Tag#404 (ZCD,ZRD)
	5273 405	1	D, P						w/Firm Feel Suspension (SDC),
									Tag#405 (ZCE,ZRE)
	5273 406	1	D, P						w/Firm Feel Suspension (SDC),
									Tag# 406 (ZCF,ZRF)
	5273 407	1	D, P						w/Firm Feel Suspension (SDC),
									Tag# 407 (ZCG,ZRG)
	5273 408	1	D, P						w/Firm Feel Suspension (SDC),
									Tag# 408 (ZCH,ZRH)
	5273 409	1	D, P						w/Firm Feel Suspension (SDC),
									Tag# 409 (ZCJ,ZRT)
	5273 411	1							w/European (SDF), w/Competition
									Suspension (SDK), Tag# 411
									(ZAA,ZNA)
	5273 412	1							w/European (SDF), w/Competition
									Suspension (SDK), Tag# 412
									(ZAB,ZNB)
	5273 413	1							w/European (SDF), w/Competition
									Suspension (SDK) Tag# 413
									(ZAC,ZNC)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

Suspension, Front  
Figure 002-105

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5273 414	1							w/European (SDF) w/Competition Suspension (SDK) Tag# 414 (ZAD,ZND)
	5273 415	1							w/European (SDF) w/Competition Suspension (SDK) Tag# 415 (ZAE,ZNE)
	5273 416	1							w/European (SDF) w/Competition Suspension (SDK) Tag# 416 (ZAF,ZNF)
	5273 417	1							w/Standard Suspension (SDA) , w/ European (SDF), w/Competition Suspension (SDK) Tag# 417 (ZNG,ZAG)
	5273 418	1							w/Europen (SDF) w/Competition Suspension (SDK) Tag# 418 (ZAH,ZNH)
5	4626 864	2							SEAT, Spring
6	4626 100	2							MOUNT, Strut
7	6501 094	2							NUT, Hex Lock, M14 x 2.00, Strut to Mount
8									NUT AND WASHER
	6101 446	6							Mount to Fender M8x1.25x13
9	4762 135	4							BOLT PACKAGE, Camber Adjustment
10									KNUCKLE, Front
	4897 662AA	1							Right
	4897 663AA	1							Left
11	6501 247	2							NUT, M12x1.75
12	6501 248	2							BOLT, Hex Flange Head, M12x1. 75x57
13									ARM, Control
	4509 774	1							Right
	4509 775	1							Left
14	4449 553	1							BALL JOINT, Lower Control Arm
15	4052 509	2							SEAL, Ball Joint
16	6030 099	1							FITTING, Ball Joint, Zirc
17	4626 447	1							BUSHING, Lower Control Arm
18	6502 922	2							SCREW
19	6503 068	2							BOLT, Hex Head, M14
20	6502 502	2							NUT, Hex Flange Lock, M14x2
21	6503 292	2							SCREW, Hex Head, M8x1.25x50

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Suspension, Front  
Figure 002-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-22	6101 695	2							NUT, Hex Flange Lock, M8x1.25, Sway Bay Mount
23	4626 762	2							CLAMP, Stabilizer Bar
24	4626 368	2							CUSHION, Sway Eliminator
25	4656 351AA	2							LINK PACKAGE, Sway Bar
26	4626 109	1	D, P						BAR, Front Sway, w/Firm Feel Suspension (SDC)
27	4509 719	1							BUSHING, Lower Control Arm
28	6101 695	2							NUT, Hex Flange Lock, M8x1.25, Sway Bar Shaft Link
29	4626 096	2							ISOLATOR, Spring Seat
-30	6500 615	2	D, P						NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5, w/Competition Suspension (SDK) For Strut Knuckle Upper
31	6502 715	2							SCREW, Hex Head, M8x1.25x50
-32	4668 361AA-	1							PLATE, Suspension, Retainer, Knuckle
-33	6500 544	1							SCREW, Hex Head, M8x1.25x20, Plate, Retainer Knuckle
-34	4656 080	1							KNOB KIT, Strut Self Adjustment
-35	4626 777	1							BAR, Rear Sway, Not Rear Front w/ Special Sport suspension (SDE) w/ European suspension (SDF) w/ Competition Suspension (SDK)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft, Front Drive  
 Figure 002-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: WARNING! Reduced Braking performance will result if this part is used on earlier model vehicles and an accident could result. Do not use on Pre-1998 Models

Note: Sales Code DD4= 5 Sp. Manual Trans. (Performance)

Note: Sales Code DD5= 5 Sp. Manual Trans.

Note: Sales Code DGC= 3 Sp. Auto. Trans.

1	5003 484AA	1					DD4, DD5		SHAFT, Axle Half Right with Manual Trans with ABS (See Note).
	5003 485AA	1					DD4, DD5		Left with Manual Trans with ABS (See Note)
	4668 800AB	1					DD4, DD5		Right with Manual Trans with out ABS
	4668 801AB	1					DD4, DD5		Left with Manual Trans with out ABS
-2	4668 804AB-	1					DGC		SHAFT, Axle Half Right with Auto Trans with out ABS
	4668 805AB-	1					DGC		Left with Auto Trans with out ABS
	5003 486AA-	1					DGC		Right with Auto Trans with ABS (See Note)
	5003 487AA-	1					DGC		Left with Auto Trans with ABS (See Note)
3	4762 494	1							BOOT KIT, Half Shaft, Inner Right with or with out ABS
	4762 495	1							Left with or with out ABS
4	4762 496	2							BOOT KIT, Half Shaft, Outer, Right or Left with or with out ABS
5	4797 704	2							CIRCLIP, Half Shaft
6	6503 595	2							NUT, Hex, M20x1.5
7	6503 596	2							WASHER, Flat, M21x38x4
8	6500 336	2							PIN, Cotter, M5x36.00
9	4293 167	2							NUT AND WASHER PACKAGE, Front Hub

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required   - = Non illustrated part   # = New this model year


September 15, 2005


Group – 004

Parking Brake


GROUP 4 - Parking Brake

Illustration Title	Group-Fig. No.
<b>Parking Brake Lever and Cables</b>	
Lever and Cables .....	Fig. 004-105



<div>004-100</div> <div>Parking Brake Lever and Cables</div> <div></div>			
---	--	--	--

Lever and Cables  
Figure 004-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4509 637	1							LEVER, Park Brake
2	4509 488	2							CLIP, Parking Brake Cable
3	6503 270	2							SCREW, Hex Head, M8x1.25x30, Parking Brake Att Rail
4									CABLE, Parking Brake
	4509 633	2							Rear with Disc/Drum with or with out ABS (With End)
	5273 636	2							Rear with Disc/Disc with or with out ABS (With End)
5	5209 922	1							SWITCH, Parking Brake
6									NUT, Flex-Flg with Locking Serrations Park Brake M8x1.25, (NOT SERVICED) (Not Serviced)
7									EQUALIZER, Parking Brake Cable, (Service in Lever Assembly), (NOT SERVICED) (Not Serviced)
8									CLIP, (Service with Cable), (NOT SERVICED) (Not Serviced)
9									SCREW, Tap/Hex Flg Hd Light Switch to Parking Brake Lever Mount .190-24x.750, (NOT SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				ENGINE		TRANSMISSION	
SERIES	LINE	BODY		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic	
H=High Line	D=Dodge			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic	
S=Special	D=Chrysler					DG0 = All Automatics	
	P=Plymouth					DBB= All 5 Speed Manual	



# Group – 005

## Service Brakes

### GROUP 5 - Service Brakes

Illustration Title Group-Fig. No.

#### Front Brakes

Brakes, Front ..... Fig. 005-105

#### Rear Brakes

Brakes, Rear Drum ..... Fig. 005-205

Brakes, Rear Disc ..... Fig. 005-207

#### Power Brake Booster

Booster, Power Brake ..... Fig. 005-305

#### Brake Master Cylinder

Master Cylinder ..... Fig. 005-405

Anti-Lock Brake Control ..... Fig. 005-410


#### Brake Lines and Hoses







Lines and Hoses, Brake w/o Anti-Lock Brakes ..... Fig. 005-505

Lines and Hoses, Brake w/Anti-Lock Brakes ..... Fig. 005-545


#### Brake Pedals

Pedal, Brake ..... Fig. 005-605



<b>005-100</b> Front Brakes 	<b>005-200</b> Rear Brakes 	<b>005-300</b> Power Brake Booster 	<b>005-400</b> Brake Master Cylinder 
<b>005-500</b> Brake Lines and Hoses 	<b>005-600</b> Brake Pedals 		

Brakes, Front  
Figure 005-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code BRA= Disc/Drum									
Note: Sales Code BRX= Disc/Drum (Export)									
Note: Sales Code BRD= Disc/Disc									
Note: Sales Code BRF= Disc/Disc w/ABS									
Note: Sales Code ACR= Competition Package									
1	4762 551	1							PISTON KIT, DISC BRAKE
2	4364 779	1							BOOT AND SEAL, Disc Brake
3	4238 717	1							CAP, Bleeder
4									CALIPER, Disc Brake
	5011 070AA	1			D, P				Right BRA Zinc Coated
	5011 071AA	1			D, P				Left BRA Zinc Coated
	5011 072AA	1							Right BRD,BRF,BRX Black Coated
	5011 073AA	1							Left BRD,BRF,BRX Black Coated
5	4383 471	1							BUSHING, Disc Brake Caliper
6	3780 788	1							BLEEDER SCREW, Brake
7	4423 573	1							SLEEVE, Disc Brake Caliper
8	6502 527	4							BOLT, Hex Flange Head, M8-1.25x68.50, (Pin)
9									PAD KIT, Front Disc Brake
	5011 067AA	1							BRD,BRF,BRX]
	5011 069AA	1			D, P				[BRA]
10									HUB, Wheel
	4670 287	1							Five Stud (BRA, BRD, BRF, BRX)
	4670 292	1							Five Stud (ACR)
11	4641 120	1							BEARING, Wheel
12	6501 053	5							STUD, Hub, M12x1.50x41.50
13	4668 361AB	1							RETAINER
-14	6505 230AA-	3							SCREW, Hex Head, M8x1.25x20, Retainer Attaching
15	4509 718	2							ROTOR, Brake, Five Stud (BRA, BRD, BRF, BRX)
16									SENSOR, Anti-Lock Brakes
	5273 226	1							Right
	5273 227	1							Left
17									CLIP, Anti-Lock Brake System, (NOT REQUIRED)
18									GROMMET, Speed Sensor Cable (Service with Sensor), (NOT SERVICED) (Not Serviced)
-19	4897 662AA-	1							KNUCKLE, Front

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Brakes, Rear Drum Figure 005-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code BRA= Disc/Drum									
Note: Sales Code BRX= Disc/Drum (Export)									
1	4762 296	1							CYLINDER, Wheel
-2	4238 717	1							CAP, Bleeder
3	4238 728	1							SOCKET, Brake Adjusting Screw
4	4383 543	1							CLIP, Brake Shoe Hold Down
5	4762 530	1	D, P						LEVER, Park Brake Adjusting Right
	4762 531	1	D, P						Left
6	4762 537	1	D, P						SHOE KIT, Brake
7	4238 730	1							SPRING, Brake Shoe Return
8	4238 851	1							SPRING, Brake Auto Adjuster Lever
9									PLATE, Brake Backing
	5011 628AA	1							with out ABS Right
	5011 629AA	1							with out ABS Left
10	4238 723	1							LEVER, Park Brake Adjusting Left
	4238 722	1							Right
11	5273 983	2							DRUM, Brake, Five Stud (BRA,BRX)
12	4509 599	2							HUB AND BEARING, Brake, Five Stud (BRA, BRX)
-13	6502 432	2							LOCK NUT, Rear Spindle, M20-1.50
14	4509 396	2							CAP, Wheel Bearing
15	6500 526	20							NUT, Wheel, M12x1.5, Standard
16	4509 544	2							SEAL, Brake Support
17	4238 716	1							CLIP, Parking Brake Pin Lever
18	4238 721	1							PLUG, Brake Adjusting Hole
19	6503 579	8							BOLT AND CONED WASHER, Hex Head, M10x1.5x30, Hex Head
20	4762 536	1							PIN, Brake Shoe Hold Down
21	4423 678	1							BOLT, Wheel Cylinder
22	4762 534	1	D, P						ADJUSTER, Parking Brake Right
	4762 535	1	D, P						Left
23									CABLE, Parking Brake, [Reference], (NOT SERVICED) (Not Serviced)
24	4741 674	1							SPRING, Brake Shoe Return
-25									NUT, Push Rear Drum Retainer for M12 Stud, (NOT SERVICED) (Not Serviced)
26	4238 715	1							SCREW, Rear Wheel Brake Cylinder Mounting

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

Brakes, Rear Drum  
Figure 005-205




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
27									PLATE, Anchor [Service in Backing Plate], (NOT SERVICED) (Not Serviced)
28	3766 674	1	D, P						SCREW, Bleeder
29	4746 174	2							STUD, Wheel

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Brakes, Rear Disc Figure 005-207



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code BRD= Disc/Disc									
Note: Sales Code BRF= Disc/Disc w/ABS									
1	5011 700AA	1							CALIPER, Disc Brake Right Black Coated
	5011 701AA	1							Left Black Coated
2	4728 133	1							PISTON PACKAGE, Disc Brake
3									BOOT, Brake Piston, (Service in Piston Package, (NOT SERVICED) (Not Serviced)
-4	4728 132	1							BOOT AND SEAL PACKAGE, Disc Brake
5	4383 471	1							BUSHING, Disc Brake Caliper
6	4423 573	1							SLEEVE, Disc Brake Caliper
7	3780 788	1							SCREW, Bleeder
8	4238 717	1							CAP, Bleeder
9	6502 527	4							BOLT, Hex Flange Head, M8-1. 25x68.50, (Pin)
10	4509 553	2							ROTOR, Brake, Five Stud w/Disc/ Disc (BRD) (w/Disc/Disc w/ABS BRF)
11	6500 526	20							NUT, Wheel, M12x1.5
-12									NUT, Wheel Chrome, M12x1.5 w/Style Wheels
	6502 738	20							w/Wheel Covers
	6504 266	20							CAP, Wheel Bearing
13	4509 396	2							
14									HUB AND BEARING, Brake w/Disc/Disc (BRD) Five Stud w/Disc/Disc w/ABS (BRF) Five Stud (See Note One)
	4509 599	2							
	5003 549AA	2							
-15	6502 432	2							LOCK NUT, Rear Spindle, M20-1.50
16	4509 504	1							SOCKET, Brake Adjusting Screw
17									SPRING, Park Brake Shoe Return Upper
	4383 541	1							Lower
	4383 542	1							
18	4383 543	1							CLIP, Brake Shoe Hold Down
19	4383 539	1							NUT, Parking Brake Adjusting
20									ADAPTER, Disc Brake Caliper
	4762 686	1							Right with out Sensor
	4762 687	1							Left with out Sensor
	4762 684	1							Right w/Sensor Mount
	4762 685	1							Left w/Sensor Mount
21	4238 733	1							PIN, Brake Shoe Hold Down
22	4238 721	1							PLUG, Brake Adjusting Hole

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brakes, Rear Disc  
Figure 005-207




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
23									LEVER, Park Brake Adjusting
	4882 209	1							Left
	4882 208	1							Right
24	4509 503	1							SCREW, Parking Brake
25									SENSOR, Anti-Lock Brakes
	5273 224	1							Right
	5273 225	1							Left
26	4364 779	1							SEAL PACKAGE, Brake Caliper
27	4762 551	1							PISTON, Brake
28	6503 579	8							BOLT AND CONED WASHER, Hex Head, M10x1.5x30, Hex Hd Pilot Pt Brake Attach
29	4509 544	2							SEAL, Brake Support
30	4746 174	2							STUD, Wheel
31									SHIELD, Brake
	4728 110	1							Right
	4728 111	1							Left
32	4723 981	1							SCREW, Rear Brake Dust Shield to Adapter
33	5011 630AA	1							PAD, Disc Brake, Black Coated
34									LINK, Brake Cylinder, (Service with Lever), (NOT SERVICED) (Not Serviced)
35	4741 772	1							SHOE AND LINING, parking Brake
36									PIN, (Service with Lever), (NOT SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Booster, Power Brake  
 Figure 005-305



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code BRA= Disc/Drum Note: Sales Code BRX= Disc/Drum (Export) Note: Sales Code BRD= Disc/Disc Note Sales Code BRF= Disc/Disc w/ABS									
1									BOOSTER, Power Brake
	4509 751	1	D, P						with Disc/Disc with ABS (BRF)
	4509 788	1	D, P						with Disc/Drum (BRA, BRX) with Disc/Disc (BRD)
-2									SEAL, Master Cylinder To Booster
	4509 678	1	D, P						with Disc/Disc w/ABS (BRF)
	4886 157AA-	1	D, P						with Disc/Drum (BRA, BRX) with Disc/Disc (BRD)
-3									CONNECTOR, Brake Booster Vacuum
	4324 173	1	D, P						with Calif Only
	4669 462	1	Z		42				
		1	D, P						
-4									CONNECTOR, Manifold Vacuum
	4026 117	1	D, P						with 2.0L Engine OverHead Cam
		1	Z		42				with 2.0L Engine Single OverHead Cam
		1	D, P						with 1.8L Engine Single OverHead Cam
		1	D, P						with 2.0L Engine Single OverHead Cam
		1	Z		42				with 1.8L Engine Single OverHead Cam
5	4485 491	1	D, P						VALVE, Brake Booster Check
-6	4886 480AA-	1	Z		42				CHECK VALVE, Brake Booster
7									HOSE, Brake Booster
	4509 793	1	D, P						with 2.0L Engine Single Over Head Cam
	4509 609	1	D, P						with 2.0L Engine Dual Over Head Cam Rear Exhaust
-8	4509 695	1	Z		42				HOSE, Brake Booster Vacuum, with 2.0L Engine Single Over Head Cam (Throttle Body to Booster Nipple)
-9	J812 5883	1	Z		42				HOSE, Vacuum Supply, 11/32 rough stock, (11/32" Roll Stock) Booster to Nipple End
10									CLAMP, Hose


DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005

Booster, Power Brake  
 Figure 005-305

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	2448 761	1	Z		42				
		2	D, P						
11	4762 599	1	D, P						GASKET, Booster To Dash
	4886 488AA	1	Z		42				
12	4485 493	1	D, P						GROMMET, Brake Booster Check Valve
13	6035 334	1							CLIP, Brake Push Rod
14	6502 524	2	D, P						NUT, Hex Lock, M8x1.25
-15	4897 486AA-	1	Z		42				NUT
16	6101 445	4							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25




DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005



# Master Cylinder Figure 005-405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code BRA= Disc/Drum									
Note: Sales Code BRX= Disc/Drum (Export)									
Note: Sales Code BRD= Disc/Disc									
Note: Sales Code BRF= Disc/Disc w/ABS									
1									MASTER CYLINDER, Brake
	4509 681	1	D, P						with (BRA) with Reservoir
	4509 853AA	1	D, P						with (BRD)
	4762 608	1	D, P						with (BRF)
	4509 855AA	1	D, P						with (BRX)
	4762 594	1	D, P						with( BRA) with out Reservoir
	4886 465AA	1	Z		42				with (BRF)
	4886 464AA	1	Z		42				with (BRD, BRX)
2									CAP, Master Cylinder Reservoir
	4797 187	1	D, P						
	4886 489AA	1	Z		42				
3									RESERVOIR, Brake Master Cylinder
	4886 485AA	1	Z		42				with Switch (Brake Fluid Level)
	4762 595	1	D, P						
4									VALVE, Proportioning
	4509 863AA	2	Z		42				[BRX]
	4762 166	AR	D, P						[BRD] [BRF] Secondary
	4762 167	AR	D, P						[BRD] [BRF] Primary
	4797 185	AR	D, P						[BRA] Primary
	4797 186	AR	D, P						[BRA] Secondary
-5	4723 389	1	D, P						GROMMET, Master Cylinder
									Reservoir
6	4637 625	1	D, P						SWITCH, Brake Fluid Level
7									SEAL, Master Cylinder To Booster
	4509 678	1	D, P						with (BRF)
	4886 157AA	1	D, P						230MM Single with (BRA, BRD, BRX)
8	6502 524	2	D, P						NUT, Hex Lock, M8x1.25, Master Cylinder to Booster
9	4897 486AA	1	Z		42				NUT, Master Cylinder to Booster
-10	6101 695	1	Z		42				NUT, Hex Flange Lock, M8x1.25, Master Cylinder Res Bracket to Brake Booster

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Anti-Lock Brake Control  
Figure 005-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: HCU= Hydraulic Control Unit									
1	4897 779AA	1							HYDRAULIC CONTROL UNIT, Anti-Lock Brake System
2	4860 010	1	Z		42				TUBE, Master Cylinder to HCU Secondary
	4860 023	1	Z		42				Primary
	4509 842	1	D, P						Secondary
	4509 854	1	D, P						Primary
3	6034 880	1							NUT, Hex, .375-24x.85
4	6034 881	1							NUT, Inverted Flare, .375-24
5	4509 875	1							TUBE, HCU to Front Hose, Left
6	6034 880	1							NUT, Hex, .375-24x.85
7	6034 881	1							NUT, Inverted Flare, .375-24
-8	1843 251	1	D, P						TUBE, Steel, .187 25 Foot Roll, HCU to Front Hose Right
-9	6034 881	1							NUT, Hex, .375-24x.85, Primary
-10	6034 880	1							NUT, Hex, .375-24x.85, Secondary
11	6101 795	3							SCREW, Tapping, M8x1.25x30
12	4762 166	AR	D, P						VALVE, Proportioning Secondary
	4762 167	AR	D, P						Primary
13	4762 168	AR	D, P						O RING, Proportioning Valve Primary
	4762 169	AR	D, P						Secondary

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lines and Hoses, Brake w/o Anti-Lock Brakes  
Figure 005-505

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code BRA= Disc/Drum

Note: Sales Code BRX= Disc/Drum (Export)

Note: Sales Code BRD= Disc/Disc


1	6035 098	2							BOLT, Hex Head, .437-20x.937
2	6030 084	4							GASKET, Brake Hose, Front
3	6035 098	2							BOLT, Hex Head, .437-20x.937, Front Brake Hose Intermediate
4	6101 308	1							NUT, U, M6x1, Brake Hose
5									HOSE, Brake
	4509 722	1							Right
	4509 723	1							Left
6	6035 098	2							BOLT, Hex Head, .437-20x.937, Front Brake Hose
7									HOSE, Brake
	5273 670	1							with Disc/Drum (BRA) (BRX) Right
	5273 671	1							with Disc/Drum (BRA) (BRX) Left
	4509 564	1							with Disc/Disc (BRD) Right
	4509 565	1							with Disc/Disc (BRD) Left
-8	6035 098	2							BOLT, Hex Head, .437-20x.937, Rear Disc Brake Inlet Hex Drilled
9	6035 488	4							SCREW, Hex Flange Head Tapping, M6.3 x 1.81 x 20.00, Brake Hose
10	6100 558	2							Rear Rail BOLT AND CONED WASHER, Hex Head, M6x25x14, Rear Brake Hose
11									Intermediate Att
	4495 632	4	D, P						CLIP, Tube
		4	Z			42			U/Body 4 Tube
	4495 634	1	D, P						Dash 3 Tube
		2	Z			42			Dash 3 Tube
12	1843 251	1	D, P						TUBE, Steel, .187 25 Foot Roll, Rear Brake Right
-13									NUT, Hex, .375-24x.85
	6034 908	1	Z			42			
		1	D, P						
-14	1843 251	1	D, P						TUBE, Steel, .187 25 Foot Roll, Rear Brake Left
-15	6034 880	1							NUT, Hex, .375-24x.85
-16	1843 251	1	D, P						TUBE, Steel, .187 25 Foot Roll
-17	6034 880	1							NUT, Hex, .375-24x.85
-18	4509 852AB-	1	Z			42			TUBE, Brake, Tube Assembly, Front Brake Right

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Lines and Hoses, Brake w/o Anti-Lock Brakes  
 Figure 005-505


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-19	6034 880	1							NUT, Hex, .375-24x.85
-20	6034 881	1							NUT, Inverted Flare, .375-24
21	1843 251	1	D, P						TUBE, Steel, .187 25 Foot Roll, Front Brake Left
-22	6034 880	1							NUT, Hex, .375-24x.85
-23	4509 739	1	Z		42				TUBE, Brake
24	6034 881	1							NUT, Hex, .375-24x.85
25	6030 084	4							GASKET, Brake Hose, Rear
-26	6034 880	1							NUT, Hex, .375-24x.85
-27	4495 631	2	D, P						ISOLATOR, Tube Dash
-28	6100 266	2							BOLT AND WASHER, M6x1.0x20, Front Brake Hose to Strut or Rail
-29									VALVE, Proportioning
	4509 863AA-	2	Z		42				w/Disc/Drum (BRX)
	4762 166	AR	D, P						Secondary w/Disc/Disc (BRD)
	4509 850AA-	AR							Primary w/Disc/Disc (BRD) 3/8x24
	4509 851AA-	AR	D, P						Primary w/Disc/Disc (BRD) 7/16x24
	4797 185	AR	D, P						with Disc/Drum (BRA) Primary
	4797 186	AR	D, P						with Disc/Drum (BRA) Secondary
-30	4546 674	1	Z		42				CLIP, Tube, Front Rail

DODGE - PLYMOUTH - CHRYSLER NEON (PL)					TRANSMISSION	
SERIES	LINE	BODY	ENGINE		DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI		DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC		DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI		DG0 = All Automatics	
	P=Plymouth				DBB= All 5 Speed Manual	

AR = Use as required   - = Non illustrated part   # = New this model year

September 15, 2005

# Lines and Hoses, Brake w/Anti-Lock Brakes Figure 005-545



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code BRF= Disc/Disc w/ABS									
Note: Sales Code BRJ= Disc/Drum w/ABS									
1	6035 098	2							BOLT, Hex Head, .437-20x.937, Front Disc Brake Inlet Hex Drilled
2	6030 084	4							GASKET, Brake Hose, Front
3	6035 098	2							BOLT, Hex Head, .437-20x.937, Front Brake Hose Intermediate
4	6101 308	1							NUT, U, M6x1, Front Brake Hose
5									HOSE, Brake
	4509 722	1							Front
	4509 723	1							Left
6	6035 098	2							BOLT, Hex Head, .437-20x.937, Front Brake Hose
7									SENSOR, Anti-Lock Brakes
	5273 224	1							Right
	5273 225	1							Left
8	4509 565	1							HOSE, Brake, with Disc/Disc Left
-9	6100 558	2							BOLT AND CONED WASHER, Hex Head, M6x25x14, Rear Brake hose Intermediate Att
-10	6035 098	2							BOLT, Hex Head, .437-20x.937, RearDisc Brake Intlet Hex Drilled w/Disc/Disc w/ABS (BRF)
11	6100 558	2							BOLT AND CONED WASHER, Hex Head, M6x25x14, Brake hose Rear Rail
12									TUBE, Brake
	5278 077AB	1		Z		42			Rear Brake Right
	5278 234AB	1		D, P					Rear Brake Right
-13	6034 880	1							NUT, Hex, .375-24x.85
-14									NUT, Inverted Flare, .375-24
	6034 908	1		Z		42			
		1		D, P					
-15									TUBE, Brake
	5278 235AB-	1		D, P					Rear Brake Left
	5278 078AB-	1		Z		42			Rear Brake left
-16	6034 881	1							NUT, Inverted Flare, .375-24
-17									TUBE, Brake
	5278 134AB-	1		D, P					Front Brake Right
	5278 079AB-	1		Z		42			Front Brake Right
-18	6034 880	1							NUT, Hex, .375-24x.85
-19	1843 251	1		D, P					TUBE, Steel, .187 25 Foot Roll, Front Brake Left


## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Lines and Hoses, Brake w/Anti-Lock Brakes Figure 005-545



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-20	6034 880	1							NUT, Hex, .375-24x.85
21	4495 632	4	Z		42				CLIP, Tube
		4	D, P						U/Body 4 Tube
	4495 636	5	Z		42				U/Body 4 Tube
		6	D, P						Rail Kick Up
22	6030 084	4							Rail Kick Up
-23	4661 949AC-	1	Z		42				GASKET, Brake Hose, Rear
	4793 700AC-	1	D, P						WIRING, Anti-lock Brake
-24	4495 631	2	D, P						
-25									ISOLATOR, Tube Dash
									SCREW AND WASHER, Hex Head, M6x1x25
	6101 451	13	Z		42				
		13	D, P						
26									SCREW, And Washer Wheel Speed Sensor Rear M8x1.00x30.00, (NOT SERVICED) (Not Serviced)
-27									TUBE, Brake
	5278 236	1	D, P						Right Rear Extension
		1	Z		42				Right Rear Extension
-28	6034 880	1							NUT, Hex, .375-24x.85
-29	6034 908	1	D, P						NUT, Inverted Flare, .375-24x.85
		1	Z		42				
-30									TUBE, Brake
	5278 237	1	D, P						Left, Rear Extension
		1	Z		42				Left Rear Extension
-31	6034 880	1							NUT, Hex, .375-24x.85
-32									NUT, Inverted Flare, .375-24x.85
	6034 908	1	Z		42				
		1	D, P						
-33									VALVE, Proportioning
	5278 073AB-	2	Z		42				in Line w/Disc/Disc (BRF)
		2	D, P						In Lline w/Disc/Disc (BRF)
	5278 073	2	D, P						in Line w/Disc/Drum (BRJ)
		2	Z		42				in Line w/Disc/Drum (BRJ)

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

### Pedal, Brake Figure 005-605



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BRACKET, Brake Pedal
	4683 019	1	D, P						with Manual
	4683 024	1	D, P						with Automatic
2	6500 197	1	D, P						NUT, M10x1.5, Brake Pedal
3									PEDAL, Brake
	4509 708	1	Z		42				with Automatic with Bracket
	4683 020	1	D, P						with Manual
	4683 025	1	D, P						with Automatic
	5273 134	1	Z		42				with Manual with Bracket
4									BUSHING, Pedal Shaft
	2467 770	2	D, P						
		2	Z		42				
5	4671 336	1							SWITCH, Stop Lamp, with or with
									out ABS
6									PAD, clutch
	4683 021	1	Z		42				Brake with Manual
		1	D, P						Brake with Manual
7	6035 334	1							CLIP, Brake Push Rod
-8	6101 446	6							NUT AND WASHER, Pedal Bracket
9	4683 022	1	D, P						SHAFT, Brake Pedal Pivot
-10									PAD, Brake Pedal
	4509 607	1	Z		42				with Automatic
		1	D, P						with Automatic

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

**DODGE - FL**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE

Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

FL) = BODY

41=4 Door, 104WB

ENGINE

ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION

TRANSMISSION  
DD5 = 5 Speed Manual  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005


# Group – 006





## Clutch

### GROUP 6 - Clutch

Illustration Title Group-Fig. No.

<b>Clutch</b>	
Clutch and Disc, (DD4 - DD5)	Fig. 006-110
<b>Clutch Housing</b>	
Housing, Clutch and Mounting Bolts, (DD4 - DD5)	Fig. 006-210
<b>Clutch Controls</b>	
Linkage, Clutch, (DD4 - DD5)	Fig. 006-310
Controls, Release Fork & Bearing, Hydraulic Clutch, RHD, (DD4 - DD5)	Fig. 006-312
Controls, Master Cylinder && Slave Cylinder, Hydraulic Clutch, RHD, (DD4 - DD5)	Fig. 006-315
<b>Clutch Pedals</b>	
Pedal, Clutch, (DD4 - DD5)	Fig. 006-410



<b>006-100</b> Clutch	<b>006-200</b> Clutch Housing	<b>006-300</b> Clutch Controls	<b>006-400</b> Clutch Pedals
			



Clutch and Disc, (DD4 - DD5)  
Figure 006-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; If 11 Digit Of Vin # Is A [D] Vehicle Has Modular Clutch

If 11 Digit Of Vin # Is A [T] Vehicle Has Conventional Clutch Package


Sales Codes

DD4 - 5 Spd Manual Trans A578 W/Perf G/S

DD5 - 5 Spd Manual Trans A578

EBD = 1.8L 4 Cyl - SOHC


1	4670 161	1					DD4, DD5		CLUTCH, Modular
2	4856 319	1	D, P				DD4, DD5		CLUTCH PACKAGE
3	6501 099	4	D, P				DD4, DD5		BOLT, Hex Head, M10x1.50 x 13.20



DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

Housing, Clutch and Mounting Bolts, (DD4 - DD5)  
Figure 006-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; DD4 - 5 Spd Manual Trans A578 W/Perf G/S

DD5 = 5 Spd Manual Trans A578

EBD = 1.8L 4 CYL - SOHC

ECB = 2.0L 4 CYL - SOHC

ECC = 2.0L 4 CYL - DOHC

ECB = 2.0L 4 CYL - SOHC

ECC = 2.0L 4 CYL - DOHC


1									HOUSING, Clutch
	4761 088	1	D, P			ECB	DD5		
	4874 130	1	Z			EBD	DD4		
2									SCREW AND WASHER, Hex Head, M6x1x16
	6501 755	1					DD4, DD5 DGC		
		1							
3	6501 742	3				EBD	DD4		SCREW, Hex Head, M12x1.75x50
		3	Z			ECB	DD5		
		3	D, P			ECC	DD4, DD5		
4									STUD
	6503 244	1				ECB	DD4, DD5		
		1				EBD	DD4		
5									PIN, Locating
	4761 099	1					DD4		
		1	D, P			ECB	DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Linkage, Clutch, (DD4 - DD5)  
Figure 006-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DD4 = 5 Spd Manual Trans A578 W/Perf G/S DD5 = 5 Spd Manual Trans A578 EBD = 1.8L 4 Cyl - SOHC ECB = 2.0L 4 Cyl - SOHC ECC = 2.0 L 4 Cyl - DOHC									
1	4670 277	1	D, P				DD4, DD5		SPACER, Clutch Pedal Adjuster
2	4670 400	1	D, P				DD4, DD5		CABLE, Clutch Release
3									LEVER PACKAGE, Clutch Release
	4796 664	1	D, P			ECC	DD4		
		1	D, P			ECB	DD5		
	4796 665	1	Z			EBD	DD4		
4	4670 088	1	D, P				DGC		PLUG, Dash Panel, 35mm Diameter
5									BEARING, Clutch Release
	4670 026	1	D, P			EBD	DD4		
		1	D, P			ECB	DD5		
		1	D, P			ECC	DD4		
		1	Z			EBD	DD4		
6									PIVOT, Clutch Release Lever
	4670 240	1	D, P			ECC	DD4		
		1	D, P			ECB	DD5		
		1					DD4		
7									BOOT, Clutch Release Lever
	4670 019	1	D, P				DD4, DD5		
	4670 071	1	Z			EBD	DD4		
8	6034 206	1	D, P				DD4, DD5		PIN, Hair, .250 Dia x.766x.059

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

Controls, Release Fork & Bearing, Hydraulic Clutch, RHD, (DD4 - DD5)  
Figure 006-312




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; DD4 = 5 Spd Manual Trans A578 W/Perf G/S  
DD5 = 5 Spd Manual Trans A578  
ECB = 2.0 4 Cyl. - SOHC  
ECC = 2.0L 4CYL - DOHC

1									BEARING, Clutch Release
	4670 026	1	D, P			ECC	DD4		
		1	Z			EBD	DD4		
		1	D, P			EBD	DD4		
		1	D, P			ECB	DD5		
2									BOOT, Clutch Release Lever
	4670 019	1	D, P				DD4, DD5		
	4670 071	1	Z			EBD	DD4		
3									LEVER PACKAGE, Clutch Release
	4796 664	1	D, P			ECC	DD4		
		1	D, P			ECB	DD5		
	4796 665	1	Z			EBD	DD4		
4									PIVOT, Clutch Release Lever
	4670 240	1	D, P			ECB	DD5		
		1					DD4		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

Controls, Master Cylinder & Slave Cylinder, Hydraulic Clutch, RHD, (DD4 - DD5)  
Figure 006-315



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; DD4 = 5 Spd Manual Trans A578 W/Perf G/S

DD5 - 5 Spd Manual Trans A578

1	4670 233	1	Z				DD4		BRACKET, Brake Fluid Reservoir
2	4606 041	1	Z				DD4		CLIP, Stud
3	4670 268	1	Z				DD4		CLIP, Clutch Tube
4	4670 265	1	Z				DD4		BUSHING, Hydraulic Clutch Actuator
5	6101 695	1	Z				DD5		NUT, Hex Flange Lock, M8x1.25
		2							
6	4670 367	1	Z				DD4		CLIP, Clutch Tube
7	4668 302	1	Z				DD4		ACTUATOR, Hydraulic Clutch
8	6101 695	1	Z				DD5		NUT, Hex Flange Lock, M8x1.25
		2							
9	6101 614	2	Z				DD4		SCREW AND WASHER, Hex Head, M8x1.25x45
10	4668 304	1	Z				DD4		ACTUATOR, Hydraulic Clutch


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

### Pedal, Clutch, (DD4 - DD5) Figure 006-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DD4 = 5 Spd Manual Trans A578 W/Perf G/S									
DD5 = 5 Spd Manual Trans									
DBB = All Manual Trans									
1	6500 197	1	D, P				DD4, DD5		NUT, M10x1.5
2	4511 135	1	D, P				DD4, DD5		SHAFT, Clutch Pedal
3	4670 093	1	D, P				DD4, DD5		SPRING, Clutch Pedal Return
4	2467 770	4 2	Z D, P				DBB DD4, DD5		BUSHING, Pedal Shaft
5	4668 286 4796 915	1 1	Z D, P				DBB DD4, DD5		PEDAL, Clutch
6	4683 021	1 1	Z D, P				DBB DD4, DD5		PAD, clutch
7	4672 014	1					DBB		SWITCH, Clutch Starter Interlock
8	6034 206	1							PIN, Hair, .250 Dia x.766x.059
-9	6100 025	1	Z				DD4		PIN, Cotter, M3.2x36
10	2266 820	1	D, P				DBB		BUMPER, Clutch Pedal
-11	4668 306	1	Z				DD4		STOPPER, Clutch and Brake Pedal
12	4670 225	1	Z				DD4		PIN, Clutch Pedal
13	4668 286	1	Z				DBB		PEDAL, Clutch

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

DODGE - FL  
SERIES  
L=Low Line  
H=High Line  
S=Special

LINE

Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY

41=4 Door, 104WB

ENGINE

ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION

DD5 = 5 Speed Manual  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 15, 2005

**Group – 007**  
**Cooling**

GROUP 7 - Cooling

Illustration Title
 Group-Fig. No.

**Radiator and Related Parts**

Radiator and Related Parts Auto. Trans. .... Fig. 007-110  
 Radiator and Related Parts Manual Trans. .... Fig. 007-120

**Water Pump and Related Parts**

Water Pump and Related Parts ..... Fig. 007-203

**Tank, Coolant Engine**

Coolant Reserve Tank ..... Fig. 007-303

**Pulleys and Related Parts**

Pulley, Drive ..... Fig. 007-403

**Drive Belts**


Belts ..... Fig. 007-503








**Lines, Transmission Oil Cooler**

Lines, Oil Cooler ..... Fig. 007-603

**Grilles**

Grille and Related Parts ..... Fig. 007-703



<b>007-100</b> Radiator and Related Parts 	<b>007-200</b> Water Pump and Related Parts 	<b>007-300</b> Tank, Coolant Engine 	<b>007-400</b> Pulleys and Related Parts 
<b>007-500</b> Drive Belts 	<b>007-600</b> Lines, Transmission Oil Cooler 	<b>007-700</b> Grilles 	

**Figure 007-110**



NOTE: When specifying Module components refer to appropriate stamping number.									
A/C = Air Conditioning									
R.F.I. = Radio Frequency Interference									
Sales Codes:									
ECB = 2.0L SOHC									
ECC = 2.0L DOHC									
EBD = 1.8L SOHC 16V									
DGC = TRANSMISSION - AUTOMATIC 3-SPEED									
DG0 = TRANSMISSIONS - ALL AUTOMATIC									
1	6100 558	2							BOLT AND CONED WASHER, Hex Head, M6x25x14
2	4546 950	2							BRACKET, Cooling Module
3									RADIATOR, Engine Cooling
	4495 947	1	D, P		EC0	DG0			Stamped 4495947, W/o A/C
	4546 902	1				DG0			Stamped 4546986, With A/C
	4740 097	1			ECB	DG0			Stamped 4495936-4495936AB
		1	D, P		ECC	DG0			Stamped 4495936-4495936AB
	4883 141	1			ECC	DGC			Stamped 4546899, With A/C
		1			ECB	DG0			MID-EAST Stamped 4546899, with A/C
4									DRAINCOCK, Radiator
	4644 269	1				DG0			Stamped 4546986 Mexico Built, With A/C
	4762 334	1			ECB	DG0			Stamped 4546899,4495936, 4495936AB, with A/C
		1	D, P		ECC	DG0			Stamped 4495947, w/o A/C
		1			ECC	DGC			Stamped 4546899,4495936, 4495936AB, with A/C
		1			ECB	DG0			Stamped 4495947, w/o A/C
-5									SCREW, Hex Head, M6x12
	4762 340	1			ECC	DGC			
		1			ECB	DG0			
6									CONDENSER, Air Conditioning
	4740 109	1			ECB	DG0			Stamped 4495936 Belvidere Built
		1			ECC	DG0			Stamped 4546899 Belvidere Built
	4798 950	1				DG0			Stamped 4546986 Mexico Built
7									LABEL, Fan Caution
	4592 114	1			ECB	DG0			
		1	D, P		ECC	DG0			
8	4401 438	1							CLAMP, Radiator
9									HOSE AND CLAMP, Radiator Inlet
	4546 651	1	D, P		ECC				w/ A/C

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 15, 2005




Radiator and Related Parts Auto. Trans.  
Figure 007-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	4546 656	1	D, P			ECC	DG0		w/o A/C
	4546 723	1				ECB			w/ A/C
	4546 725	1				ECB	DG0		w/o A/C
	4546 696	1							HOSE AND CLAMP, Radiator Outlet w/ A/C
11	4546 697	1	D, P				DG0		w/o A/C
									ISOLATOR, Cooling Module Mounting, Lower w/o A/C
12	4495 963	2	D, P			EC0			w/o A/C
	4546 657	2							w/ A/C
									MOTOR, Radiator Fan
	4882 636	1							Fan, Stamped 5278146 Mexico Built
13	4882 637	1	D, P						Fan, Stamped 5278147 Mexico Built
	4882 799	1				EC0			Fan, w/o A/C Stamped 5278512 Belvidere Built
	4897 836AA	1				EC0	DG0		Fan, Left Stamped 4546835 - 4546835AB Belvidere Built
	4897 837AA	1				EC0	DG0		Fan, Right Stamped 5278364 - 5278364AB Belvidere Built
	4740 100	1				EC0			FAN, Cooling Fan, w/o A/C (Stamped 5278512) Belvidere Built
	4762 345	1				EC0	DG0		Fan, Right (Stamped 5278364 - 5278364AB) Belvidere Built
-14	4762 349	1					DG0		Fan, Left (Stamped 4546835 - 4546835AB) Belvidere Built
	4798 953	1							Fan, (Stamped 5278146, 5278147) Mexico Built
	4762 341	1				EC0			NUT, Fan Module Retaining, Fan to Motor
									SHROUD, Fan
15	4740 102	1	D, P			EC0			Fan, w/o A/C (Stamped 5278512) Belvidere Built
	4762 350	1				EC0	DG0		Fan, Left (Stamped 4546835 - 4546835AB) Belvidere Built
	4798 946	1							Fan, (Stamped 5278146, 5278147) Mexico Built
	4874 458	1				EC0	DG0		Fan, Right (Stamped 5278364 - 5278364AB) Belvidere Built
-16									SCREW, Hex Head

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Radiator and Related Parts Auto. Trans.  
Figure 007-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4762 342	1				EC0	DG0		Fan, Left (Stamped 4546835 - 4546835AB-5278364-5278364AB) Belvidere Built
	4762 343	1	D, P			EC0			Fan, w/o A/C (Stamped 5278512) Belvidere Built
-17	4761 511	3							SCREW, Fan, (Stamped 5278146, 5278147) Mexico Built
-18	6500 377	4							CLIP, Motor THERMOSTAT
	5278 144AA	1	D, P			ECB	DGC		
		1	D, P			ECC	DGC		
		1	Z			ECB	DGC		
20									CONNECTOR, Engine Coolant Outlet
	4495 717	1	D, P			ECC	DGC		
	4546 729	1	D, P			ECB	DGC		
21									SCREW AND WASHER, Hex Head, M6x1x30
	6101 939	2	D, P			ECB	DGC		
		2	D, P			ECC	DGC		
		2	Z			ECB	DGC		
22									CAP, Radiator
	4592 098	1	D, P			ECB	DGC		
		1	D, P			ECC	DGC		
		1	Z			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Radiator and Related Parts Manual Trans.  
Figure 007-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: When specifying Module components refer to appropriate stamping number.

A/C = Air Conditioning

R.F.I. = Radio Frequency Interference

Sales Codes:

ECB = 2.0L SOHC

ECC = 2.0L DOHC

EC0 = ALL 2.0L ENGINES

EBD = 1.8L SOHC 16V

DBB = TRANSMISSIONS - ALL MANUAL


1	6100 558	2							BOLT AND CONED WASHER, Hex Head, M6x25x14
2	4546 950	2							BRACKET, Cooling Module
3									FLAPPER KIT, Cooling Fan Module
	4762 398	1	D, P			ECB	DBB		
		1	D, P			EBD	DBB		
-4									SCREW, Hex Head, M6x16
	4762 339	1	D, P			ECB	DBB		with A/C (Stamped 4495937 - 4546625) (Belvedere Built - First Digit of VIN = 1)
		1	D, P			EBD	DBB		with A/C (Stamped 4495937 - 4546625) (Belvedere Built - First Digit of VIN = 1)
-5									SCREW, Hex Head, M6x12, (Stamped 4495937 - 4546625 - 4546621 - 4546625AB)
	4762 340	1	D, P			ECC	DG0		
		1	D, P			EBD	DBB		
		1	Z			ECB	DBB		
		1	Z			EBD	DBB		
6									RADIATOR, Engine Cooling w/o A/C (Module 4546703)
	4495 947	1	D, P			EC0	DBB		Module 4546900
	4546 902	1					DBB		Module 4495937 - 4546625 - 4546621 - 4546625AB
	4740 097	1	D, P			ECB,	DBB		Module 4495937 - 4546625 - 4546621 - 4546625AB
		1	D, P			ECC	DBB		Module 4495937 - 4546625 - 4546621 - 4546625AB
		1	Z			ECB	DBB		Module 4495937 - 4546625 - 4546621 - 4546625AB
		1	Z			EBD	DBB		Module 4495937 - 4546625 - 4546621 - 4546625AB
7									DRAINCOCK, Radiator

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Radiator and Related Parts Manual Trans.  
Figure 007-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4644 269	1					DBB		with A/C (Stamped 4546900) (Mexico Built - First Digit of VIN = 3)
	4762 334	1	D, P			EBD	DBB		
		1	Z			ECB	DBB		
		1	Z			EBD	DBB		
		1	D, P			EC0	DBB		
8	4740 109	1	D, P			ECB	DBB		CONDENSER, Air Conditioning with A/C (Stamped 4495937 - 4546625) (Belvedere Built - First Digit of VIN = 1)
		1	D, P			EBD	DBB		with A/C (Stamped 4495937 - 4546625) (Belvedere Built - First Digit of VIN = 1)
		1				ECC	DBB		with A/C (Stamped 4495937 - 4546625) (Belvedere Built - First Digit of VIN = 1)
		1	Z			ECB	DBB		with A/C (Stamped 4495937 - 4546625) (Belvedere Built - First Digit of VIN = 1)
		1	Z			EBD	DBB		with A/C (Stamped 4495937 - 4546625) (Belvedere Built - First Digit of VIN = 1)
	4798 950	1					DBB		with A/C (Module 4546900) (Mexico Built - First Digit of VIN = 3)
-9	4592 114	1	D, P			ECB, ECC	DBB		LABEL, Fan Caution
		1	D, P			EBD	DBB		
		1	Z			ECB	DBB		
		1	Z			EBD	DBB		
10	4401 438	1							CLAMP, Radiator
11	4546 651	1	D, P			ECC	DBB		HOSE AND CLAMP, Radiator Inlet Air Conditioning
	4546 656	1	D, P			ECC	DBB		Without Air Conditioning
	4546 723	1				ECB			Air Conditioning
	4546 725	1	D, P			ECB	DBB		With Air Conditioning
12	4546 696	1							HOSE AND CLAMP, Radiator Outlet Air Conditioning
	4546 697	1	D, P				DBB		Without Air Conditioning
13									ISOLATOR, Cooling Module Mounting, Lower

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Radiator and Related Parts Manual Trans.  
Figure 007-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	4495 963	2	D, P			EC0			Without Air Conditioning
	4546 657	2							Air Conditioning
	4882 636	1							MOTOR, Radiator Fan
									Fan, (Stamped 5278146) (Mexico Built)
	4882 637	1							Fan, (Stamped 5278147) (Mexico Built)
	4882 799	1	D, P			EC0			Fan, w/o A/C (Stamped 5278512) Belvedere Built
	4882 800	1	D, P			ECB, ECC	DBB		Fan, (Stamped 5278470) (Belvedere Built - First Digit of VIN = 1)
	4897 836AA	1				ECC	DBB		Fan, Left (Stamped 4546835 (Belvedere Built - First Digit of VIN = 1)
		1				ECB	DBB		Fan, Left (Stamped 4546835 (Belvedere Built - First Digit of VIN = 1)
	4897 837AA	1				ECC	DBB		Fan, Right (Stamped 5278364) (Belvedere Built - First Digit of VIN = 1)
15		1				ECB	DBB		Fan, Right (Stamped 5278364) (Belvedere Built - First Digit of VIN = 1)
		1	Z			EBD	DBB		Fan, Right (Stamped 5278364) (Belvedere Built - First Digit of VIN = 1)
									FAN, Cooling
	4740 100	1	D, P			EC0			Fan, w/o A/C (Stamped 5278512) Belvedere Built
	4762 345	1				ECC	DBB		Fan, Right (Stamped 5278364) (Belvedere Built - First Digit of VIN = 1)
		1				ECB	DBB		Fan, Right (Stamped 5278364) (Belvedere Built - First Digit of VIN = 1)
		1	Z			EBD	DBB		Fan, Right (Stamped 5278364) (Belvedere Built - First Digit of VIN = 1)
									FAN, Cooling
	4762 349	1				ECC	DBB		Fan, Left (Stamped 4546835 (Belvedere Built - First Digit of VIN = 1)
									Fan, Left (Stamped 4546835 (Belvedere Built - First Digit of VIN = 1)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
TRANSMISSION			
DD5 = 5 Speed Manua			
DGC = 3 Speed Automatic			
DGL = 4 Speed Automatic			
DG0 = All Automatics			
DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Radiator and Related Parts Manual Trans.  
Figure 007-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ECB	DBB		Fan, Left (Stamped 4546835 (Belvedere Built - First Digit of VIN = 1)
		1	Z			EBD	DBB		Fan, Left (Stamped 4546835 (Belvedere Built - First Digit of VIN = 1)
	4773 731	1	D, P			ECB, ECC	DBB		Fan, (Stamped 5278470) (Belvedere Built - First Digit of VIN = 1)
	4798 953	1							Fan, (Stamped 5278146, 5278147) (Mexico Built)
-16									NUT, Fan Module Retaining, Fan to Motor
	4762 341	1				ECC	DBB		
		1				ECB	DBB		
		1	Z			EBD	DBB		
17									SHROUD, Fan
	4740 102	1	D, P			EC0			Fan, w/o A/C (Stamped 5278512) Belvedere Built
	4740 107	1	D, P			ECB, ECC	DBB		Fan, (Stamped 5278470) (Belvedere Built - First Digit of VIN = 1)
	4762 350	1				ECC	DBB		Fan, Left (Stamped 4546835 (Belvedere Built - First Digit of VIN = 1)
		1				ECB	DBB		Fan, Left (Stamped 4546835 (Belvedere Built - First Digit of VIN = 1)
	4798 946	1							Fan, (Stamped 5278146, 5278147) (Mexico Built)
	4874 458	1				ECC	DBB		Fan, Right (Stamped 5278364) (Belvedere Built - First Digit of VIN = 1)
		1				ECB	DBB		Fan, Right (Stamped 5278364) (Belvedere Built - First Digit of VIN = 1)
		1	Z			EBD	DBB		Fan, Right (Stamped 5278364) (Belvedere Built - First Digit of VIN = 1)
-18									SCREW, Hex Head
	4762 342	1	D, P			ECB, ECC	DBB		Fan, (Stamped 5278470,4546835, 5278364) (Belvedere Built - First Digit of VIN = 1)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGO = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Radiator and Related Parts Manual Trans.  
Figure 007-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Z			EBD	DBB		Fan, (Stamped 4546835AB, 5278364AB) (Belvedere Built - First Digit of VIN = 1)
	4762 343	1	D, P			EC0			Fan, (Stamped 5278512) Belvedere Built
-19 20	6500 377	4							CLIP, Motor THERMOSTAT
	5278 144AA	1	D, P			ECB	DD4, DD5		
		1	D, P			ECC	DD4, DD5		
		1	Z			EBD	DD4		
21									CONNECTOR, Engine Coolant Outlet
	4495 717	1	D, P			ECC	DD4, DD5		
	4546 729	1	D, P			ECB	DD4, DD5		
		1	D, P			EBD	DD5		
22									SCREW AND WASHER, Hex Head, M6x1x30
	6101 939	2	D, P			ECB	DD4, DD5		
		2	D, P			ECC	DD4, DD5		
23									CAP, Radiator
	4592 098	1	D, P			ECB	DD4, DD5		
		1	D, P			ECC	DD4, DD5		
		1	D, P			EBD	DD4		
	4796 447	1	Z			EBD, ECB			
		1	Z			ECB			
24	4762 338	1	D, P			ECB	DBB		SHROUD, Fan, Use with 4740107 - Center


DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGO = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



# Water Pump and Related Parts Figure 007-203



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Codes:									
ECB = 2.0L SOHC									
ECC = 2.0L DOHC									
EBD = 1.8L SOHC 16V									
DGC = TRANSMISSION - AUTOMATIC 3-SPEED									
DD4 = TRANSMISSION - MANUAL 5-SPEED									
DD5 = TRANSMISSION - PERF. MANUAL 5-SPEED									
1									PUMP, Water
	4667 660	1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECC	DGC		
		1	D, P			ECB	DD4,		
							DD5		
		1	D, P			EBD	DD4		Export
		1	Z			EBD	DD4		Export
		1	D, P			ECC	DD4,		
							DD5		
-2									STAY, Water Pump, (NOT REQUIRED)
-3									NIPPLE, Heater Return
	4621 653	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			EBD	DD4		Export
		1	D, P			ECB	DD4,		
							DD5		
4		1	Z			EBD	DD4		Export
	6503 255	6	D, P			ECB	DGC		BOLT, Hex Head, M6x1.0x22
		6	D, P			ECC	DGC		
		6	Z			ECB	DGC		
		6	D, P			EBD	DD4		Export
		6	Z			EBD	DD4		Export
		6	D, P			ECC	DD4,		
							DD5		
5									SEAL, Water Pump To Front Cover
	4667 663	1	D, P			ECB	DGC		
		1	D, P			ECC	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4,		
							DD5		
		1	D, P			EBD	DD4		Export

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth


BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual



Water Pump and Related Parts  
Figure 007-203



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
6	4777 173	1	Z			EBD	DD4		Export
		1	D, P			ECC	DD4, DD5		
		1	D, P			ECB	DGC		O RING, Water Inlet Tube
		1	D, P			ECC	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			EBD	DD4		Export
		1	Z			EBD	DD4		Export
		1	D, P			ECC	DD4, DD5		
7	4777 171	1	D, P			ECB	DGC		TUBE, Water Inlet
		1	D, P			ECC	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECC	DD4, DD5		
		1	D, P			ECB	DD4, DD5		
8	6100 267	1	D, P			EBD	DD4		Export
		1	Z			EBD	DD4		Export
									BOLT AND CONED WASHER, Hex Head, M6x25x12.5
		2	D, P			ECB	DGC		
		2	D, P			ECC	DGC		
		2	Z			ECB	DGC		
		2	D, P			ECB	DD4, DD5		
		2	D, P			EBD	DD4		Export
		2	Z			EBD	DD4		Export
		2	D, P			ECC	DD4, DD5		


DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY			ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB			ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth					DG0 = All Automatics			
						DBB= All 5 Speed Manual			

Coolant Reserve Tank  
Figure 007-303

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CAP, Coolant Reserve Tank
	4796 447	1	D, P			EBD, ECB			
		1	D, P			ECC			
		1	Z			EBD, ECB			
2									BOTTLE, Coolant Recovery
	4496 000	1	Z			EBD, ECB			
	4746 206	1	D, P			EBD, ECB ECC			
		1	D, P						
3									HOSE, Overflow, Roll Stock
	4266 423	1	D, P			ECB			
		1	Z			EBD, ECB			
4	4495 804	1	D, P			ECC			HOSE, Coolant Reserve Tank
-5	2448 761	1							CLAMP, Hose
6	6503 676	1							NUT, Hex Flange, M6x1
7	6034 716	1							SCREW AND WASHER, Hex Flange Head, .25-14x.875


DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

Pulley, Drive  
Figure 007-403



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

ECB = 2.0L SOHC

ECC = 2.0L DOHC

EBD = 1.8L SOHC 16V

DGC = TRANSMISSION - AUTOMATIC 3-SPEED

DG0 = TRANSMISSIONS - ALL AUTOMATIC

DD4 = TRANSMISSION - MANUAL 5-SPEED


DD5 = TRANSMISSION - PERF. MANUAL 5-SPEED

1									DAMPER, Crankshaft
	4667 765	1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
		1	D, P			ECB	DD4, DD5		
		1	Z			EBD	DD4		
2									BOLT, Hex Flange Head, M12x1. 75x87.50
	6503 553	1	D, P			ECB	DGC		
		1	D, P			ECC	DGC		
		1	Z			ECB	DGC		
		1	D, P			EBD	DD4		Export
		1	Z			EBD	DD4		Export
		1	D, P			ECC	DD4, DD5		
3	4612 242	1							PULLEY, Power Steering Pump
4	4723 014	1							CLUTCH, A/C Compressor

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

Belts  
Figure 007-503



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

ECB = 2.0L SOHC

ECC = 2.0L DOHC

EBD = 1.8L SOHC 16V

DGC = TRANSMISSION - AUTOMATIC 3-SPEED

DG0 = TRANSMISSIONS - ALL AUTOMATIC

DD4 = TRANSMISSION - MANUAL 5-SPEED


DD5 = TRANSMISSION - PERF. MANUAL 5-SPEED

1									BELT, Alternator Drive
	4668 180AB	1	D, P			ECB	DGC		
		1	D, P			ECC	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			EBD	DD4	Export	
		1	Z			EBD	DD4	Export	
		1	D, P			ECC	DD4, DD5		
2									BELT, Power Steering Air Conditioning
	4612 247	1							
	4668 340	1							Heater

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

Lines, Oil Cooler  
Figure 007-603



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

ECB = 2.0L SOHC

ECC = 2.0L DOHC

DGC = TRANSMISSION - AUTOMATIC 3-SPEED


1	4495 993	1					DGC		HOSE, Transmission Oil Pressure
	4546 713	1	D, P				DGC		Air Conditioning
	4495 993	1	Z			ECB	DGC		Heater
2	4495 995	1					DGC		HOSE, Transmission Oil Return
	4546 714	1	D, P				DGC		Air Conditioning
3	6032 839	4					DGC		Heater
4	4531 202	2	D, P			ECB	DGC		CLAMP, Oil Cooler
		2				ECC	DGC		CONNECTOR, Oil Cooler Hose
		2	Z			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Grille and Related Parts  
Figure 007-703



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4655 390	1							CROSSMEMBER, Radiator Closure Panel
-2	4495 886	1	D, P						SHIELD, Radiator To Closure Panel
3	4655 474	1							SUPPORT, Radiator Closure Panel
4									PANEL, Radiator Closure
	4655 520	1							Right, Upper
	4655 521	1							Left, Upper
5									PANEL, Radiator Closure
	4655 214	1							Right, Lower
	4655 215	1							Left, Lower
6	5003 942AB	1							CROSSMEMBER, Front Side Rail
-7	5256 905	1							BRACKET, Side Rail Crossmember, Tow Hook
8									GUSSET, Front Crossmember, Serviced in Item #6, (NOT SERVICED) (Not Serviced)
9	5278 075	1	D, P						BAFFLE, Air Intake
10									SCREW, Hex Head, 5/16, (NOT SERVICED) (Not Serviced)
11									GRILLE, Radiator
	4741 499	1	D, P						
		1	Z						
12									SCREW AND WASHER, Hex Head, M5x0.80x25.00, (NOT SERVICED) (Not Serviced)
13	5263 860	1							BRACKET, Radiator Grille

DODGE - PLYMOUTH - CHRYSLER NEON (PL)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005









# Group – 008









## Electrical



# Group – 008

## Electrical

<b>008-1000</b> Battery Tray and Cables	<b>008-1100</b> Lamps – Front, Rear and Courtesy	<b>008-1200</b> Wiring-Engine & Related Parts	<b>008-1300</b> Wiring-Headlamp to Dash
			
<b>008-1400</b> Wiring-Instrument Panel	<b>008-1500</b> Wiring-Body & Accessories	<b>008-1600</b> Wiring Repair	<b>008-1900</b> Spark Plugs-Cables-Coils
			

<b>008-100</b> Starters	<b>008-200</b> Alternators	<b>008-400</b> Modules	<b>008-500</b> Relays
			
<b>008-600</b> Sensors	<b>008-700</b> Single Board Engine Controllers	<b>008-800</b> Switches	<b>008-900</b> Horns
			

## GROUP 8 - Electrical

Illustration Title	Group-Fig. No.
<b>Starters</b>	
Starter	Fig. 008-102
<b>Alternators</b>	
Alternators	Fig. 008-202
<b>Modules</b>	
Modules, Electronic	Fig. 008-405
<b>Relays</b>	
Relays	Fig. 008-505
<b>Sensors</b>	
Sensors, Engine	Fig. 008-605
Sensors, Transmission	Fig. 008-610
Sensors, Body	Fig. 008-615
<b>Single Board Engine Controllers</b>	
Single Board Engine Controllers	Fig. 008-705
<b>Switches</b>	
Switches	Fig. 008-805
<b>Horns</b>	
Horns	Fig. 008-905
<b>Battery Tray and Cables</b>	
Battery Tray And Cables	Fig. 008-1001
<b>Lamps - Front, Rear and Courtesy</b>	
Lamps, Front	Fig. 008-1105
Lamps, Rear	Fig. 008-1110
Lamps, Cargo, Dome, Courtesy	Fig. 008-1115
Sockets And Bulbs	Fig. 008-1180
<b>Wiring-Engine &amp; Related Parts</b>	
Wiring, Engine And Related Parts	Fig. 008-1205
<b>Wiring-Headlamp to Dash</b>	
Wiring, Headlamp To Dash	Fig. 008-1305
<b>Wiring-Instrument Panel</b>	
Wiring, Instrument Panel	Fig. 008-1405
<b>Wiring-Body &amp; Accessories</b>	
Wiring, Body And Accessories	Fig. 008-1505
<b>Wiring Repair</b>	
Wiring, Repair	Fig. 008-1605

## GROUP 8 - Electrical


Illustration Title	Group-Fig. No.
<b>Spark Plugs-Cables-Coils</b>	
Spark Plugs, Cables, Coils . . . . .	Fig. 008-1902





**Starter**  
**Figure 008-102**

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ECB= 2.0L 4 CYL SOHC 16V SMPI									
1	4793 804	1							STARTER
2									SCREW AND WASHER, Hex Head, M10x1.5x95
	6503 237	1				ECB			Starter mounting
		1				EBD, ECB			Starter mounting
3									SCREW AND WASHER, Hex Head, M10x1.5x50
	6502 717	1				EBD, ECB			Starter mounting
		2				ECC			Starter mounting
		2				ECB, ECH			Starter mounting




DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005

Alternators  
Figure 008-202




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ECC= 2.0L 4 CYL DOHC 16V SFI									
ECB= 2.0L 4 CYL SOHC 16V SMPI									
1	ALTERNATOR								
4793 692	1	1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			EBD	DD4		
		1	Z		42	EBD	DD4		
		1	D, P			ECC	DD4, DD5		
2	NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5								
6101 448	1	1	Z		42	ECB	DGC		Alternator To Adjustment Bracket
		1	D, P			ECB	DGC		Alternator To Adjustment Bracket
		1	D, P			ECC	DGC		Alternator To Adjustment Bracket
		1	Z		42	ECB	DD5		Alternator To Adjustment Bracket
		1					DD4, DD5		Alternator To Adjustment Bracket
		1	Z		42	EBD	DD4		Alternator To Adjustment Bracket
	1	1	D, P			EBD	DD4		Alternator To Adjustment Bracket
		1	D, P			EBD	DD4		Alternator To Adjustment Bracket
3	SHIELD, Alternator								
4793 398AB	1	1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			EBD	DD4		
		1	Z		42	EBD	DD4		
		1	D, P			ECC	DD4, DD5		
4	SCREW AND WASHER, Hex Head Lock, M8x1.25x95								
6503 705	1	1	Z		42	ECB	DGC		Alternator Adjustment
		1	D, P			ECB	DD4, DD5		Alternator Adjustment
		1	D, P			ECB	DGC		Alternator Adjustment
		1	D, P			ECC	DGC		Alternator Adjustment
		1	D, P			ECC	DD4, DD5		Alternator Adjustment
		1	D, P			EBD	DD4		Alternator Adjustment
5	SCREW, Header Point, M10x1.50x50.00								

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual


Alternators  
Figure 008-202



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6504 286	1	D, P			ECB	DGC		
		1	D, P			ECC	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			EBD	DD4		
		1	Z		42	EBD	DD4		
		1	D, P			ECC	DD4, DD5		
6									SCREW AND WASHER, Hex Head, M10x1.5x25
	6101 503	2	D, P			ECC	DGC		
		2	Z		42	ECB	DGC		
		2	D, P			ECB	DGC		
		2	D, P			ECB	DD4, DD5		
		2	D, P			ECC	DD4, DD5		
		2	D, P			EBD	DD5		
		2	Z		42	ECB	DD5		
		2	Z		42	EBD	DD4		
7									SCREW AND WASHER, Hex Head, M10x1.5x105
	6101 623	1	Z		42	ECB	DGC		Alternator Pivot
		1	D, P			ECB	DD4, DD5		Alternator Pivot
		1	D, P			ECB	DGC		Alternator Pivot
		1	D, P			ECC	DGC		Alternator Pivot
		1	D, P			ECC	DD4, DD5		Alternator Pivot
		1	D, P			EBD	DD4		Alternator Pivot
		1	Z		42	ECB	DGC		BRACKET, Alternator
		1	D, P			ECB	DD4, DD5		Alternator Adjusting
		1	D, P			ECB	DGC		Alternator Adjusting
	4612 132	1	D, P			ECC	DGC		Alternator Adjusting
		1	D, P			ECC	DD4, DD5		Alternator Adjusting
		1	D, P			ECC	DD4, DD5		Alternator Adjusting
		1	Z		42	EBD	DD4		Alternator Adjusting
		1	D, P			ECB	DGC		SCREW AND WASHER, Hex Head, M10x1.5x45
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
		1	Z		42	EBD	DD4		
9									
	6101 512	3	D, P			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		


Alternators  
Figure 008-202



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		3	D, P			ECC	DGC		
		3	Z		42	ECB	DGC		
		3	D, P			EBD	DD4		
		3	D, P			ECB	DD4, DD5		
		3	D, P			ECC	DD4, DD5		
		3	Z		42	EBD	DD4		
10									NUT AND RETAINER, Hex Flange Locking, M10 x 1.50
	6502 987	1	D, P			ECB	DGC		
		1	D, P			ECC	DGC		
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			EBD	DD4		Alternator Pivot Bracket
		1	Z		42	EBD	DD4		
		1	D, P			ECC	DD4, DD5		
11									BRACKET, Alternator Alternator Pivot
	4668 250	1	Z		42	ECB	DGC		
		1	D, P			ECB	DD4, DD5		Alternator Pivot
		1	D, P			ECB	DGC		Alternator Pivot Bracket
		1	D, P			ECC	DGC		Alternator Pivot Bracket
		1	D, P			ECC	DD4, DD5		Alternator Pivot
		1	D, P			EBD	DD4		Alternator Pivot
		1	Z		42	EBD	DD4		Alternator Pivot

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

Modules, Electronic  
Figure 008-405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5293 098AA	1							MODULE, Anti-Lock Brake System
2	5269 971AC	1							MODULE, Air Bag Control
3	4672 271	1	D, P						MODULE, Daytime Running Lamp
4	5600 7182	1	D, P						CHIME, Warning
-5									MODULE, Security Alarm
	5293 136AA-	1							
	4883 320	1	Z			42			
-6	8220 3763	1							MODULE KIT, Alarm without Keyless

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

Relays  
Figure 008-505

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

DGL = TRANSMISSION - AUTOMATIC 4-SPD, 41TE

1									RELAY, Electrical
	5269 956	1	D, P						Smart Dome Lamp Time Out
	2889 565	1							Thermal Time
	4707 286	1							Radiator Fan
2									RELAY PACKAGE, Electrical
	4638 094	1							Hood Release
		1							Starter
		1							Front Tension Strut
		1							ASD
		1	Z		42				Front Fog Lamp
		1	D		42				Front Fog Lamp
	4638 271	1	Z		42				Power Mirror
	4638 094	1	Z		42				Cigar Lighter


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Sensors, Engine Figure 008-605



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EBD=1.8L 4 CYL SOHC ECB=2.0L 4 CYL SOHC DD5 = Manual 5 Speed DGL= 4 Speed Automatic DGC=3 Speed Automatic									
1	4661 341	1	D, P			ECC	DGC		SENSOR, Combination Temp. Unit
		1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		
2	5269 547	1	D, P			EBD	DD4		CAM MAGNET, Target
		1	Z		42	EBD	DD4		
		1	D, P			EBD	DD4		
		1	Z		42	EBD	DD4		
		1	Z		42	ECB	DGC		
		1	D, P			ECC	DGC		
3	4882 850AA	1	D, P			EBD	DD4		SENSOR PACKAGE, Camshaft
		1	Z		42	EBD	DD4		
		1	Z		42	ECB	DGC		
	4882 851AA	1	D, P			ECC	DGC		
		1	D, P			ECC	DGC		
		1	D, P			ECC	DGC		
4	4777 068	1	D, P			EBD	DD4		SEAL, Camshaft Sensor
		1	Z		42	EBD	DD4		
		1	Z		42	ECB	DGC		
		1	D, P			ECC	DD4, DD5		
		1	D, P			ECC	DD4, DD5		
		1	D, P			ECC	DD4, DD5		
5	4557 667	1	D, P			EBD	DD4		SENSOR, Knock
		1	Z		42	EBD	DD4		
		1	Z		42	ECB	DGC		
		1	D, P			ECC	DD4, DD5		
		1	D, P			ECC	DD4, DD5		
		1	D, P			ECC	DD4, DD5		
6	5269 703	1	D, P			EBD	DD4		SENSOR, Crankshaft Position
		1	Z		42	EBD	DD4		
		1	Z		42	ECB	DGC		
		1	D, P			ECC	DD4, DD5		
		1	D, P			ECC	DD4, DD5		
		1	D, P			ECC	DD4, DD5		
7	4608 303	1	D, P			EBD	DD4		SWITCH, Oil Pressure
		1	Z		42	EBD	DD4		

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

Sensors, Engine  
Figure 008-605




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		
		1	D, P			ECC	DD4, DD5		
8	5269 743	1				ECB,			SENSOR, Oxygen, Downstream
						ECC			
9	4686 154AB	1	D, P			EBD	DD4		SENSOR, Oxygen
		1	Z		42	EBD	DD4		Upstream
		1	D, P			ECB	DGC		Upstream
		1	Z		42	ECB	DGC		Upstream
10	5293 985AA	1	D, P			EBD	DD4		SENSOR, Map
		1	Z		42	EBD	DD4		
		1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		
11									SENSOR KIT, Throttle Position
	4874 430	1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		
		1	D, P			EBD	DD4		
		1	Z		42	EBD	DD4		
	4874 433	1	D, P			ECC	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics
	P=Plymouth			DBB= All 5 Speed Manual



Sensors, Transmission  
Figure 008-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4707 839AA	1							SENSOR, Vehicle Speed




DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Sensors, Body  
Figure 008-615



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5273 226	1							SENSOR, Anti-Lock Brakes, Right Front
2	5273 227	1							SENSOR, Anti-Lock Brakes, Left Front
3	5273 224	1							SENSOR, Anti-Lock Brakes, Right Rear
4	5273 225	1							SENSOR, Anti-Lock Brakes, Left Rear
5	5269 742	1							SENSOR, Battery Temperature


DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ECC= 2.0L 4 CYL DOHC 16V SFI ECB= 2.0L 4 CYL SOHC 16V SMPI DGC= AUTOMATIC 3-SPEED DBB=TRANSMISSIONS - ALL MANUAL DGO=TRANSMISSIONS - ALL AUTOMATIC									
1									MODULE, Engine Controller
	5269 815AD	1	D, P			ECB	DBB		
	5269 817AC	1	D, P			ECB	DBB		Competitive Package
	5269 819AD	1	D, P			ECB	DGC		
	5269 818AB	1	D, P			ECB	DBB		Leaded Fuel
	5269 820AD	1	D, P			ECB	DGC		California Emissions
	5269 822AB	1	D, P			ECB	DGC		Europe, Leaded Fuel
	5269 823AD	1	D, P			ECC	DBB		California Emissions
	5269 958AC	1				EBD	DBB		
	5269 821AB	1	Z		42	ECB	DGC		w/o Japan Equipment Group
	5269 825AC	1	D, P			ECC	DBB		
	5269 826AC	1	D, P			ECC	DGC		California Emissions
	5293 064AB	1	D, P			ECC	DD4		
	5293 063AB	1	D, P			ECB	DD5		
	5293 079AA	1	Z		42	ECB	DGC		Japan Equipment Group
	5293 065AB	1	D, P			ECC	DGC		
2	6500 284	1							NUT, Hex, M6x1.00
-3	4897 266AA-	1							INSULATOR PACKAGE
-4	4897 267AA-	1							COVER PACKAGE, Powertrain Control Module
-5									WIRING REPAIR PACKAGE, Powertrain Control Module, (NOT REQUIRED)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

**September 15, 2005**

# Switches Figure 008-805



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ECC= 2.0L 4 CYL DOHC 16V SFI									
ECB= 2.0L 4 CYL SOHC 16V SMP									
EBD=1.8L 4 CYL SOHC 16V SEFI									
DBB=TRANSMISSIONS - ALL MANUAL									
DGO=TRANSMISSIONS - ALL AUTOMATIC									
DGC= AUTOMATIC 3-SPEED									
DD4= PERF. MANUAL 5-SPEED									
DD5= MANUAL 5-SPEED									
1	4793 150	1							SWITCH, Multifunction
2	4688 258	3							SWITCH, Door Ajar
		2				42			Dome Lamp Front
									Dome Lamp Rear
3									SWITCH, Electric Back Light
	QM42 LAZ	1	D, P						Agate, With Bezel
	QM42 SKB	1	D, P						Camel Tan, With Bezel
4									SWITCH, Ignition
	4565 326	1					DGO		
		1					DBB		
5	4671 336	1							SWITCH, Stop Lamp
6	4608 294	1	D, P		42				SWITCH, Mirror
		1	D, P		22				
	4793 765	1	Z		42				
-7	4793 313	1							SWITCH, Intermittent Wiper, Right
-8	6503 395	2							SCREW AND WASHER, Self
									Tapping, M4x.7x14
-9									SWITCH AND BEZEL, Fog Lamp
	4793 050	1	Z		42				
	5269 530	1	D, P		42				
	GY89 LAZ	1	D, P						Agate, w/Rear Defroster
	GY89 SKB	1	D, P						Camel Tan, w/Rear Defroster
	GY94 LAZ	1	Z		42				Agate, Rear Fog Lamp,Export
		1	D		42				Agate, Rear Fog Lamp,Export
	GY94 SKB	1	Z		42				Camel Tan, Rear Fog Lamp,Export
		1	D		42				Camel Tan, Rear Fog Lamp,Export
	QM43 LAZ	1	D, P						Agate, w/o Rear Defroster
	QM43 SKB	1	D, P						Camel Tan, w/o Rear Defroster
-10	5269 269	1							LAMP, Illuminated Entry, Hood,
									Ignition Cylinder Lamp
-11									SWITCH, Headlamp
	56009 869AA-	1	D, P						Europe
		1	Z		42				

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

# Switches Figure 008-805



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56021 898AA-	1	D, P						
-12	4793 000	1	Z		42				PLATE, Headlamp
-13	4672 014	1					DBB		SWITCH, Clutch Starter Interlock
-14									SWITCH, Door Lock
	4373 860	1							Power Sunroof
	4565 330	1	Z		42				
		1	D, P		42				
		1	D, P		22				
-15									SWITCH, 2 Gang
	4793 180	1	Z		42				Right Door, Power Window
		1	D, P						Left Door, Power Window
-16									SWITCH, 1 Gang
	4793 191	1	Z		42				Left Door, Power Window
		1	D, P						Right Door, Power Window
-17	4637 625	1	D, P						SWITCH, Brake Fluid Level
-18									SWITCH, Neutral, Safety, Back Up
	3747 361	1	Z		42	ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		
-19									SWITCH, Oil Pressure
	4608 303	1	D, P			ECB	DGC		
		1	D, P			ECC	DGC		
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECC	DD4, DD5		
		1	D, P			EBD	DD4		
		1	Z		42	EBD	DD4		
-20									SWITCH, Sunroof
	PX30 RK4	1							Camel Tan
	PX30 SC1	1							Blue
-21									SWITCH AND BEZEL, Power Window
	MH14 LAZ	1	Z		42				Agate, Right
	MH14 RK5	1	Z		42				Camel Tan, Right
	MH15 LAZ	1	Z		42				Agate, Left
	MH15 RK5	1	Z		42				Camel Tanl, Left
	PF91 LAZ	1	D, P						Agate, Left Door
	PF91 RK5	1	D, P						Camel Tan, Left Door
	PF92 LAZ	1	D, P						Agate, Right Door
	PF92 RK5	1	D, P						Camel Tan, Right Door
-22	4773 101	1							SWITCH, A/C High Pressure Cut Off

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

## Switches

### Figure 008-805

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-23	4608 288AB-	1							SWITCH, Cargo Lamp
-24	4798 909	AR							SWITCH PACKAGE, Power Top



**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

SERIES	LINE	BODY
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB
H=High Line	D=Dodge	
S=Special	D=Chrysler	
	P=Plymouth	

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005

**Horns**  
**Figure 008-905**

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4793 746	1							HORN AND BRACKET, Low Note
2	4793 747	1							HORN AND BRACKET, High Note, Export
-3	4793 750	1							LABEL, BUX Horn Identification, Export



**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

**DODGE - PL**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005

Battery Tray And Cables  
Figure 008-1001




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EBD=1.8L 4 CYL SOHC 16V SEFI									
ECC= 2.0L 4 CYL DOHC 16V SFI									
ECB= 2.0L 4 CYL SOHC 16V SMPI									
DD4= PERF. MANUAL 5-SPEED									
DD5= MANUAL 5-SPEED									
DGC= AUTOMATIC 3-SPEED									
1	4783 282	1							TRAY, Battery
2	6101 283	1	Z			42			U-NUT, M8x1.25
3	5256 904	1							STRUT, Radiator To Battery Tray
4	4671 023	1							TUBE, Battery Thermoguard
5	4671 022	1							COVER, Battery
6	4793 957AC	1							WIRING, Battery
7									STUD, .312-18x2.187, (NOT REQUIRED)
8	4793 411	1							STRAP, Ground
9	4655 102	1							RETAINER, Battery Hold Down
10	6101 308	1							NUT, U, M6x1, Radiator Bracket To Battery Tray Strut
11	6503 492	4							SCREW AND WASHER, Hex Head Tapping, M8x1.25x26
12									LABEL, Battery
	4793 062	1							Export
	4557 480	2	D, P						Canada Only
	4671 062	1	D, P						
13	6101 682	2							BOLT AND CONED WASHER, Hex Head, M6x1.0x20, Battery Strut Attg.
-14	4796 440	1							WIRING PACKAGE, Positive Cable, Battery to PDC

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					



Lamps, Front  
Figure 008-1105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAMP, Headlamp And Adapter
	4761 448	1	D, P						Right
	4761 449	1	D, P						Left
2									LAMP, Headlamp
	4886 236AA	1	Z		42				Right
	4886 237AA	1	Z		42				Left
	4886 238AA	1	D, P						Right,Export
	4886 239AA	1	D, P						Left,Export
3									CABLE, Headlamp Adjusting
	5263 959AB	1	Z		42				
		1	D, P						Leveling
	5288 371	1	Z		42				Horizontal Adjuster
		1	D, P						Horizontal Adjuster, Export
4									CLAMP, (NOT REQUIRED)
-5									SCREW, Aero Headlamp
	5263 480	1	Z		42				
		1	D, P						
6	6504 324	4							SCREW AND WASHER, Hex Head
-7	5288 372	1							CLIP, Retaining, Horizontal Adjuster
8	5288 631AA	1							LABEL, Headlamp Leveling
9									BRACKET, Headlamp
	4546 821	1	Z		42				Left
		1	D, P						Left
	5288 369	1	Z		42				Right
		1	D, P						Right
-10	4857 115	4							GASKET, Side Marker Lamp
11									MOTOR, Headlamp Leveling
	5288 033AB	AR							Kit
	5288 250AB	AR							Motor Only
12	5263 879	1	D, P						DRIVE, Headlamp
-13	5288 029	2	D, P						SCREW, Drive Assembly to
									Headlamp Adapter
14									LAMP, Park and Turn Signal
	4762 328	1	D, P						Right
	4762 329	1	D, P						Left
	5263 944AB	1	Z		42				Right
		1	D, P						Europe, Right
	5263 945AB	1	Z		42				Left
		1	D, P						Europe, Left
-15									COVER, Fascia
	4566 418	1							Right
	4566 419	1							Left
-16									SEAL, Headlamp Closure Panel

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Lamps, Front Figure 008-1105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5263 876AB-	1	Z		42				Right
		1	D, P						Right
	5263 877AB-	1	Z		42				Left
		1	D, P						Left
17									VENT, Headlamp
	5263 875	2	Z		42				Right
		2	D, P						Right
	5263 878	2	D, P						Left
		2	Z		42				Left
18									RETAINER, Headlamp Bulb
	5263 388	1	Z		42				
		1	D, P						Europe
	5600 3773	1	D, P						
19									BULB, Headlamp
	0153 621	1	Z		42				
		1	D, P						
20									DUST CAP, Headlamp Bulb
	5263 391	1	Z		42				
		1	D, P						
21									LAMP, Side Marker
	5303 034	1	D, P						Right
	5303 035	1	D, P						Left
22	L000 0168	2	D, P						BULB, 168, Side Marker
23	6029 471	4							NUT, Stamped Hex Flange, .330, Lamp Mounting
24	5602 1441	1							LAMP, Underhood
-25	4897 446AA-	1							LENS, Lamp Module, Under Hood
26									LAMP, Fog
	4882 568	2	D, P						
	4762 775	2	D, P						Europe
		2	Z		42				
-27									GROMMET, Running Lamp Bulb
	5263 389	1	Z		42				
		1	D, P						Europe
28									HOUSING, Fog Lamp
	4882 569	2	D, P						Europe
		2	Z		42				
29									SEAL, Fog Lamp
	5288 055	2	D, P						Europe
		2	Z		42				
30	L000 0881	2	D, P						BULB, 881, Fog Lamp
31									BULB PACKAGE, 50 Watt

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lamps, Front  
Figure 008-1105


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4728 646	2	D, P						Europe
		2	Z		42				
32	5288 615	2							LAMP, Side Repeater
33	5288 620	4							WIRING, Side Repeater Lamp
-34									BULB, 8/4
	0153 620	1	Z		42				Side Marker Lamp
		1	D, P						Europe, Side Marker Lamp
35	4399 900	1	D, P						SOCKET, Park And Turn Signal
-36									WIRING, Turn Signal Lamp
	5263 961AB-	1	Z		42				
		1	D, P						
-37	L0003 157NA-	1	D, P						BULB, 3157 NAK
-38									ADAPTER, Headlamp Mounting
	5263 910	1	Z		42				Right
		1	D, P						Right
	5263 911	1	D, P						Left
		1	Z		42				Left
-39									SCREW, Headlamp Horizontal Adjustment
	5288 370	1	Z		42				
		1	D, P						

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lamps, Rear  
Figure 008-1110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAMP, Tail Stop Turn
	5288 342AB	1							Europe, Right
	5288 343AB	1							Europe, Left
	5261 862	1	D, P						Right
	5261 863	1	D, P						Left
2									GASKET, Tail Lamp
	4546 660	1	D, P						Right
	4546 661	1	D, P						Left
3	5261 857	1							LAMP, High Mounted Stop
4	5261 994	1							GASKET, High Mounted Stop Lamp
5	L000 0921	1	D, P						BULB, 921, High Mounted Stop Lamp
6	5303 251	1	D, P						SOCKET, High Mounted Stop Lamp
7	5261 993	1							BEZEL, High Mounted Stop Lamp
8	5303 021	1	D, P						LAMP, License Plate
9	L000 0168	1	D, P						BULB, 168, License Plate Lamp
10	0153 625	2							BULB, W10/5, Export, License Plate Lamp
11									BULB, 3157
	L000 3157	2	D, P						Tail, Stop And Turn Signal
		2	D, P						Back Up Lamp
-12	0153 623	1							BULB, P-25-2, Right Hand Drive
-13									BULB, P-25-1
	0153 622	3							Europe, Fog And Turn Signal Lamp
		3							Europe, High Mounted Stop Lamp
14	9420 294	2							NUT, Stamped Hex Flange, .190-24
15									STUD, .250/14/.250-14x1.810, (NOT SERVICED) (Not Serviced)
16									NUT, (NOT SERVICED) (Not Serviced)
17									SCREW, (NOT SERVICED) (Not Serviced)
-18									WIRING, Deck Lid
	4793 790	1							High Mounted Stop Lamp
	4793 685	1	D, P						w/o Light Group, Trunk Lamp, High Mounted Stop Lamp
	4793 686	1	D, P						w/Light Group, Trunk Lamp,w/o Hight Mounted Stop Lamp
-19	5288 497	1							LAMP, Deck Lid
-20									GASKET, Turn Signal Lamp
	5288 320	1							Right
	5288 321	1							Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth


BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

Lamps, Cargo, Dome, Courtesy  
Figure 008-1115


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LENS, Dome Lamp
	5269 489	1	D, P		22				Housing serviced in headliner
		1	D, P		42				Housing serviced in headliner
		1	Z		42				Housing serviced in headliner
2									BULB, 578
	L000 0578	1	D, P		22				Dome Lamp
		1	Z		42				Dome Lamp
		1	D, P		42				Dome Lamp
-3	5209 554	1							LENS, Cargo Lamp, Trunk Lamp
-4	9437 173	1							BULB, 912, Trunk Lamp
-5	5288 497	1							LAMP, Deck Lid
-6	5602 1441	1							LAMP, Underhood



DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual


Sockets And Bulbs  
Figure 008-1180

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4399 900	1	D, P						SOCKET, Park, Turn, and Side Lamp
2	L000 3157	2	D, P						BULB, 3157, Back-Up, Turn Signal And Stop
3	0154 544	1	D, P						BULB, Headlamp, 9007, Domestic, Aero Headlamp
4	0153 621	1	Z		42				BULB, Headlamp
-5	L000 0881	2	D, P						BULB, 881, Fog Lamp
-6	L000 0921	1	D, P						BULB, 921, Decklid High Mounted Stop Lamp
-7	L000 0168	1 2	D, P D, P						BULB, 168 License Lamp Side Marker
-8	5303 251	1	D, P						SOCKET, High Mounted Stop Lamp
-9	4400 588	2							SOCKET, Tail and Side Lamp
-10	4636 361	2	D, P						SOCKET, Cornering Lamp
-11	5263 726	1	D, P						SOCKET, Running Lamp
-12	L000 0578	1 1 1	D, P Z D, P		22 42 42				BULB, 578 Dome Lamp Dome Lamp Dome Lamp
-13	L000 0161	1							BULB, 161, Ignition Key Cylinder, Ash Receiver
-14	9437 173	1							BULB, 912, Trunk Lamp
-15	L00P C194	14	D, P						LAMP, Bulb And Socket, Instrument Cluster
-16	0154 513	2 2	D, P Z		42				BULB, Fog Lamp, H-3 35 Watt
-17	6501 966	1							BULB, 74, Vanity Lamp



DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

Wiring, Engine And Related Parts  
Figure 008-1205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

ECC= 2.0L 4 CYL DOHC 16V SFI

EBD=1.8L 4 CYL SOHC 16V SEFI

ECB= 2.0L 4 CYL SOHC 16V SMPI

DGC= AUTOMATIC 3-SPEED

DD4= PERF. MANUAL 5-SPEED

DD5= MANUAL 5-SPEED

1	4793 745AD	1	D, P			ECB	DGC		WIRING, Engine
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DD4,		
							DD5		
	4793 748AD	1	D, P			ECC	DGC		
	4794 075AA	1	Z		42	EBD	DD4		
	4793 748AD	1	D, P			ECC	DD4,		
							DD5		
	4794 075AA	1	D, P			EBD	DD4		
-2									STRAP, Ground
	4794 048AA-	1	Z		42	ECB	DGC		Cylinder Head
	4793 736	1							Hood Hinge
	4794 048AA-	1	D, P			ECB	DGC		Cylinder Head
		1	D, P			ECB	DD4,		Cylinder Head
							DD5		
		1	D, P			ECC	DD4,		Cylinder Head
							DD5		
		1	D, P			EBD	DD4		Cylinder Head
		1	Z		42	EBD	DD4		Cylinder Head


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Wiring, Headlamp To Dash Figure 008-1305



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
DGO=TRANSMISSIONS - ALL AUTOMATIC									
DBB=TRANSMISSIONS - ALL MANUAL									
1									WIRING, Headlamp to Dash
	4793 717AE	1	D, P				DG0		Without ABS
	4793 718AE	1	D, P				DG0		w/Speed Control, Without ABS
	4793 719AE	1	D, P				DG0		ABS
	4793 720AE	1	D, P				DG0		w/Speed Control, ABS
	4793 721AE	1	D, P				DBB		Without ABS
	4793 722AE	1	D, P				DBB		w/Speed Control, Without ABS
	4793 723AE	1	D, P				DBB		ABS
	4793 724AE	1	D, P				DBB		w/Speed Control, ABS
	4793 725AD	1	D, P				DG0		Europe, Without ABS
	4793 726AD	1	D, P				DG0		Europe, ABS
	4793 727AD	1	D, P				DBB		Europe, Without ABS
	4793 728AD	1	D, P				DBB		Europe, ABS
	4793 729AE	1	Z		42		DBB		Without ABS
	4793 730AE	1	Z		42		DBB		ABS
	4793 731AE	1	Z		42		DG0		Without ABS
	4793 732AE	1	Z		42		DG0		ABS
2	4793 829AB	1							COVER, Power Distribution Center
-3	5293 157AA-	1							WIRING, Radiator Fan, Upto 11-9-97
-4									WIRING, Fan Motor
	5016 263AA-	1				EC0	DG0		Jumper, Left
		1				ECC	DBB		Jumper, Left
		1				ECB	DBB		Jumper, Left
		1	Z		42	ECB			Jumper, Left
		1	Z		42	ECB	DBB		Jumper, Left
		1	Z		42	EBD	DBB		Jumper, Left
		1	D, P			EBD,			Jumper, Left
						ECB			
		1	D, P			EBD,	DBB		Jumper, Left
		1				ECB,	DG0		Jumper, Left
						ECC			
		1				EC0	DG0		Jumper, Right
		1				ECC	DBB		Jumper, Right
		1				ECB	DBB		Jumper, Right
		1	Z		42	ECB	DBB		Jumper, Right
		1	Z		42	ECB			Jumper, Right
		1	Z		42	EBD	DBB		Jumper, Right
		1	D, P			EBD,			Jumper, Right
						ECB			

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual



## Wiring, Headlamp To Dash

### Figure 008-1305

[illegible]

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

**BODGE - T L**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005

Wiring, Instrument Panel  
Figure 008-1405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING, Instrument Panel
	4793 702AD	1	D, P						w/o Electric Rear Window Defroster
	4793 703AD	1	D, P						w/o Power Windows, Air Conditioning
	4793 704AD	1	D, P						W/Cruise, Fog Lamps, Power Mirror, Power Windows
	4793 705AD	1	D, P						Keyless Entry
	4793 706AD	1	D, P						w/Light Group, Keyless Entry
	4793 707AD	1	D, P						w/Light Group, Daytime Running Lamps
	4793 708AD	1	D, P						w/o Light Group, Daytime Running Lamps
	4793 709AD	1	D, P						w/Keyless Entry, Light Group, Daytime Running Lamps
	4793 710AD	1	D, P						w/Keyless Entry, w/o Light Group, Daytime Running Lamps
	4793 711AD	1	D, P						Europe
	4793 712AD	1	D, P						
	4793 713AD	1	Z		42				
2	6101 486	2							FUSE, Mini, 10 AMP, Red, Air Bag LABEL, Fuse Block
3	4793 733	1	Z		42				
-4									BREAKER, Circuit
	4414 333	1	D, P						30-Ampere.
		1	Z		42				30- Ampere.
	4793 715	1	Z		42				15-Ampere, Export
-5									FLASHER
	5266 169	1	D, P						
	5266 282	1	Z		42				
-6	4793 802	1							INSULATOR, 16-Way OBD II Connector

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual


Wiring, Body And Accessories  
Figure 008-1505

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EBD = 1.8L 4 CYL SOHC 16V ECO=ENGINES - ALL 2.0L 4 CYL DGO = TRANSMISSIONS - ALL AUTOMATIC DBB = TRANSMISSIONS - ALL MANUAL									
1									WIRING, Unified Body
	4793 696AD	1	D, P		42				Light Package, Trunk Light
	4793 698AD	1	D, P		42				Europe
	4793 695AD	1	D, P		42				
	4793 697AD	1	D, P		42				Power Door Locks
	4793 699AD	1	D, P		22				
	4793 701AD	1	Z		42				
2									WIRING, Body
	4661 504	1							Visor Vanity, w/Map Lamp
	4793 469	1							w/Sunroof & Light Package
3									WIRING, Deck Lid
	4793 790	1							Chmsl
	4793 685	1	D, P						w/o Light Package
	4793 686	1	D, P						Light Package
4	4793 911AA	1							WIRING, Taillamp Jumper, EUROPE
5	4793 782	1							WIRING, Sunroof
-6									WIRING, Heater and A/C Jumper
	4661 315AB-	1	D, P						
	4661 940AB-	1	Z		42				
-7									WIRING, Fan Motor
	5016 263AA-	1	Z		42	ECB	DBB		
		1				ECB,	DGO		
		1				ECC			
		1				ECO	DGO		
		1				ECC	DBB		
		1	Z		42	EBD	DBB		
		1	D, P			EBD,	DBB		
						ECB			
-8	4661 923AB-	2	D, P		22				WIRING, Door Locks
-9									WIRING, Door
	4625 635AC-	2	D, P						w/o Power Windows, Power Locks, (US Built), Right & Left
	4661 912AC-	2	D, P						w/o Power Windows, Power Locks, (Mexico Built), Right & Left
	4661 921AC-	1	Z		42				Power Windows, Left Front Door
	4793 275AD-	1	D, P						w/Power Door Lock, Power Mirrors, w/o Power Windows (Not Mexico Built)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DGO = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Wiring, Body And Accessories  
Figure 008-1505

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4793 276AD-	1	D, P						w/Power Door Lock, Power Mirrors, w/o Power Windows (Not Mexico Built), Right Front Door
	4793 278AD-	1	D, P						w/Power Windows, Right Door
	4793 279AD-	1	D, P						w/Power Door Lock, Power Mirrors, w/o Power Windows (Mexico Built), Left Front Door
	4793 280AD-	1	D, P						w/Power Door Lock, Power Mirrors, w/o Power Windows (Mexico Built), Right Front Door
	4793 281AE-	1	D, P						w/Power Windows,(Mexico Built), Left Front Door
	4793 283AD-	1	D, P						w/Power Windows,(Mexico Built), Right Front Door
	4793 664	2			42				Power Locks, Rear Door
	4793 714AC-	1	Z		42				Power Locks, Right Front Door
	4793 734AC-	1	Z		42				w/o Power Windows, Right Front Door
	4793 735AC-	1	Z		42				w/o Power Windows, Left Front Door
	4793 277AD-	1	D, P						With Power Windows, Left Front Door
-10									WIRING, Power Steering Switch, (NOT REQUIRED)
-11									WIRING, Fog Lamp
	5288 061	2	D, P						
		2	Z		42				
-12	4793 271	1	D, P						WIRING, High Speed Warning Jumper
-13	4793 147AB-	1				ECC			WIRING, A/C
-14	4793 957AC-	1							WIRING, Battery
-15									SWITCH PACKAGE, Power Top, (NOT REQUIRED)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



# Wiring, Repair Figure 008-1605

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1	4797 670	1	D, P						WIRING REPAIR PACKAGE, Headlamp, For Electrical Connector Repair Information visit the World Wide Web at <a href="http://dto.vftis.com/mopar/disclaimer.asp">http://dto.vftis.com/mopar/disclaimer.asp</a>
-2									STRAP, Tie
	4641 780	1							
	6015 756	1	D, P						
-3	4364 375	1							TUBE, Convolved, Used w/ Competition Pkg.
-4									CONNECTOR PACKAGE, Beam Select Switch, (NOT REQUIRED)
-5	4773 187	1							WIRING REPAIR PACKAGE, Alternator Fuselink
-6	5013 930AA-	1							WIRING PACKAGE, Underhood Connector Repair
-7	4793 802	1							INSULATOR, 16-Way OBD II Connector

For Electrical Connector Repair Information visit  
the World Wide Web at

<http://dto.vftis.com/mopar/disclaimer.asp>

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Spark Plugs, Cables, Coils

## Figure 008-1902




1

4



3



2



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ECC= 2.0L 4 CYL DOHC 16V SFI									
ECB= 2.0L 4 CYL SOHC 16V SMPI									
DGO=TRANSMISSIONS - ALL AUTOMATIC									
DGC= AUTOMATIC 3-SPEED									
DD4= PERF. MANUAL 5-SPEED									
DD5= MANUAL 5-SPEED									
1	4883 233	1	D, P			ECB	DGC		CABLE PACKAGE, Ignition
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			EBD	DD4		
		1	Z		42	EBD	DD4		
	4773 841	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
2	5269 549	1	D, P			ECC	DGC		SEPERATOR, Ignition Cable
		1	D, P			ECC	DD4, DD5		
3	5269 670	1	D, P			ECC	DGC		COIL, Ignition
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECC	DD4, DD5		
		1	D, P			EBD	DD4		
4	5269 897	4	D, P			ECB	DGC		SPARK PLUG, RC-9-YC
		4	Z		42	ECB	DGC		
		4	D, P			ECB	DD4, DD5		
		4	D, P			EBD	DD4		
5	4672 113	2	D, P			ECC	DGC		CABLE, Ignition [#2,3]
		2	D, P			ECC	DD4, DD5		[#2,3]
	4672 114	2	D, P			ECC	DGC		[#1,4]
		2	D, P			ECC	DD4, DD5		[#1,4]

### DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

Spark Plugs, Cables, Coils  
Figure 008-1902

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5269 577	1	D, P			ECB	DGC		[#1]
		1	Z		42	ECB	DGC		[#1]
		1	D, P			ECB	DD4, DD5		[#1]
		1	D, P			EBD	DD4		[#1]
	5269 578	1	Z		42	EBD	DD4		[#1]
		2	D, P			ECB	DGC		[#2,3]
		2	Z		42	ECB	DGC		[#2,3]
		2	D, P			ECB	DD4, DD5		[#2,3]
		2	D, P			EBD	DD4		[#2,3]
		2	Z		42	EBD	DD4		[#2,3]
	5269 667	1	D, P			ECB	DGC		[#4]
		1	Z		42	ECB	DGC		[#4]
		1	D, P			ECB	DD4, DD5		[#4]
		1	D, P			EBD	DD4		[#4]
		1	Z		42	EBD	DD4		[#4]
-6	5269 579	1	D, P			EBD	DD4		RETAINER, Ignition Cable Single Wire
		1	Z		42	EBD	DD4		Single Wire
	5269 580	1	D, P			EBD	DD4		Two Wire
		1	Z		42	EBD	DD4		Two Wire


DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005





# Group – 08A

## Instrument Panel and Radios and Consoles




### GROUP 8A - Instrument Panel and Radios and Consoles

Illustration Title	Group-Fig. No.
<b>Instrument Panel</b>	
Instrument Panel .....	Fig. 08A-105
<b>Instrument Panel Cluster</b>	
Cluster, Instrument Panel .....	Fig. 08A-205
<b>Radio, Antenna, and Speakers</b>	
Radios .....	Fig. 08A-305
Antenna - Speakers .....	Fig. 08A-310
<b>Consoles</b>	
Consoles .....	Fig. 08A-405

<b>08A-100</b> Instrument Panel	<b>08A-200</b> Instrument Panel Cluster	<b>08A-300</b> Radio, Antenna, and Speakers	<b>08A-400</b> Consoles
			



Instrument Panel  
Figure 08A-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	PANEL, Instrument								
	RH82 LAZAA	1	D, P						Agate
	RH82 RK5AA	1	D, P						Camel Tan
	RJ13 LAZAA	1	Z		42				Agate
	RJ13 RK5AA	1	Z		42				Camel Tan
2	AIR BAG, Passenger								
	RN82 SKBAC	1	D, P						Camel Tan
	RN84 LAZAB	1	Z		42				Agate
	RN82 LAZAC	1	D, P						Agate
	RN83 LAZAC	1	D, P						Agate, Europe
	RN84 SKBAB	1	Z		42				Camel Tan
	RN83 SKBAC	1	D, P						Camel Tan, Europe
3	PANEL, Instrument Panel Trim								
	EW46 1AZ	1	D, P						Agate, Left
	EW46 1KB	1	D, P						Camel Tan, Left
	LP75 1AZ	1	D, P						Agate, Left,Export
	EW45 1AZ	1	D, P						Agate (Mexico Made), Right
	EW45 1KB	1	D, P						Camel Tan (Mexico Made), Right
	LJ20 1AZ	1	Z		42				Agate, Right
	LP75 1KB	1	D, P						Camel Tan, Left,Export
	MB39 1AZAB	1	Z		42				Agate, Left
	MB39 1K5AB	1	Z		42				Camel Tan, Left
	LJ20 1KB	1	Z		42				Camel Tan, Right
	LR22 1AZ	1	D, P						Agate (Not Mexico Made), Right
	LR22 1KB	1	D, P						Camel Tan (Not Mexico Made), Right
4	6032 723	7	D, P						Right SCREW, Self Tapping, M4.2x1.69x19.05
5	SWITCH AND BEZEL, Fog Lamp								
	4793 050	1	Z		42				Front
	GY89 LAZ	1	D, P						Agate, Front
	GY94 LAZ	1	Z		42				Agate, Rear
	GY89 SKB	1	D, P						Camel Tan, Front
	GY94 LAZ	1	D		42				Agate, Rear,Export
	GY94 SKB	1	Z		42				Camel Tan, Rear Fog Lamp
		1	D		42				Camel Tan, Rear,Export
	QM43 SKB	1	D, P						Camel Tan, w/o Rear Defroster, Front
	QM43 LAZ	1	D, P						Agate, w/o Rear Defroster, Front
6	QM42 LAZ	1	D, P						SWITCH, Electric Back Light
	QM42 SKB	1	D, P						Agate
-7	COVER, Switch								

DODGE - PLYMOUTH - CHRYSLER NEON (PL)								
SERIES	LINE	BODY	ENGINE	TRANSMISSION				
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua				
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic				
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic				
	P=Plymouth			DG0 = All Automatics				
				DBB= All 5 Speed Manual				

AR = Use as required - = Non illustrated part # = New this model year

Instrument Panel  
Figure 08A-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QM36 LAZ	1	D, P						[AZ] Without heated back glass
	QM36 SKB	1	D, P						[K5] Without heated back glass
8	5265 726	1	D, P						BEZEL, Cluster
9									LINER, Steering Column Cover
	5291 069	1	Z		42				Tilt Steering Wheel
	5291 172	1	D, P						
10									COVER, Instrument Panel, Steering Column Opening
	FM47 LAZ	1	D, P						Agate, w/Tilt
	FM47 RK5	1	D, P						Camel Tan, w/Tilt
	EP81 LAZ	1	D, P						Agate, w/o Tilt
	EP81 RK5	1	D, P						Camel Tan, w/o Tilt
	LH99 RK5	1	Z		42				Camel Tan, w/Tilt, Right Hand
									Drive
11									BEZEL, Instrument Panel, Center
	LJ24 1AZ	1	Z		42				Agate, With Air Conditioning
	LJ24 1K5	1	Z		42				Camel Tan, With Air Conditioning
	PX29 LAZ	1	D, P						Agate, With Air Conditioning
	PX29 RK5	1	D, P						Camel Tan, With Air Conditioning
12									BEZEL, Instrument Panel
	PD32 1AZ	1	D, P						Agate, Without Air Conditioning
	PD32 1K5	1	D, P						Camel Tan, Without Air Conditioning
13									ASH RECEIVER, Instrument Panel
	EW43 LAZ	1							Agate
	EW43 RK5	1							Camel Tan
14	5269 357	1							HOOD, Ash Receiver Lamp
15									GLOVE BOX AND INNER DOOR, Instrument Panel
	LJ22 LAZ	1	Z		42				Agate
	LJ22 RK5	1	Z		42				Camel Tan
	PS56 LAZ	1	D, P						Agate
	PS56 RK5	1	D, P						Camel Tan
16									BUMPER, Glove Box Door, Striker
	5291 051	2	Z		42				
		2	D, P						
17	6504 097	3							SCREW TAPPING & WASHER, Hex Head, M4.8x1.59x25.00
18	4565 022	1							SWITCH AND LAMP, Glove Box
19									STRIKER, Glove Box Door Latch
	5265 768	1	Z		42				
		1	D, P						

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Instrument Panel  
Figure 08A-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20									KNOB AND SHAFT, Headlamp Switch
	4565 339	1	D, P						
	5269 298	1	D		42				Europe
		1	Z		42				
21	4221 064	1							RETAINER, Headlamp Switch
22	4793 000	1	Z		42				PLATE, Headlamp Switch Mounting
23									SWITCH, Headlamp
	56021 898AA	1	D, P						
	56009 869AA	1	Z		42				
24	5291 042	1							NAMEPLATE, Instrument Panel, Neon
25	4685 370	1							KNOB AND ELEMENT, Cigar Lighter
26									BRACKET, Instrument Panel to Cowl
	5265 849	1							Left
	5291 066	1							Right
27									BASE, Cigar Lighter
	4793 551	1	Z		42				
		1	D, P						
28	5291 037	1							SHIELD, Steering Column
29									LABEL, Fuse Block
	4793 733	1	Z		42				
		190							
30									LATCH, Glovebox
	4460 070	1	D, P						
		1	Z		42				
31									GRILLE, Instrument Panel Demister
	MF99 1KB	1	D, P						Camel Tan
	MF99 1AZ	1	D, P						Agate
32									REINFORCEMENT, Instrument Panel
	5291 201	1	D, P						w/o European Equipment
	5291 202	1	D, P						w/European Equipment
33	5291 227	1	D, P						SEAL, Panel Top Cover
34									CLIP, Glove Box Catch
	4311 741	1	D, P						
		1	Z		42				
35									PLATE, Fuse Block
	PH64 RK5	1	D, P						Camel Tan
		1	Z		42				Camel Tan
	PH64 LAZ	1	D, P						Agate
		1	Z		42				Agate

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES

L=Low Line

H=High Line

S=Special

LINE

Z=Chrysler, RHD

D=Dodge

D=Chrysler

P=Plymouth

BODY

41=4 Door, 104WB

ENGINE

ECB=2.0L 4 Cyl., 16V SMPI

EJD=1.6L 4 Cyl16V SOHC

EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION

DD5 = 5 Speed Manua

DGC = 3 Speed Automatic

DGL = 4 Speed Automatic


DG0 = All Automatics

DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Instrument Panel  
Figure 08A-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
36	PK38 LAZ	1	Z		42				Agate, Right Hand Drive
	PK38 RK5	1	Z		42				Camel Tan, Right Hand Drive
	ML05 LAZ	1	Z		42				CAP, Instrument Panel End
	ML05 RK5	1	Z		42				Agate
37	RE82 LAZAA	1	D, P						Camel Tan
	RE82 SKBAA	1	D, P						Agate
	QW86 LAZAA	1	Z		42				COVER, Instrument Panel
	QW86 SKBAA	1	Z		42				Agate
38	GY77 TX9	1							Camel Tan
-39	6503 519	4	Z		42				BEZEL, Headlamp Switch, Flat Black
		4	D, P						CLIP, M7.25x16.20
-40	4524 342	4	Z		42				CLIP
		4	D, P						Center Bezel To I/P
41									Center Bezel To I/P
-42	4793 555	1	D, P						SHELL, Cigar Lighter, (NOT
		1	Z		42				SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				ENGINE		TRANSMISSION	
SERIES	LINE	BODY		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic	
H=High Line	D=Dodge			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic	
S=Special	D=Chrysler					DG0 = All Automatics	
	P=Plymouth					DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Cluster, Instrument Panel Figure 08A-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Odometer assy.is a service repair center item									
ECC= 2.0L 4 CYL DOHC 16V SFI									
ECB= 2.0L 4 CYL SOHC 16V SMPI									
DGO=TRANSMISSIONS - ALL AUTOMATIC									
DBB=TRANSMISSIONS - ALL MANUAL									
1	4437 590	1							LAMP, Bulb And Socket
2									BOARD, Circuit
	4864 395	1	D, P						120 MPH, w/o Tachometer
	4864 396AA	1	D, P						240 KILO, w/o Tachometer
	4864 397	1	D, P						120 MPH,w/Tachometer
	4864 398	1	D, P						240 KILO, w/Tachometer
		1	Z			42			240 KILO, w/Tachometer
3									GAUGE PACK
	4864 387	1	D, P						w/MPH, w/o Tachometer
	4864 388	1	D, P						w/KPH, w/o Tachometer
	4864 390	1	D, P						w/MPH, Tachometer, Manual Transmission
	4864 389	1	D, P						w/MPH, Tachometer,, Automatic Transmission
	4864 391	1	D, P						w/KPH, Tachometer, Automatic Transmission
	4864 393	1	Z			42			w/140 MPH
	4864 394	1	Z			42			w/KPH
	4864 392	1	D, P						w/KPH, Tachometer, Manual Transmission
4									KNOB, Odometer Reset
	4437 777	1	D, P						
		1	Z			42			
5	4713 501	1	D, P						HOUSING, Cluster
6	4796 444AB	1	Z			42			HOUSING, Instrument Cluster
7	6032 723	4							SCREW, Self Tapping, M4.2x1.69x19.05
8									COVER, Printed Circuit Board
	4713 506	1	D, P						
		1	Z			42			
9									LENS, Cluster
	4713 494	1	D, P						
		1	Z			42			
10									GAUGE, Odometer
	4713 499	1	Z			42			140 MPH
		1	D, P						120 MPH
	4713 500	1	D, P						240 KPH

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

### Cluster, Instrument Panel Figure 08A-205




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Z		42				240 KPH

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005

Radios  
Figure 08A-305



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
RBS=RADIO - AM/FM CASS, CD CHANGER CNTRL, USA, CANADA, EXPORT MARKET, EUROPEAN EQUIPMENT GROUP, (ARGENTINA, BARBADOS, BRAZIL, DOMINICAN REPUBLIC, PARAGUAY, PUERTO RICO, URAGUAY COUNTRY CODES)									
RBA=RADIO - AM/FM CASS, CHANGER CONTROLS, EXPORT MARKET, EUROPEAN, AUSTRALIA. MIDDLE EAST, TAIWAN EQUIPMENT GROUP, ISRAEL COUNTRY, NEW CALEDONIA COUNTRY CODE									
RBJ=RADIO - AM/FM CASS, CHANGER CONTROLS, EXPORT MARKET, JAPAN EQUIPMENT GROUP									
RBR=RADIO - AM/FM COMPACT DISC , USA, CANADA, EXPORT MARKET, SOUTH KOREA COUNTRY CODE									
RAS=RADIO - AM/FM CASSETTE, USA, CANADA, EXPORT MARKET, (ARGENTINA, BARBADOS, BRAZIL, CHILE, COSTRA RICA, EL SALVADOR, GUATEMALA, HONDROS, PUERTO RICA, ST. THOMAS/US VIRGIN ISLANDS COUNTRY CODES)									
RAL=RADIO - AM/FM, USA, CANADA, EXPORT MARKET									
RBL=RADIO - AM/FM/MW/LW/RDS CASS/CHGR CTRL, EXPORT MARKET, EUROPEAN GROUP									
1	4704 378AC	1							RADIO, AM/FM Cassette with CD Control, (RBS Sales Code)
2	4704 392AC	1							RADIO, AM/FM Cassette with CD Control, (RBA Sales Code)
3	4704 393AC	1	Z			42			RADIO, AM/FM Cassette with CD Control, (RBJ Sales Code)
4	4793 347AC	1							RADIO, AM/FM with CD and Equalizer, (RBR Sales Code)
5	4858 557AE	1	D, P						RADIO, AM/FM Cassette, (RAS Sales Code)
6	4858 561AE	1							RADIO, AM/FM Stereo, (RAL Sales Code)
7	5269 485	1							RADIO, (RBL Sales Code)
-8	4886 083AA-	1							KNOB, Radio Joystick
-9	4741 435	1							KNOB, Radio Volume Control
-10	4741 437	1							KNOB, Radio Equalizer

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION			
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics			
	P=Plymouth			DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Antenna - Speakers  
Figure 08A-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4798 290	1	D, P						ANTENNA PACKAGE, Radio - Manual, Use Up to 10-8-97, After 10-8-97 Use 5269591
2	5269 591	1							BODY AND CABLE, Antenna, After 10-8-97
3	5269 217	1							ADAPTER, Antenna
-4	4793 091	1	Z		42				CABLE, Antenna Extension
	5269 216	1	D, P						
5	4469 015	1	D, P						MAST, Antenna, Black Up to 10-8-97
	4685 574AC	1							After 10-8-97
	4793 629	1	D, P						Fluted
		1	Z		42				Fluted
6	4793 736	1							STRAP, Ground, Hood Hinge
7	4372 399	1							COVER, Radio Opening
8									SPEAKER, Front Door
	4793 758	2							6.5 Round
	5269 404	2							6.5 Round, Premium
9									SPEAKER, Rear
	4793 759	2							6x9 Rear Shelf
	5269 364	2							6x9 Rear Shelf, Premium
10	5269 362	2							SPEAKER, Instrument Panel
-11									SEAL, Speaker
	4665 541	1	D, P		42				Front Door Speaker
	4665 910	1	Z		42				Front Door Speaker
-12	5291 178AB-	2							PLUG, Instrument Panel
13	0154 640	6							SCREW, Piercing, .164-15x1.25, Front Door Speaker
14	2860 332	1							PLUG, Anti-Rattle
15	4372 145	AR							CABLE, Antenna
16	6035 593	1							SCREW, .25-14x.75, Antenna Mounting
17	0154 629	2							SCREW, Hex Flange Head, .25-14x. 75, Radio Mounting
18	6032 723	4							SCREW, Self Tapping, M4.2x1. 69x19.05, Instrument Panel
									Speaker
-19	4274 258	1							TAPE, Radio Connector, Foam
-20									CAPACITOR, Radio Noise Suppression
	4793 117	1	Z		42				

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



### Antenna - Speakers

#### Figure 08A-310

[illegible]

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

**DODGE - PL**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005

# Consoles Figure 08A-405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CONSOLE, Floor
	MC55 TAZ	1	Z		42				Agate, w/Fog Lamps, Full Console
	MC55 TK5	1	Z		42				Camel Tan, w/ Fog Lamps, Full Console
	MC70 TAZ	1	Z		42				Agate, w/o Fog Lamps, Full Console
	MC70 TK5	1	Z		42				Camel Tan, w/o Fog Lamps, Full Console
	PH03 TAZ	1	D, P		42				Agate, w/(DSI-Dynamic Side-Impact Protection)(w/Access holes in rear as illustrated in drawing)
	PH03 TK5	1	D, P		42				Camel Tan, w/(DSI-Dynamic Side-Impact Protection)(w/Access holes in rear as illustrated in drawing)
	PL87 TAZ	1	D, P		42				Agate(w/o Access holes in rear as illustrated in drawing)
	PL87 TK5	1	D, P		42				Camel Tan (w/o Access holes in rear as illustrated in drawing)
	PL89 TAZ	1	D, P		42				Agate, Europe
	PL89 TK5	1	D, P		42				Camel Tan, Europe
2	PL15 TAZ	1	D, P		42				ARMREST, Console
		1	D, P		22				Agate
		1	Z		42				Agate
	PL15 TK5	1	D, P		42				Camel Tan
		1	D, P		22				Camel Tan
		1	Z		42				Camel Tan
3	6032 723	6	D, P						SCREW, Self Tapping, M4.2x1.69x19.05
4	LB57 TAZ	2							PLUG, Cover, Agate
5									HINGE, Armrest Pad
	4665 577	1	D, P		22				
		1	Z		42				
		1	D, P		42				
6									BUTTON, Armrest Latch
	4775 112AB	1	D, P		42				
		1	Z		42				
7									STRAP, Armrest Check
	4665 360	1	D, P		42				
		1	D, P		22				

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Consoles  
Figure 08A-405

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Z		42				
8	PH43 TAZ	2	D, P		42				PLUG, Console, Plastic Agate
	PH43 TK5	2	D, P		42				Camel Tan
9	6100 567	4	D, P		42				SCREW AND WASHER, Hex Head, M6x1x25
-10	4665 361	2	D, P		42				BUMPER, Armrest Lid
		2	Z		42				



DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005


# Group – 009

## Engine Mounting


### GROUP 9 - Engine Mounting

Illustration Title	Group-Fig. No.
<b>Engine Mounting</b>	
Engine Mounting 2.0L DOHC (ECC) .....	Fig. 009-105
Engine Mounting 2.0L SOHC (ECB) .....	Fig. 009-110
Engine Mounting 1.8L (EBD) .....	Fig. 009-115



<div>009-100</div> <div>Engine Mounting</div> <div></div>			
--	--	--	--


Engine Mounting 2.0L DOHC (ECC)  
Figure 009-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EC0=All 2.0l Engines. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4668 200	1							SUPPORT, Engine Mount
2	4668 169	1	D, P			ECC	DGC		BRACKET, Engine Mount
		1	D, P			ECC	DD4, DD5		
3	4668 257	1					DD4, DD5		SUPPORT, Engine Mount Manual
	4668 259	1					DGC		Automatic
4	4668 166	1	D, P				DD4, DD5		BRACKET, Engine Roll Dampener
	4668 184	1	Z				DD4		
5	4668 171	1	D, P				DD4, DD5		DAMPER, Engine Roll
6									BRACKET, Engine Mount
	4668 005	1	D, P						
		1	Z				DGC		
7	6503 836	2							SCREW AND WASHER, Hex Head, M12x1.75x105
8	4668 182	1					DGC		INSULATOR, Engine Mount
	4668 183	1					DD4, DD5		Automatic Manual
9	4668 151	1							DAMPER, Mass
10	4668 118	1					DGC		STRUT, Engine Roll
	4668 176	1					DD4, DD5		
11									BRACE, Transmission, (NOT REQUIRED)
12	6502 887	1							SCREW AND WASHER, Hex Head, M12x1.75x60
13	6503 297	2	Z				DD4		BOLT AND CONED WASHER, Hex Head, M12x1.25x30
14	6101 754	1							SCREW AND WASHER, Hex Head, M10x1.5x105
15	6101 503	3							SCREW AND WASHER, Hex Head, M10x1.5x25
16	4668 167	2					DD4, DD5		ISOLATOR, Transmission Mount

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

Engine Mounting 2.0L DOHC (ECC)  
Figure 009-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17									SCREW AND WASHER, Hex Head, M12x1.75, (NOT REQUIRED)
18	6101 503	3							SCREW AND WASHER, Hex Head, M10x1.5x25
19									SCREW, Hex Head
	4762 342	1				EC0 ECC	DG0 DBB		
20	6101 760	1					DD4, DD5		SCREW AND WASHER, Hex Head, M10x1.5x80
21	6101 448	2							NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
22									SCREW AND WASHER, Hex Head, M10x1.5x28
	6101 752	3					DD4, DD5		
		2					DGC		
23	6101 755	1					DGC		SCREW AND WASHER, Hex Head, M10x1.5x53
24	6101 670	2							SCREW AND WASHER, Hex Head, M10x1.50x35
25									BOLT, Hex Head, M10x1.50x100
	6503 703	3				ECB ECC	DGC DGC		
		3		D, P D, P					
-26	6101 671	1							SCREW AND WASHER, M10x1. 50x45.00, Crossmember Bracket to Crossmsmber
-27	6101 448	2							NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
-28	4668 270AB-	1							COLLAR, Structural, Oil Pan To Transmission

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Mounting 2.0L SOHC (ECB)  
Figure 009-110




NOTE:

Sales Codes:  
ECB=2.0L SOHC Engine.  
DGC=Automatic Trans.  
DD4=Manual Perf. Trans  
DD5=Manual Trans  
DBB=All Manual Transmissions

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4668 200	1							SUPPORT, Engine Mount
2									BRACKET, Engine Mount
	4668 170	1	D, P			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
3									SUPPORT, Engine Mount
	4668 257	1					DD4, DD5		Manual
	4668 259	1					DGC		Automatic
4									BRACKET, Engine Roll Dampener
	4668 166	1	D, P				DD4, DD5		
	4668 184	1	Z				DD4		
5	4668 171	1	D, P				DD4, DD5		DAMPER, Engine Roll
6									BRACKET, Engine Mount
	4668 005	1	D, P						
		1	Z				DGC		
7	6503 836	2							SCREW AND WASHER, Hex Head, M12x1.75x105
8									INSULATOR, Engine Mount
	4668 182	1					DGC		Automatic
	4668 183	1					DD4, DD5		Manual
9	4668 151	1							DAMPER, Mass
10									STRUT, Engine Roll
	4668 118	1					DGC		
	4668 176	1					DD4, DD5		
11									BRACE, Transmission, (NOT REQUIRED)
12	6502 887	1							SCREW AND WASHER, Hex Head, M12x1.75x60
13	6503 297	2	Z				DD4		BOLT AND CONED WASHER, Hex Head, M12x1.25x30

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

Engine Mounting 2.0L SOHC (ECB)  
Figure 009-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	6101 754	1							SCREW AND WASHER, Hex Head, M10x1.5x105
15	6101 503	2	D, P						SCREW AND WASHER, Hex Head, M10x1.5x25
16	4668 167	2					DD4, DD5		ISOLATOR, Transmission Mount
17									SCREW AND WASHER, Hex Head, M12x1.75, (NOT REQUIRED)
18	6101 503	3							SCREW AND WASHER, Hex Head, M10x1.5x25
19	4762 343	1	D, P			EC0			SCREW, Hex Head
20	6101 760	1					DD4, DD5		SCREW AND WASHER, Hex Head, M10x1.5x80
21	6101 448	2							NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
22									SCREW AND WASHER, Hex Head, M10x1.5x28
	6101 752	3					DD4, DD5		
		2					DGC		
23	6101 755	1					DGC		SCREW AND WASHER, Hex Head, M10x1.5x53
24	6101 670	2							SCREW AND WASHER, Hex Head, M10x1.50x35
25	6503 703	3	D, P			ECB	DGC		BOLT, Hex Head, M10x1.50x100
-26	4668 270AB-	1							COLLAR, Structural, Oil Pan To Transmission


DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Engine Mounting 1.8L (EBD)  
Figure 009-115




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EBD=1.8L Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4668 200	1							SUPPORT, Engine Mount
2	4668 170	1	D, P			EBD	DD4		BRACKET, Engine Mount
		1	Z			EBD	DD4		
3	4668 257	1					DD4,		SUPPORT, Engine Mount
							DD5		
4	4668 166	1	D, P				DD4,		BRACKET, Engine Roll Dampener
							DD5		
5	4668 184	1	Z				DD4		DAMPER, Engine Roll
	4668 171	1	D, P				DD4,		
							DD5		
6	4668 175	1	Z				DD4		BRACKET, Engine Mount
	4668 159	1	Z				DD4		
	4668 005	1	D, P						
		1	Z				DGC		
7	6503 836	2							SCREW AND WASHER, Hex Head, M12x1.75x105
8									INSULATOR, Engine Mount
	4668 182	1					DGC		
	4668 183	1					DD4,		
							DD5		
9	4668 151	1							DAMPER, Mass
10									STRUT, Engine Roll
	4668 118	1					DGC		
	4668 176	1					DD4,		
							DD5		
11									BRACE, Transmission, (NOT REQUIRED)
12	6502 887	1							SCREW AND WASHER, Hex Head, M12x1.75x60
13	6503 297	2	Z				DD4		BOLT AND CONED WASHER, Hex Head, M12x1.25x30
14	6101 754	1							SCREW AND WASHER, Hex Head, M10x1.5x105
15									SCREW AND WASHER, Hex Head, M10x1.5x25
	6101 503	2	D, P						
		1	Z						

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Mounting 1.8L (EBD)  
Figure 009-115



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	4668 167	2					DD4, DD5		ISOLATOR, Transmission Mount
17									SCREW AND WASHER, Hex Head, M12x1.75, (NOT REQUIRED)
18	4762 342	1	Z			EBD	DBB		SCREW, Hex Head
19	6101 760	1					DD4, DD5		SCREW AND WASHER, Hex Head, M10x1.5x80
20	6101 448	2							NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
21	6101 752	3					DD4, DD5		SCREW AND WASHER, Hex Head, M10x1.5x28
22	6101 755	1					DGC DGC		SCREW AND WASHER, Hex Head, M10x1.5x53
23	6101 670	2							SCREW AND WASHER, Hex Head, M10x1.50x35
24	6503 703	3	D, P Z			EBD EBD	DD4 DD4		BOLT, Hex Head, M10x1.50x100
-25	4668 270AB-	1							COLLAR, Structural, Oil Pan To Transmission


DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Group – 1.8L

## Engine 1.8L Four Cylinder




1	2	3	4	5	6	7	8	9	10	11	12
Model Year	Model Year	Model Year	Model Year	Model Year	Model Year	Model Year	Model Year	Model Year	Model Year	Model Year	Model Year
1	2	3	4	5	6	7	8	9	10	11	12

# Group – 1.8L

## Engine 1.8L Four Cylinder


1.8L-900  
Crankcase Ventilation




1.8L-100  
Engine Identification

X	X	XXXX	XXXX	XXXXXXXX
Model Year	Manufacturing Plant	Component Code/Usage	Month/Day	Serial Code
Last digit of model year	Satellite S Trenton T Toluca K	Engine		Last 8 Digits of VIN


1.8L-200  
Cylinder Head




1.8L-300  
Cylinder Block




1.8L-400  
Crankshaft, Piston and Drive Plate




1.8L-500  
Camshafts & Valve




1.8L-600  
Timing Belt and Cover



1.8L-700  
Engine Oiling



1.8L-800  
Manifolds




GROUP 1.8L - Engine 1.8L Four Cylinder

Illustration Title	Group-Fig. No.
<b>Engine Identification</b>	
I.D. Location 1.8L (EBD) . . . . .	Fig. 1.8L-113
<b>Cylinder Head</b>	
Cylinder Head 1.8L (EBD) . . . . .	Fig. 1.8L-213
<b>Cylinder Block</b>	
Cylinder Block 1.8L (EBD) . . . . .	Fig. 1.8L-313
<b>Crankshaft, Piston and Drive Plate</b>	
Crankshaft, Piston and Driveplate 1.8L (EBD) . . . . .	Fig. 1.8L-413
<b>Camshafts &amp; Valve</b>	
Camshaft and Valves 1.8L (EBD) . . . . .	Fig. 1.8L-513
<b>Timing Belt and Cover</b>	
Timing Belt and Cover 1.8L (EBD) . . . . .	Fig. 1.8L-613
<b>Engine Oiling</b>	
Engine Oiling 1.8L (EBD) . . . . .	Fig. 1.8L-713
<b>Manifolds</b>	
Manifolds 1.8L (EBD) . . . . .	Fig. 1.8L-813
<b>Crankcase Ventilation</b>	
Crankcase Ventilation 1.8L (EBD) . . . . .	Fig. 1.8L-913



I.D. Location 1.8L (EBD)  
Figure 1.8L-113




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: EBD=1.8L Engine.

1									LABEL, Engine Identification, (NOT SERVICED) (Not Serviced)
---	--	--	--	--	--	--	--	--	---

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

# Cylinder Head 1.8L (EBD) Figure 1.8L-213



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DD4=Manual Perf. Trans. DD5=Manual Trans.									
-1	4798 966AB-	1	D, P			EBD	DD4		GASKET PACKAGE, Engine Upper COVER, Cylinder Head
2	4777 440	1	D, P			EBD	DD5		
		1	Z			EBD	DD5		
		1	D, P			EBD	DD4		GASKET, Cylinder Cover
		1	Z			EBD	DD4		
3	4667 985	1	D, P			EBD	DD5		
		1	Z			EBD	DD5		
		1	D, P			EBD	DD4		SEAL, Spark Plug Tube
		1	Z			EBD	DD4		
4	4777 042	4	Z			EBD	DD5		
		4	D, P			EBD	DD5		
		4	D, P			EBD	DD4		TUBE, Spark Plug
		4	Z			EBD	DD4		
5	4648 604	4	D, P			EBD	DD4		
		4	Z			EBD	DD4		
6	4777 536	1	Z			EBD	DD5		CAP, Oil Filler
		1	D, P			EBD	DD4		
		1	D, P			EBD	DD5		
		1	Z			EBD	DD4		
7	4777 086	1	D, P			EBD	DD4		SEAL, Camshaft Order 5016733AA Per [TSB 09- 008-00]
		1	Z			EBD	DD4		
									Order 5016733AA Per [TSB 09- 008-00]
8	4667 993	1	D, P			EBD	DD5		HEAD, Cylinder
		1	Z			EBD	DD5		
		1	D, P			EBD	DD4		NIPPLE, Heater Return
		1	Z			EBD	DD4		
9	4621 653	1	D, P			EBD	DD4		GASKET, Cylinder Head
		1	Z			EBD	DD4		
10	4777 072	1	D, P			EBD	DD4		PLUG, Core, 1.25 Diameter
		1	Z			EBD	DD4		
11									

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

Cylinder Head 1.8L (EBD)  
Figure 1.8L-213




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4556 020	2	Z			EBD	DD5		
		2	D, P			EBD	DD4		
		2	D, P			EBD	DD5		
		2	Z			EBD	DD4		
12									ISOLATOR, Cylinder Head Cover, Grommet And Bolt
	4667 982	10	D, P			EBD	DD4		
		10	Z			EBD	DD4		
13									BOLT, Cylinder Head
	6503 561	4	D, P			EBD	DD4		
		4	Z			EBD	DD4		
14									BOLT, Cylinder Head
	6503 562	6	D, P			EBD	DD4		
		6	Z			EBD	DD4		
15									RESTRICTOR, Cylinder Head Oil
	4323 808	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Block 1.8L (EBD)  
Figure 1.8L-313




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DD4=Manual Perf. Trans. DD5=Manual Trans.									
-1	4798 967AC-	1							GASKET PACKAGE, Engine Lower BLOCK, Short
2	4897 021AA	1	D, P			EBD	DD5		Includes Crank and Pistons
		1	Z			EBD	DD5		Includes Crank and Pistons
3	4694 104	2	D, P			EBD	DD5		DOWEL, Block To Cylinder Head
		2	Z			EBD	DD5		
4	6035 743	1	D, P			EBD	DD4		PLUG, Timing Probe Hole
		1	Z			EBD	DD4		
5	4694 106	3	D, P			EBD	DD4		DOWEL, Engine Block To Bedplate
		3	Z			EBD	DD4		
6	6503 072	10	D, P			EBD	DD4		BOLT, Main Bearing Cap
		10	Z			EBD	DD4		
7	6503 074	10	D, P			EBD	DD4		BOLT, Main Bearing Cap
		10	Z			EBD	DD4		
8	6034 773	1	D, P			EBD	DD4		O RING, Bedplate To Engine Block
		1	Z			EBD	DD4		
9	6034 804	4	D, P			EBD	DD4		PLUG, Core, 1.39 Diameter
		4	Z			EBD	DD4		
10	5240 849	2	Z			EBD	DD5		DOWEL, Block To Clutch Housing
		2	D, P			EBD	DD4		
		2	D, P			EBD	DD5		
		2	Z			EBD	DD4		
11	4667 198	1	D, P			EBD	DD4		SEAL, Rear Main Crankshaft
		1	Z			EBD	DD4		
12	4556 018	2	D, P			EBD	DD4		PLUG, Cylinder Block Oil Hole
		2	Z			EBD	DD4		
13	6503 096	1	D, P						O RING, Engine Block Heater
14	4671 029	1	D, P						CORD, Engine Block Heater
15	4557 686	1	D, P						HEATER, Engine Block

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					



# Crankshaft, Piston and Driveplate 1.8L (EBD) Figure 1.8L-413



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1									BEARING PACKAGE, Connecting Rod, Standard
	4728 997	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
2									BEARING PACKAGE, Connecting Rod, .025mm Undersize
	4728 991	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
3									BEARING PACKAGE, Connecting Rod, .25mm Undersize
	4728 992	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
4									BEARING PACKAGE, Crankshaft Thrust, STD.
	4856 734	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
5									BEARING PACKAGE, Crankshaft Thrust, .016mm Undersize
	4856 736	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
6									BEARING PACKAGE, Crankshaft Thrust, .25mm Undersize
	4856 738	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
7									BEARING PACKAGE, Crankshaft Main, Standard Size
	4856 733	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
8									BEARING PACKAGE, Crankshaft, .016mm Undersize
	4856 735	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
9									BEARING PACKAGE, Crankshaft, .25 mm Undersize
	4856 737	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
10									CRANKSHAFT
	4667 754	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
11									SEAL, Front Main Crankshaft
	4667 198	1	D, P			EBD	DD4		

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual


Crankshaft, Piston and Driveplate 1.8L (EBD)  
Figure 1.8L-413



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Z			EBD	DD4		
12	6031 923	3					DD4, DD5		DOWEL, .250 x 1.05
13	6503 465	8					DD4, DD5 DGC		BOLT, Drive Plate and Flywheel
14	6501 099	4	D, P				DD4, DD5 DGC		BOLT, Hex Head, M10x1.50 x 13.20
15	6035 473	1	D, P			EBD	DD4		KEY, Crankshaft Sprocket
16	4796 384AB	1	Z			EBD	DD4 DGC		CONVERTER PACKAGE, Torque PLATE, Drive Plate
17	4567 143	1					DD4, DD5 DGC		
18		1							PISTON RING SET, COMPLETE ENGINE, STD.
	4897 018AA	1	D, P			EBD	DD4		
19		1	Z			EBD	DD4		PISTON PIN AND ROD
	4897 019AA	4	D, P			EBD	DD5		
		4	Z			EBD	DD5		
20	6503 116	8	D, P			EBD	DD4		BOLT, Connecting Rod
		8	Z			EBD	DD4		
21	4667 198	1	Z			EBD	DD4		SEAL, Rear Main Crankshaft
22	4471 933	1					DD4, DD5		PLATE, Drive Plate Backing
		1					DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

# Camshaft and Valves 1.8L (EBD) Figure 1.8L-513



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4648 613	8	D, P			EBD	DD4		VALVE, Exhaust, Standard
		8	Z			EBD	DD4		
2	4648 615	8	D, P			EBD	DD4		VALVE, Intake, Standard
		8	Z			EBD	DD4		
3	4667 370	4	D, P			EBD	DD4		SPACER, Rocker Shaft
		4	Z			EBD	DD4		
4	4667 256	2	D, P			EBD	DD4		RETAINER, Valve Rocker Shaft
		2	Z			EBD	DD4		
5	4667 257	3	D, P			EBD	DD4		RETAINER, Valve Rocker Shaft
		3	Z			EBD	DD4		
6	4667 259	5	D, P			EBD	DD4		RETAINER, Valve Rocker Shaft
		5	Z			EBD	DD4		
7	4777 128	1	D, P			EBD	DD4		CAMSHAFT
		1	Z			EBD	DD4		
8	4777 086	1	D, P			EBD	DD4		SEAL, Camshaft Order 5016733AA Per [TSB 09-008-00]
		1	Z			EBD	DD4		Order 5016733AA Per [TSB 09-008-00]
9	4648 701	8	D, P			EBD	DD4		ROCKER ARM, Intake
		8	Z			EBD	DD4		
10	4648 702	4	D, P			EBD	DD4		ROCKER ARM, Exhaust
		4	Z			EBD	DD4		
11	4648 693	1	D, P			EBD	DD4		SHAFT, Rocker Arm
		1	Z			EBD	DD4		
12	4648 691	1	D, P			EBD	DD4		SHAFT, Rocker Arm
		1	Z			EBD	DD4		
13	4777 050	32	D, P			EBD	DD4		LOCK, Valve Spring Retainer
		32	Z			EBD	DD4		
14									RETAINER, Valve Spring

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshaft and Valves 1.8L (EBD)  
Figure 1.8L-513




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	4648 682	16	D, P			EBD	DD4		SPRING, Valve
		16	Z			EBD	DD4		
	4648 684	16	Z			EBD	DD4		
		16	D, P			EBD	DD4		
16	4648 619	16	Z			EBD	DD4		SEAL, Valve Guide
		16	D, P			EBD	DD4		
17	4648 635	AR				EBD, ECB			GUIDE, Intake/Exhaust Valve, 7mm Oversize
18									SCREW, Hex Flange Head, M8x1. 25x40
19	6101 527	5	D, P			EBD	DD4		PIN, Dowel
		5	Z			EBD	DD4		
20	6100 997	1	D, P			EBD	DD4		CAM MAGNET, Target
		1	Z			EBD	DD4		
21	5269 547	1	D, P			EBD	DD4		SEAL, Camshaft Sensor
		1	Z			EBD	DD4		
22	4777 068	1	D, P			EBD	DD4		BOLT, Hex Flange Head, M6x1. 00x40
		1	Z			EBD	DD4		
	6503 688	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Timing Belt and Cover 1.8L (EBD)  
Figure 1.8L-613



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4667 339	1	D, P			EBD	DD4		COVER, Timing Belt
		1	Z			EBD	DD4		
2	6502 926	6	D, P			EBD	DD4		BOLT, Hex Flange Head, M6x1.0x20
		6	Z			EBD	DD4		
3	6503 553	1	D, P			EBD	DD4		BOLT, Hex Flange Head, M12x1.75x87.50
		1	Z			EBD	DD4		
4	4667 765	1	D, P			EBD	DD4		DAMPER, Crankshaft
		1	Z			EBD	DD4		
5	6035 473	1	D, P			EBD	DD4		KEY, Crankshaft Sprocket
		1	Z			EBD	DD4		
6	4667 604	1	D, P			EBD	DD4		GEAR, Crankshaft
		1	Z			EBD	DD4		
7	6100 997	1	D, P			EBD	DD4		PIN, Dowel
		1	Z			EBD	DD4		
8	6501 405	1	D, P			EBD	DD4		BOLT, Hex Head, M12x1.50x52
		1	Z			EBD	DD4		
9	6503 181	2	D, P			EBD	DD4		SCREW AND WASHER, Hex Head, M8x1.25x60
		2	Z			EBD	DD4		
		2	D, P			EBD	DD5		
		2	Z			EBD	DD5		
10	4667 338	1	D, P			EBD	DD4		COVER, Timing Belt
		1	Z			EBD	DD4		
11	4667 283	1	D, P			EBD	DD4		TENSIONER, Belt
		1	Z			EBD	DD4		
12	4667 341	1	D, P			EBD	DD4		SEAL, Timing Belt Cover
		1	Z			EBD	DD4		
13									BELT, Timing

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					


Timing Belt and Cover 1.8L (EBD)  
Figure 1.8L-613



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	4667 606	1	D, P			EBD	DD4		GEAR, Camshaft
		1	Z			EBD	DD4		
	4667 602	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
15	4667 554	1	D, P			EBD	DD4		PLUG, Timing Belt Cover
		1	Z			EBD	DD4		
16	6503 438	1	D, P			EBD	DD4		WASHER, Flared, 13x35.00x4.70
		1	Z			EBD	DD4		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

**Figure 1.8L-713**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4667 884	1	D, P			EBD	DD4		PUMP, Engine Oil
		1	Z			EBD	DD4		
2	6504 018	1	D, P			EBD	DD4		PLUG, Oil Drain
		1	Z			EBD	DD4		
3	4777 300AB	1	D, P			EBD	DD4		PAN, Engine Oil
		1	Z			EBD	DD4		
4	6101 451	13	D, P			EBD	DD4		SCREW AND WASHER, Hex Head, M6x1x25
		13	Z			EBD	DD4		
5	4667 352	1	D, P			EBD	DD4		TUBE, Engine Oil Indicator
		1	Z			EBD	DD4		
6	4777 284	1	D, P			EBD	DD4		INDICATOR, Engine Oil Level
		1	Z			EBD	DD4		
7	4556 666	1	D, P			EBD	DD4		GASKET, Oil Pan
		1	Z			EBD	DD4		
8	6101 386	5	D, P			EBD	DD4		SCREW, Flange Head, M6x1x18
		5	Z			EBD	DD4		
9	4777 252	1	D, P			EBD	DD4		TUBE, Oil Pickup
		1	Z			EBD	DD4		
10	6032 920	1	D, P			EBD	DD4		SEAL, Oil Pick Up Tube
		1	Z			EBD	DD4		
11	6500 070	1	Z			EBD	DD4		SCREW AND WASHER, Hex Head, M8x1.25x25
		1	D, P			EBD	DD4		
12	4105 409	1	D, P			EBD	DD4		FILTER, Engine Oil
		1	Z			EBD	DD4		
13	4667 386	1	D, P			EBD	DD4		ADAPTER, Oil Filter
		1	Z			EBD	DD4		
14									CONNECTOR, Oil Filter Adapter

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 15, 2005**

**Figure 1.8L-713**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	4667 301	1	D, P			EBD	DD4		O RING, Oil Filter Adapter
		1	Z			EBD	DD4		
	4777 425	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
16									COVER, Oil Pump Back
	4556 669	1	D, P			EBD	DD4		
17		1	Z			EBD	DD4		ROTOR SET, Oil Pump
18	4761 538	1	Z			EBD	DD5		CAP, Oil Pressure Relief Valve
		1	D, P			EBD	DD5		
	0618 621	1	D, P			EBD	DD4		
19		1	Z			EBD	DD4		GASKET, Oil Pump Relief Valve
	4777 062	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
20									SPRING, Oil Pressure Relief Valve
	1737 744	1	D, P			EBD	DD4		
21		1	Z			EBD	DD4		PLUNGER, Oil Pressure Relief Valve
22	2843 208	1	Z			EBD	DD5		BOLT, Hex Head, M8x1.25x37.50
		1	D, P			EBD	DD4		
		1	D, P			EBD	DD5		
		1	Z			EBD	DD4		
23	6503 257	1	D, P			EBD	DD4		BOLT, Hex Flange Head, M6x1.0x40
		1	Z			EBD	DD4		
24	6503 256	2	D, P			EBD	DD4		O RING, Front Cover Oil Inlet
		2	Z			EBD	DD4		
	4483 444	1	D, P			EBD	DD4		
25		1	Z			EBD	DD4		BOLT, Hex Head
	6100 296	4	D, P			EBD	DD4		
		4	Z			EBD	DD4		

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 15, 2005**




Manifolds 1.8L (EBD)  
Figure 1.8L-813



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4777 895AA	4	D, P			EBD	DD4		GASKET, Intake Manifold
		4	Z			EBD	DD4		
2									BOLT, Hex Flange Head, M8x1.25x30
	6503 131	8	D, P			EBD	DD4		
		8	Z			EBD	DD4		
3									BOLT, Hex Head Locking, M6x1.00x25
	6504 020	10	D, P			EBD	DD4		
		10	Z			EBD	DD4		
4	6503 244	1				EBD	DD4		STUD
5	4777 353	1	Z			EBD	DD4		MANIFOLD, Exhaust Right Hand Drive
	4556 730	1	D, P			EBD	DD4		
-6	4667 492	1	Z			EBD	DD4		GASKET, Exhaust Manifold
7									MANIFOLD PACKAGE, Intake
	4856 614	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
8	6500 274	2							LOCK NUT, M6x1.0x6
9									SHIELD, Exhaust Manifold
	4777 355	1	Z			EBD	DD4		Upper
	4777 433	1	Z			EBD	DD4		Lower
10									CONNECTOR, Brake Booster Vacuum
	4324 173	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
-11									CONNECTOR, Manifold Vacuum
	4026 117	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)  
SERIES L=Low Line H=High Line S=Special  
LINE Z=Chrysler, RHD D=Dodge D=Chrysler P=Plymouth  
BODY 41=4 Door, 104WB  
ENGINE ECB=2.0L 4 Cyl., 16V SMPI EJD=1.6L 4 Cyl16V SOHC EBD=1.8L 4 Cyl16V SEFI  
TRANSMISSION DD5 = 5 Speed Manua DGC = 3 Speed Automatic DGL = 4 Speed Automatic DG0 = All Automatics DBB= All 5 Speed Manual

Crankcase Ventilation 1.8L (EBD)  
Figure 1.8L-913



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: DD4=Manual Perf. Trans. DD5=Manual Trans.

1	4667 990	1	D, P			EBD	DD4		HOSE, Polution Control Valve
		1	Z			EBD	DD4		
2	4777 240	1	D, P			EBD	DD4		VALVE, PCV
		1	Z			EBD	DD4		
3	0153 455	1				EBD			CLAMP, Hose, .620
4									HOSE, Polution Control Valve
	4667 760	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
5	4667 845	1							RESTRICTOR, PCV


DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY			ENGINE			TRANSMISSION
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB			ECB=2.0L 4 Cyl., 16V SMPI			DD5 = 5 Speed Manua
H=High Line	D=Dodge					EJD=1.6L 4 Cyl16V SOHC			DGC = 3 Speed Automatic
S=Special	D=Chrysler					EBD=1.8L 4 Cyl16V SEFI			DGL = 4 Speed Automatic
	P=Plymouth								DG0 = All Automatics
									DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


# Group – 2.0L








## Engine 2.0L Four Cylinder



# Group – 2.0L

## Engine 2.0L Four Cylinder




<b>2.0L-100</b> Engine Identification	<b>2.0L-200</b> Cylinder Head	<b>2.0L-300</b> Cylinder Block	<b>2.0L-400</b> Crankshaft, Piston, and Drive Plate										
<table border="1"><tr><td>X Model Year</td><td>X Manufacturing Plant</td><td>XXXXX Component Code/Usage</td><td>XXXX Month/Day</td><td>XXXXXXXX Serial Code</td></tr><tr><td>Last digit of model year</td><td>Satellite S Trenton T Tokyo K</td><td>Engine 3.3L - 3.8L Usage Pass Car PC Truck T</td><td></td><td>Last 8 Digits of VIN</td></tr></table>	X Model Year	X Manufacturing Plant	XXXXX Component Code/Usage	XXXX Month/Day	XXXXXXXX Serial Code	Last digit of model year	Satellite S Trenton T Tokyo K	Engine 3.3L - 3.8L Usage Pass Car PC Truck T		Last 8 Digits of VIN			
X Model Year	X Manufacturing Plant	XXXXX Component Code/Usage	XXXX Month/Day	XXXXXXXX Serial Code									
Last digit of model year	Satellite S Trenton T Tokyo K	Engine 3.3L - 3.8L Usage Pass Car PC Truck T		Last 8 Digits of VIN									
<b>2.0L-500</b> Camshafts and Valves	<b>2.0L-600</b> Timing Belt and Cover	<b>2.0L-700</b> Engine Oiling	<b>2.0L-800</b> Manifolds										
													

GROUP 2.0L - Engine 2.0L Four Cylinder

Illustration Title	Group-Fig. No.
<b>Engine Identification</b>	
I. D. Location 2.0L SOHC (ECB) .....	Fig. 2.0L-111
I. D. Location 2.0L DOHC (ECC) .....	Fig. 2.0L-112
<b>Cylinder Head</b>	
Cylinder Head 2.0L SOHC (ECB) .....	Fig. 2.0L-211
Cylinder Head 2.0L DOHC (ECC) .....	Fig. 2.0L-212
<b>Cylinder Block</b>	
Cylinder Block 2.0L SOHC (ECB) .....	Fig. 2.0L-311
Cylinder Block 2.0L DOHC (ECC) .....	Fig. 2.0L-312
<b>Crankshaft, Piston, and Drive Plate</b>	
Crankshaft, Piston, Driveplate 2.0L SOHC (ECB) .....	Fig. 2.0L-411
Crankshaft, Piston, Driveplate 2.0L DOHC (ECC) .....	Fig. 2.0L-412
<b>Camshafts and Valves</b>	
Camshaft, and Valves 2.0L SOHC (ECB) .....	Fig. 2.0L-511
Camshaft and Valves 2.0L DOHC (ECC) .....	Fig. 2.0L-512
<b>Timing Belt and Cover</b>	
Timing Belt and Cover 2.0L SOHC (ECB) .....	Fig. 2.0L-611
Timing Belt and Cover 2.0L DOHC (ECC) .....	Fig. 2.0L-612
<b>Engine Oiling</b>	
Engine Oiling 2.0L SOHC (ECB) .....	Fig. 2.0L-711
Engine Oiling 2.0L DOHC (ECC) .....	Fig. 2.0L-712
<b>Manifolds</b>	
Manifolds 2.0L SOHC (ECB) .....	Fig. 2.0L-811
Manifolds 2.0L DOHC (ECC) .....	Fig. 2.0L-812
<b>Crankcase Ventilation</b>	
Crankcase Ventilation 2.0L SOHC (ECB) .....	Fig. 2.0L-911
Crankcase Ventilation 2.0L DOHC (ECC) .....	Fig. 2.0L-912



I. D. Location 2.0L SOHC (ECB)  
Figure 2.0L-111




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:  
Sales Codes:  
ECB=2.0L 4Cyl. SOHC 16V  
1 LABEL, Engine Identification, (NOT SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

**I. D. Location 2.0L DOHC (ECC)**  
**Figure 2.0L-112**

[illegible]

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 15, 2005**

# Cylinder Head 2.0L SOHC (ECB) Figure 2.0L-211



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
-1	4798 966AB-	1	D, P			ECB	DGC		GASKET PACKAGE, Engine Upper
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
2	4777 248	1	D, P			ECB	DGC		COVER, Cylinder Head
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
3	4667 985	1	D, P			ECB	DGC		GASKET, Cylinder Cover
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
4	4777 042	4	D, P			ECB	DGC		SEAL, Spark Plug Tube
		4	Z			ECB	DGC		
		4	D, P			ECB	DD4, DD5		
5	4648 604	4	D, P			ECB	DGC		TUBE, Spark Plug
		4	Z			ECB	DGC		
		4	D, P			ECB	DD4, DD5		
6	4777 536	1	Z			ECB	DGC		CAP, Oil Filler
		1	D, P			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
7	4777 086	1	D, P			ECB	DGC		SEAL, Camshaft Order 5016733AA Per [TSB 09-008-00]
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
8	4667 993	1	D, P			ECB	DGC		HEAD, Cylinder
		1	Z			ECB	DGC		

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

**Cylinder Head 2.0L SOHC (ECB)  
Figure 2.0L-211**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	4621 653	1	D, P			ECB	DD4,		NIPPLE, Heater Return
		1	Z			ECB	DD5		
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
10	4777 072	1	D, P			ECB	DGC		GASKET, Cylinder Head
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECB	DD4, DD5		
11	4556 020	2	Z			ECB	DGC		PLUG, Core, 1.25 Diameter
		2	D, P			ECB	DGC		
		2	Z			ECB	DD5		
		2	D, P			ECB	DD4, DD5		
12	4667 982	10	D, P			ECB	DGC		ISOLATOR, Cylinder Head Cover, Grommet And Bolt
		10	Z			ECB	DGC		
		10	D, P			ECB	DD4, DD5		
		10	D, P			ECB	DD4, DD5		
13	6503 561	4	D, P			ECB	DGC		BOLT, Cylinder Head
		4	Z			ECB	DGC		
		4	D, P			ECB	DD4, DD5		
14	6503 562	6	D, P			ECB	DGC		BOLT, Cylinder Head
		6	Z			ECB	DGC		
		6	D, P			ECB	DD4, DD5		
15	4323 808	1	Z			ECB	DGC		RESTRICTOR, Cylinder Head Oil
		1	D, P			ECB	DGC		
		1	D, P			ECB	DD4, DD5		

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual



# Cylinder Head 2.0L DOHC (ECC) Figure 2.0L-212

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
-1	4762 866	1	D, P			ECC	DGC		GASKET PACKAGE, Engine
		1	D, P			ECC	DD4, DD5		
2	4667 945AB	1	D, P			ECC	DGC		COVER, Cylinder Head
		1	D, P			ECC	DD4, DD5		
3	4667 421	1	D, P			ECC	DGC		GASKET, Valve Cover
		1	D, P			ECC	DD4, DD5		
4	4667 232	4	D, P			ECC	DGC		GASKET, Spark Plug Well
		4	D, P			ECC	DD4, DD5		
5	6503 156	8	D, P			ECC	DGC		BOLT, Hex Flange Head, M6x1.0x40
		8	D, P			ECC	DD4, DD5		
6	4777 536	1	D, P			ECC	DGC		CAP, Oil Filler
		1	D, P			ECC	DD4, DD5		
7	4777 086	2	D, P			ECC	DGC		SEAL, Camshaft
		2	D, P			ECC	DD4, DD5		Order 5016733AA Per [TSB 09-008-00]
									Order 5016733AA Per [TSB 09-008-00]
8	4777 541	1	D, P			ECC	DGC		HEAD, Cylinder
		1	D, P			ECC	DD4, DD5		
9	4667 420	8	D, P			ECC	DGC		SPACER, Valve Cover Bolt
		8	D, P			ECC	DD4, DD5		
10	4694 324	1	D, P			ECC	DGC		GASKET, Cylinder Head
		1	D, P			ECC	DD4, DD5		
11									PLUG, Core, 1.25 Diameter

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth


BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



**Cylinder Head 2.0L DOHC (ECC)**  
**Figure 2.0L-212**

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4556 020	2	D, P			ECC	DGC		
		2	D, P			ECC	DD4, DD5		
-12	0444 668	1	D, P			ECC	DGC		PLUG, Core
		1	D, P			ECC	DD4, DD5		
13	6503 559	4	D, P			ECC	DGC		BOLT, Cylinder Head M11x1.50x110.00
		4	D, P			ECC	DD4, DD5		M11x1.50x110.00
14	6503 560	6	D, P			ECC	DGC		BOLT, Cylinder Head M11x1.50x156.00
		6	D, P			ECC	DD4, DD5		M11x1.50x156.00
15	4323 808	1	D, P			ECC	DGC		RESTRICTOR, Cylinder Head Oil
		1	D, P			ECC	DD4, DD5		
16									BOLT, Hex Flange Head, M6x1. 00x35
	6100 918	18	D, P			ECC	DGC		
		18	D, P			ECC	DD4, DD5		
17									SCREW, Hex Flange Head, M8x1. 25x40
	6101 527	6	D, P			ECC	DGC		
		6	D, P			ECC	DD4, DD5		
18	4667 731	1	D, P			ECC	DGC		PLUG, Camshaft
		1	D, P			ECC	DD4, DD5		
19	0444 668	1	D, P			ECC	DGC		PLUG, Core
		1	D, P			ECC	DD4, DD5		
20	6503 155	8	D, P			ECC	DGC		WASHER, Flat, 10.0x22.0x2.05
		8	D, P			ECC	DD4, DD5		

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth


BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



# Cylinder Block 2.0L SOHC (ECB) Figure 2.0L-311



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans. DG0=All Automatic Trans. NAE=California Emissions.									
-1	4798 967AC-	1							GASKET PACKAGE, Engine Lower BLOCK, Short
2	4864 260	1	D, P			ECB	DD4, DD5		Includes Crank and Pistons
		1	D, P			ECB	DGC		Includes Crank and Pistons
		1	Z			ECB	DGC		Includes Crank and Pistons
3									DOWEL, Block To Cylinder Head
	4694 104	2	D, P			ECB	DGC		
		2	Z			ECB	DGC		
		2	D, P			ECB	DD4, DD5		
4									PLUG, Timing Probe Hole
	6035 743	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
5									DOWEL, Engine Block To Bedplate
	4694 106	3	Z			ECB	DGC		
		3	D, P			ECB	DGC		
		3	D, P			ECB	DD4, DD5		
6									BOLT, Main Bearing Cap
	6503 072	10	D, P			ECB	DGC		
		10	Z			ECB	DGC		
		10	D, P			ECB	DD4, DD5		
7									BOLT, Main Bearing Cap
	6503 074	10	D, P			ECB	DGC		
		10	Z			ECB	DGC		
		10	D, P			ECB	DD4, DD5		
8									O RING, Bedplate To Engine Block
	6034 773	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
9									PLUG, Core, 1.39 Diameter
	6034 804	4	D, P			ECB	DGC		
		4	Z			ECB	DGC		

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

Cylinder Block 2.0L SOHC (ECB)  
Figure 2.0L-311




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	5240 849	4	D, P			ECB	DD4, DD5		DOWEL, Block To Clutch Housing
		2	D, P			ECB	DGC		
		2	Z			ECB	DGC		
		2	D, P			ECB	DD4, DD5		
11	4777 311	1	D, P			ECB	DGC		SEAL, Rear Main Crankshaft
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
12	4556 018	2	D, P			ECB	DGC		PLUG, Cylinder Block Oil Hole
		2	Z			ECB	DGC		
		2	D, P			ECB	DD4, DD5		
13	6503 096	1	D, P						O RING, Engine Block Heater
14	4671 029	1	D, P						CORD, Engine Block Heater
15	4557 686	1	D, P						HEATER, Engine Block

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Cylinder Block 2.0L DOHC (ECC)  
Figure 2.0L-312



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
-1	4798 967AC-	1							GASKET PACKAGE, Engine Lower
2	4864 262	1	D, P			ECC	DGC		BLOCK, Short
		1	D, P			ECC	DD4,		Includes Crank and Pistons
							DD5		Includes Crank and Pistons
3	4694 104	2	D, P			ECC	DGC		DOWEL, Block To Cylinder Head
		2	D, P			ECC	DD4,		
							DD5		
4	6034 804	4	D, P			ECC	DGC		PLUG, Core, 1.39 Diameter
		4	D, P			ECC	DD4,		
							DD5		
5	0154 577	1	D, P			ECC	DGC		PLUG, Pipe
		1	D, P			ECC	DD4,		
							DD5		
6	4694 106	3	D, P			ECC	DGC		DOWEL, Engine Block To Bedplate
		3	D, P			ECC	DD4,		
							DD5		
7	6503 072	10	D, P			ECC	DGC		BOLT, Main Bearing Cap
		10	D, P			ECC	DD4,		
							DD5		
8	6503 074	10	D, P			ECC	DGC		BOLT, Main Bearing Cap
		10	D, P			ECC	DD4,		
							DD5		
9	6034 773	1	D, P			ECC	DGC		O RING, Bedplate To Engine Block
		1	D, P			ECC	DD4,		
							DD5		
10	6034 804	4	D, P			ECC	DGC		PLUG, Core, 1.39 Diameter
		4	D, P			ECC	DD4,		
							DD5		
11	5240 849	2	D, P			ECC	DGC		DOWEL, Block To Clutch Housing
		2	D, P			ECC	DD4,		
							DD5		
12									SEAL, Rear Main Crankshaft

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		


Cylinder Block 2.0L DOHC (ECC)  
Figure 2.0L-312



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4777 311	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
13	6503 096	1	D, P						O RING, Engine Block Heater
14	4671 029	1	D, P						CORD, Engine Block Heater
15	4557 686	1	D, P						HEATER, Engine Block
16									PLUG, Cylinder Block Oil Hole
	4556 018	2	D, P			ECC	DGC		
		2	D, P			ECC	DD4, DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

Crankshaft, Piston, Driveplate 2.0L SOHC (ECB)  
Figure 2.0L-411



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.


1	4728 997	1	D, P			ECB	DGC		BEARING PACKAGE, Connecting Rod, Standard
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
2	4728 991	1	D, P			ECB	DGC		BEARING PACKAGE, Connecting Rod, .025mm Undersize
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
3	4728 992	1	D, P			ECB	DGC		BEARING PACKAGE, Connecting Rod, .25mm Undersize
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
4	4856 734	1	D, P			ECB	DGC		BEARING PACKAGE, Crankshaft Thrust, STD.
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
5	4856 736	1	D, P			ECB	DGC		BEARING PACKAGE, Crankshaft Thrust, .016mm Undersize
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
6	4856 738	1	D, P			ECB	DGC		BEARING PACKAGE, Crankshaft Thrust, .25mm Undersize
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
7	4856 733	1	D, P			ECB	DGC		BEARING PACKAGE, Crankshaft Main, Standard Size
		1	Z			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DGO = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston, Driveplate 2.0L SOHC (ECB)  
Figure 2.0L-411



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	4856 735	1	D, P			ECB	DD4, DD5		BEARING PACKAGE, Crankshaft, .016mm Undersize
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
9	4856 737	1	D, P			ECB	DGC		BEARING PACKAGE, Crankshaft, .25 mm Undersize
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECB	DGC		
10	4667 754	1	D, P			ECB	DGC		CRANKSHAFT
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECB	DGC		
11	4667 198	1	Z			ECB	DGC		SEAL, Front Main Crankshaft
		1	D, P			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECB	DGC		
12	6503 465	8					DD4, DD5		BOLT, Drive Plate and Flywheel
		8					DGC		
13	6501 099	4	D, P				DD4, DD5		BOLT, Hex Head, M10x1.50 x 13.20
		4					DGC		
14	6035 473	1	Z			ECB	DGC		KEY, Crankshaft Sprocket
		1	D, P			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECB	DGC		
15	4796 384AB	1					DGC		CONVERTER PACKAGE, Torque DOWEL, .250 x 1.05
16	6031 923	3					DD4, DD5		
17									PLATE, Drive Plate


DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



**Crankshaft, Piston, Driveplate 2.0L SOHC (ECB)**  
**Figure 2.0L-411**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	4567 143	1					DD4,		PISTON RING SET, COMPLETE ENGINE, STD.
		1					DD5 DGC		
19	4741 401	1	D, P			ECB	DGC		PISTON PIN AND ROD
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
20	4773 975	4	D, P			ECB	DD4, DD5		BOLT, Connecting Rod
		4	D, P			ECB	DGC		
		4	Z			ECB	DGC		
21	6503 116	8	D, P			ECB	DGC		SEAL, Rear Main Crankshaft
		8	Z			ECB	DGC		
		8	D, P			ECB	DD4, DD5		
22	4777 311	1	D, P			ECB	DGC		PLATE, Drive Plate Backing
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
	4471 933	1					DD4, DD5		
		1					DGC		

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 15, 2005**


Crankshaft, Piston, Driveplate 2.0L DOHC (ECC)  
Figure 2.0L-412



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4= Manual Perf. Trans. DD5=Manual Trans.									
1									BEARING PACKAGE, Connecting Rod, Standard
	4728 997	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
2									BEARING PACKAGE, Connecting Rod, .025mm Undersize
	4728 991	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
3									BEARING PACKAGE, Connecting Rod, .25mm Undersize
	4728 992	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
4									BEARING PACKAGE, Crankshaft Thrust, STD.
	4856 734	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
5	4856 736	1	D, P			ECC	DD4, DD5		BEARING PACKAGE, Crankshaft Thrust, .016mm Undersize
6									BEARING PACKAGE, Crankshaft Thrust, .25mm Undersize
	4856 738	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
7									BEARING PACKAGE, Crankshaft Main, Standard Size
	4856 733	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
8									BEARING PACKAGE, Crankshaft, .016mm Undersize
	4856 735	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
9									BEARING PACKAGE, Crankshaft, .25 mm Undersize
	4856 737	1	D, P			ECC	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		


Crankshaft, Piston, Driveplate 2.0L DOHC (ECC)  
Figure 2.0L-412



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	4667 754	1	D, P			ECC	DD4,		CRANKSHAFT
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4,		
11	4471 933	1					DD5		PLATE, Drive Plate Backing
12	6031 923	3					DD4,		DOWEL, .250 x 1.05
13	6503 465	8					DD5		BOLT, Drive Plate and Flywheel
14	6501 099	4	D, P				DD4,		BOLT, Hex Head, M10x1.50 x 13.20
15	4796 384AB	1					DD5		CONVERTER PACKAGE, Torque PLATE, Drive Plate
16	4567 143	1					DGC		
17		1					DD4,		PISTON RING SET, COMPLETE ENGINE, STD.
							DD5		
							DGC		
18	4741 401	1	D, P			ECC	DGC		PISTON PIN AND ROD
		1	D, P			ECC	DD4,		
							DD5		
19	4797 613	1	D, P			ECC	DGC		BOLT, Connecting Rod
		1	D, P			ECC	DD4,		
							DD5		
20	6503 116	8	D, P			ECC	DGC		SEAL, Rear Main Crankshaft
		8	D, P			ECC	DD4,		
							DD5		
21	4777 311	1	D, P			ECC	DGC		SEAL, Front Main Crankshaft
		1	D, P			ECC	DD4,		
							DD5		
22	4667 198	1	D, P			ECC	DGC		KEY, Crankshaft Sprocket
		1	D, P			ECC	DD4,		
							DD5		
	6035 473	1	D, P			ECC	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				ENGINE		TRANSMISSION	
SERIES	LINE	BODY		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic	
H=High Line	D=Dodge			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic	
S=Special	D=Chrysler					DG0 = All Automatics	
	P=Plymouth					DBB= All 5 Speed Manual	

**Crankshaft, Piston, Driveplate 2.0L DOHC (ECC)**  
**Figure 2.0L-412**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P			ECC	DD4, DD5		
-23	4593 040	1					DD4, DD5		FLYWHEEL, Mexico Built
-24	6503 464	8					DD4, DD5		BOLT, Flywheel, Mexico Built

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

**DODGE - TLE**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 15, 2005

# Camshaft, and Valves 2.0L SOHC (ECB) Figure 2.0L-511



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans. NAB=Leaded Fuel									
1	4648 613	8	D, P			ECB	DD4, DD5		VALVE, Exhaust, Standard
		8	D, P			ECB	DGC		
	4777 150	8	Z			ECB	DGC		
		8	D, P			ECB	DGC		Leaded
		8	D, P			ECB	DD4, DD5		Leaded
-2	4667 439	8	D, P			ECB	DGC		VALVE, Exhaust, .15mm O/S
		8	Z			ECB	DGC		
		8	Z			ECB	DD5		
		8	D, P			ECB	DD4, DD5		
	4777 302	AR				EBD, ECB			Repair
3	4648 615	8	D, P			ECB	DGC		VALVE, Intake, Standard
		8	Z			ECB	DGC		
		8	D, P			ECB	DD4, DD5		
	4777 148	8	D, P			ECB	DD4, DD5		Leaded
		8	D, P			ECB	DGC		Leaded
-4	4667 189	8	D, P			ECB	DGC		VALVE, Intake, .15MM O/S
		8	Z			ECB	DGC		
		8	Z			ECB	DD5		
		8	D, P			ECB	DD4, DD5		
	4777 301	AR				EBD, ECB			Repair
5	4667 370	4	Z			ECB	DGC		SPACER, Rocker Shaft
		4	D, P			ECB	DD4, DD5		
6	4667 256	2	D, P			ECB	DGC		RETAINER, Valve Rocker Shaft
		2	Z			ECB	DGC		
		2	D, P			ECB	DD4, DD5		
7									RETAINER, Valve Rocker Shaft

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Camshaft, and Valves 2.0L SOHC (ECB) Figure 2.0L-511



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4667 257	3	D, P			ECB	DGC		
		3	Z			ECB	DGC		
		3	D, P			ECB	DD4, DD5		
8									RETAINER, Valve Rocker Shaft
	4667 259	5	D, P			ECB	DGC		
		5	Z			ECB	DGC		
		5	D, P			ECB	DD4, DD5		
9									CAMSHAFT
	4777 128	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
10	4777 086	1	D, P			ECB	DGC		SEAL, Camshaft Order 5016733AA Per [TSB 09-008-00]
		1	Z			ECB	DGC		Order 5016733AA Per [TSB 09-008-00]
		1	D, P			ECB	DD4, DD5		Order 5016733AA Per [TSB 09-008-00]
11	4648 701	8	D, P			ECB	DGC		ROCKER ARM, Intake
		8	Z			ECB	DGC		
		8	D, P			ECB	DD4, DD5		
12	4648 702	4	D, P			ECB	DGC		ROCKER ARM, Exhaust
		4	Z			ECB	DGC		
		4	D, P			ECB	DD4, DD5		
13	4648 693	1	D, P			ECB	DGC		SHAFT, Rocker Arm
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
14	4648 691	1	D, P			ECB	DGC		SHAFT, Rocker Arm
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
15									LOCK, Valve Spring Retainer

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Camshaft, and Valves 2.0L SOHC (ECB) Figure 2.0L-511



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4777 050	32	Z			ECB	DGC		
		32	D, P			ECB	DGC		
		32	D, P			ECB	DD4, DD5		
16									RETAINER, Valve Spring
	4648 682	16	D, P			ECB	DGC		
		16	Z			ECB	DGC		
		16	D, P			ECB	DD4, DD5		
17									SPRING, Valve
	4648 684	16	D, P			ECB	DGC		
		16	Z			ECB	DGC		
		16	D, P			ECB	DD4, DD5		
18									SEAL, Valve Guide
	4648 619	16	D, P			ECB	DGC		
		16	Z			ECB	DGC		
		16	D, P			ECB	DD4, DD5		
19	4648 635	AR				EBD, ECB			GUIDE, Intake/Exhaust Valve, 7mm Oversize
20									SCREW, Hex Flange Head, M8x1.25x40
	6101 527	5	Z			ECB	DGC		
		5	D, P			ECB	DGC		
		5	D, P			ECB	DD4, DD5		
21									PIN, Dowel
	6100 997	1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
22									CAM MAGNET, Target
	5269 547	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
23									SEAL, Camshaft Sensor
	4777 068	1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DD4, DD5		

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Figure 2.0L-511**

[illegible]

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 15, 2005**




Camshaft and Valves 2.0L DOHC (ECC)  
Figure 2.0L-512



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4667 972	8 8	D, P D, P			ECC ECC	DGC DD4, DD5		VALVE, Exhaust, Standard
2	4667 969	8 8	D, P D, P			ECC ECC	DGC DD4, DD5		VALVE, Intake, Standard
3	4667 917	1 1	D, P D, P			ECC ECC	DGC DD4, DD5		CAMSHAFT, Intake
4	4667 918	1 1	D, P D, P			ECC ECC	DGC DD4, DD5		CAMSHAFT, Exhaust
5	4777 086	2 2	D, P D, P			ECC ECC	DGC DD4, DD5		SEAL, Camshaft Order 5016733AA Per [TSB 09-008-00] Order 5016733AA Per [TSB 09-008-00]
6	4667 731	1 1	D, P D, P			ECC ECC	DGC DD4, DD5		PLUG, Camshaft
7	4777 050	32 32	D, P D, P			ECC ECC	DGC DD4, DD5		LOCK, Valve Spring Retainer
8	4648 682	16 16	D, P D, P			ECC ECC	DGC DD4, DD5		RETAINER, Valve Spring
9	4777 555	16 16	D, P D, P			ECC ECC	DGC DD4, DD5		SPRING, Valve
10	4648 619	16 16	D, P D, P			ECC ECC	DGC DD4, DD5		SEAL, Valve Guide

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

**Figure 2.0L-512**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11	4667 411	AR				ECC			GUIDE, Intake/Exhaust Valve, 7mm Oversize
12	4667 139	16	D, P			ECC	DGC		ROCKER ARM, Valve Roller
		16	D, P			ECC	DD4,		
13	4667 140	16	D, P			ECC	DGC		ADJUSTER, Valve Lash
		16	D, P			ECC	DD4,		
14	6100 997	1	D, P			ECC	DGC		PIN, Dowel
		1	D, P			ECC	DD4,		
15	5269 547	1	D, P			ECC	DGC		CAM MAGNET, Target
		1	D, P			ECC	DD4,		
16	4777 068	1	D, P			ECC	DGC		SEAL, Camshaft Sensor
		1	D, P			ECC	DD4,		
17	6503 688	1	D, P			ECC	DGC		BOLT, Hex Flange Head, M6x1. 00x40
		1	D, P			ECC	DD4, DD5		

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manual  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual


AR = Use as required    - = Non illustrated part    # = New this model year

**September 15, 2005**

Timing Belt and Cover 2.0L SOHC (ECB)  
Figure 2.0L-611

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4667 339	1	D, P			ECB	DGC		COVER, Timing Belt
		1	Z			ECB	DGC		Inner
		1	D, P			ECB	DD4,		Inner
							DD5		
2	4667 341	1	D, P			ECB	DGC		SEAL, Timing Belt Cover
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4,		
							DD5		
3	6502 926	6	D, P			ECB	DGC		BOLT, Hex Flange Head, M6x1.0x20
		6	Z			ECB	DGC		
		6	D, P			ECB	DD4,		
							DD5		
4	6503 553	1	D, P			ECB	DGC		BOLT, Hex Flange Head, M12x1.
		1	Z			ECB	DGC		75x87.50
		1	D, P			ECB	DD4,		
							DD5		
5	4667 765	1	D, P			ECB	DGC		DAMPER, Crankshaft
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4,		
							DD5		
6	6035 473	1	Z			ECB	DGC		KEY, Crankshaft Sprocket
		1	D, P			ECB	DGC		
		1	D, P			ECB	DD4,		
							DD5		
7	4667 604	1	D, P			ECB	DGC		GEAR, Crankshaft
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4,		
							DD5		
8	6100 997	1	D, P			ECB	DGC		PIN, Dowel
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4,		
							DD5		
9									BOLT, Hex Head, M12x1.50x52

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY			ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB			ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth					DG0 = All Automatics			
						DBB= All 5 Speed Manual			



Timing Belt and Cover 2.0L SOHC (ECB)  
Figure 2.0L-611


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6501 405	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
10									SCREW AND WASHER, Hex Head, M8x1.25x60
	6503 181	2	D, P			ECB	DGC		
		2	Z			ECB	DGC		
		2	D, P			ECB	DD4, DD5		
11									COVER, Timing Belt
	4667 338	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
12									TENSIONER, Belt
	4667 283	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECC	DD4, DD5		
13									BRACKET, Tensioner
	4777 393	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
14									SEAL, Timing Belt Cover
	4667 341	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
15									BELT, Timing
	4667 606	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
16									SCREW AND WASHER, Hex Head, M6x1x30, (NOT REQUIRED)
17									GEAR, Camshaft
	4667 602	1	D, P			ECB	DD4, DD5		
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
18									PLUG, Timing Belt Cover

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Timing Belt and Cover 2.0L SOHC (ECB)  
Figure 2.0L-611

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4667 554	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
19									WASHER, Flared, 13x35.00x4.70
	6503 438	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		



DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			


Timing Belt and Cover 2.0L DOHC (ECC)  
Figure 2.0L-612



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4667 435	1	D, P			ECC	DGC		COVER, Timing Belt
		1	D, P			ECC	DD4, DD5		
2	4667 610	1	D, P			ECC	DGC		COVER, Timing Belt Inspection
		1	D, P			ECC	DD4, DD5		
3	6502 926	7	D, P			ECC	DGC		BOLT, Hex Flange Head, M6x1.0x20
		7	D, P			ECC	DD4, DD5		
4	4667 436	1	D, P			ECC	DGC		COVER, Timing Belt
		1	D, P			ECC	DD4, DD5		
5	4667 611	1	D, P			ECC	DGC		BELT, Timing
		1	D, P			ECC	DD4, DD5		
6	4667 609	2	D, P			ECC	DGC		GEAR, Camshaft
		2	D, P			ECC	DD4, DD5		
7	6501 405	2	D, P			ECC	DGC		BOLT, Hex Head, M12x1.50x52
		2	D, P			ECC	DD4, DD5		
8	6503 438	2	D, P			ECC	DGC		WASHER, Flared, 13x35.00x4.70
		2	D, P			ECC	DD4, DD5		
9	4667 660	1	D, P			ECC	DGC		PUMP, Water
		1	D, P			ECC	DD4, DD5		
10	4667 765	1	D, P			ECC	DGC		DAMPER, Crankshaft
		1	D, P			ECC	DD4, DD5		
11									BOLT, Hex Flange Head, M12x1.75x87.50

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY			ENGINE			TRANSMISSION
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB			ECB=2.0L 4 Cyl., 16V SMPI			DD5 = 5 Speed Manua
H=High Line	D=Dodge					EJD=1.6L 4 Cyl16V SOHC			DGC = 3 Speed Automatic
S=Special	D=Chrysler					EBD=1.8L 4 Cyl16V SEFI			DGL = 4 Speed Automatic
	P=Plymouth								DG0 = All Automatics
									DBB= All 5 Speed Manual

Timing Belt and Cover 2.0L DOHC (ECC)  
Figure 2.0L-612




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6503 553	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
12	6035 473	1	D, P			ECC	DGC		KEY, Crankshaft Sprocket
		1	D, P			ECC	DD4, DD5		
13	6101 453	1							SCREW AND WASHER, Hex Head, M8x1.25x30
		1							
14	6101 939	2	D, P			ECC	DGC		SCREW AND WASHER, Hex Head, M6x1x30
		2	D, P			ECC	DD4, DD5		
15	4777 394	1	D, P			ECC	DGC		PULLEY, Timing Belt
		1	D, P			ECC	DD4, DD5		
16	4667 283	1	D, P			ECC	DGC		TENSIONER, Belt
		1	D, P			ECC	DD4, DD5		
17	4667 604	1	D, P			ECC	DGC		GEAR, Crankshaft
		1	D, P			ECC	DD4, DD5		
18	4667 884	1	D, P			ECC	DGC		PUMP, Engine Oil
		1	D, P			ECC	DD4, DD5		
19	4667 438	1	D, P			ECC	DGC		SEAL, Timing Belt Cover
		1	D, P			ECC	DD4, DD5		
20	4667 340	1	D, P			ECC	DGC		SEAL, Timing Belt Cover
		1	D, P			ECC	DD4, DD5		
21	4777 393	1	D, P			ECC	DGC		BRACKET, Tensioner
		1	D, P			ECC	DD4, DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				ENGINE		TRANSMISSION		
SERIES	LINE	BODY		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
H=High Line	D=Dodge			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
S=Special	D=Chrysler					DG0 = All Automatics		
	P=Plymouth					DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Figure 2.0L-711**

[illegible]

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE BODY  
Z=Chrysler, RHD 41=4 Door, 104WB  
D=Dodge  
D=Chrysler  
P=Plymouth

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


**TRANSMISSION**  
DD5 = 5 Speed Manual  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 15, 2005



### Engine Oiling 2.0L SOHC (ECB) Figure 2.0L-711

[illegible]

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manual  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 15, 2005**

### Engine Oiling 2.0L SOHC (ECB) Figure 2.0L-711

[illegible]

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE

Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BO

41=4 Door, 104WB

ENGINE

ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION

DD5 = 5 Speed Manual  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 15, 2005**

**Engine Oiling 2.0L SOHC (ECB)**  
**Figure 2.0L-711**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6100 296	4	Z			ECB	DGC		
		4	D, P			ECB	DGC		
		4	D, P			ECB	DD4, DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

SERIES	LINE	BODY
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB
H=High Line	D=Dodge	
S=Special	D=Chrysler	
	P=Plymouth	


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
 DD5 = 5 Speed Manua  
 DGC = 3 Speed Automatic  
 DGL = 4 Speed Automatic  
 DG0 = All Automatics  
 DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 15, 2005**

**Figure 2.0L-712**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4667 884	1 1	D, P D, P			ECC ECC	DGC DD4, DD5		PUMP, Engine Oil
2	6504 018	1 1	D, P D, P			ECC ECC	DGC DD4, DD5		PLUG, Oil Drain
3	4777 300AB	1 1	D, P D, P			ECC ECC	DGC DD4, DD5		PAN, Engine Oil
4	6101 451	13 13	D, P D, P			ECC ECC	DGC DD4, DD5		SCREW AND WASHER, Hex Head, M6x1x25
5	4667 352	1 1	D, P D, P			ECC ECC	DGC DD4, DD5		TUBE, Engine Oil Indicator
6	4777 284	1 1	D, P D, P			ECC ECC	DGC DD4, DD5		INDICATOR, Engine Oil Level
7	4556 666	1 1	D, P D, P			ECC ECC	DGC DD4, DD5		GASKET, Oil Pan
8	6101 386	5 5	D, P D, P			ECC ECC	DGC DD4, DD5		SCREW, Flange Head, M6x1x18
9	4777 252	1 1	D, P D, P			ECC ECC	DGC DD4, DD5		TUBE, Oil Pickup
10	6032 920	1 1	D, P D, P			ECC ECC	DGC DD4, DD5		SEAL, Oil Pick Up Tube

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
 DD5 = 5 Speed Manua  
 DGC = 3 Speed Automatic  
 DGL = 4 Speed Automatic  
 DG0 = All Automatics  
 DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 15, 2005**

**Figure 2.0L-712**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11									SCREW AND WASHER, Hex Head, M8x1.25x25
	6500 070	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
12									FILTER, Engine Oil
	4105 409	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
13									ADAPTER, Oil Filter
	4667 386	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
14									CONNECTOR, Oil Filter Adapter
	4667 301	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
15									O RING, Oil Filter Adapter
	4777 425	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
16									COVER, Oil Pump Back
	4556 669	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
17									ROTOR SET, Oil Pump
	4761 538	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
18									CAP, Oil Pressure Relief Valve
	0618 621	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
19									GASKET, Oil Pump Relief Valve
	4777 062	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
20									SPRING, Oil Pressure Relief Valve
	1737 744	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
21									PLUNGER, Oil Pressure Relief Valve

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 15, 2005**

Engine Oiling 2.0L DOHC (ECC)  
Figure 2.0L-712




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	2843 208	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
22	6503 257	1	D, P			ECC	DGC		BOLT, Hex Head, M8x1.25x37.50
		1	D, P			ECC	DD4, DD5		
23	6503 156	8	D, P			ECC	DGC		BOLT, Hex Flange Head, M6x1.0x40
		8	D, P			ECC	DD4, DD5		
	6503 256	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
24	4483 444	1	D, P			ECC	DGC		O RING, Front Cover Oil Inlet
		1	D, P			ECC	DD4, DD5		
25	6100 296	2	D, P			ECC	DGC		BOLT, Hex Head
		2	D, P			ECC	DD4, DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Manifolds 2.0L SOHC (ECB)  
Figure 2.0L-811**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:Sales Codes

[ECB] = 2.0L 4 Cylinder SOHC 16V

[DD4] = 5 Speed Performance Transmission

[DD5] = 5 Speed Manual Transmission

[DGC] =Three Speed Automatic Transmission

[NAA] = Federal Emission

[NAB] = California Emission

[NAE] = Leaded Fuel

[[NHM] = Speed Control

[RHD] = Right Hand Drive

1	4777 895AA	4	D, P			ECB	DGC		GASKET, Intake Manifold
		4	Z			ECB	DGC		[NAA]
		4	D, P			ECB	DD4, DD5		[NAB]
		4	D, P			ECB	DD4, DD5		
2		4	D, P			EBD	DD4		
		4	D, P			ECB	DGC		[NAE]
									BOLT, Hex Flange Head, M8x1.25x30
		6503 131	8	D, P		ECB	DGC		
3		8	Z			ECB	DGC		
		8	D, P			ECB	DD4, DD5		
									BOLT, Hex Head Locking, M6x1.00x25
		6504 020	10	D, P		ECB	DGC		
4		10	Z			ECB	DGC		
		10	D, P			ECB	DD4, DD5		
									STUD
		6503 244	1			ECB	DD4, DD5		
5		1				ECB	DGC		
									MANIFOLD, Exhaust
		4556 730	1	D, P		ECB	DGC		NAA
		1	D, P			ECB	DD4, DD5		NAA,NAE
		4777 353	1	Z		ECB	DGC		RHD
		1	Z			ECB	DD5		RHD
	4777 636AA	1	D, P			ECB	DGC		NAE

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Figure 2.0L-811**

[illegible]

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 15, 2005



**Manifolds 2.0L DOHC (ECC)**  
**Figure 2.0L-812**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4667 539	1	D, P			ECC	DGC		GASKET, Intake Manifold
		1	D, P			ECC	DD4, DD5		Intake Manifold To Cylinder Head
2	4667 817	1	D, P			ECC	DGC		GASKET, Intake Manifold
		1	D, P			ECC	DD4, DD5		Upper To Lower
3	4667 722	1	D, P			ECC	DGC		GASKET, Exhaust Manifold
		1	D, P			ECC	DD4, DD5		
4	4667 792	1	D, P			ECC	DGC		ELBOW, Water Heater, Intake
		1	D, P			ECC	DD4, DD5		Manifold
5	4777 039	1	D, P			ECC	DGC		MANIFOLD, Intake
		1	D, P			ECC	DD4, DD5		Lower
-6	6504 171	8	D, P			ECC	DGC		SCREW, Hex Flange Head, M8x1.
		8	D, P			ECC	DD4, DD5		25x32
									Intake Manifold Attaching
7	4777 289	1	D, P			ECC	DGC		MANIFOLD, Intake
		1	D, P			ECC	DD4, DD5		
8	6101 232	7	D, P			ECC	DGC		BOLT, Hex Flange Head, M8x1.
		7	D, P			ECC	DD4, DD5		25x25
									Intake Manifold
-9	6504 170	2	D, P			ECC	DGC		STUD, M8x1.25x44.80
		2	D, P			ECC	DD4, DD5		Intake Manifold Attaching
-10	6504 152	2	D, P			ECC	DGC		NUT, Hex Flange Lock, M8x1.25
									Intake Manifold Attaching

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual


Manifolds 2.0L DOHC (ECC)  
Figure 2.0L-812



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11	4667 714	2	D, P			ECC	DD4, DD5		Intake Manifold Attaching
		1	D, P			ECC	DGC		MANIFOLD, Exhaust
		1	D, P			ECC	DD4, DD5		
-12	6503 334	6	D, P			ECC	DGC		BOLT, Hex Flange Head, M8x1.25x28
		6	D, P			ECC	DD4, DD5		Exhaust Manifold Attaching
13	6504 170	2	D, P			ECC	DGC		STUD, M8x1.25x44.80
		2	D, P			ECC	DD4, DD5		Exhaust Manifold Attaching
14	6504 152	2	D, P			ECC	DGC		NUT, Hex Flange Lock, M8x1.25
		2	D, P			ECC	DD4, DD5		Exhaust Manifold Attaching
15	4667 494	1	D, P			ECC	DGC		SHIELD, Exhaust Manifold Upper
		1	D, P			ECC	DD4, DD5		Upper
16	4667 495	1	D, P			ECC	DGC		SHIELD, Exhaust Manifold Lower
		1	D, P			ECC	DD4, DD5		Lower
17	6101 813	4	D, P			ECC	DGC		SCREW, Hex Flange Head, M8x1.25x11
		4	D, P			ECC	DD4, DD5		Heat Shield Attaching

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			


Crankcase Ventilation 2.0L SOHC (ECB)  
Figure 2.0L-911



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4667 990	1	D, P			ECB	DGC		HOSE, Polution Control Valve
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
2	4777 240	1	D, P			ECB	DGC		VALVE, PCV
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
3	0153 455	1				ECB			CLAMP, Hose, .620
4	4667 760	1	D, P			ECB	DGC		HOSE, Polution Control Valve
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
5	4667 845	1							RESTRICTOR, PCV, ABB European

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

# Crankcase Ventilation 2.0L DOHC (ECC) Figure 2.0L-912



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4667 572	1				ECC			HOSE, Make Up Air VALVE, PCV
2	4777 240	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
3	2448 761	2	D, P			ECC	DGC		CLAMP, Hose
		2	D, P			ECC	DD4, DD5		
4	4667 576	1	D, P			ECC	DGC		HOSE, Polution Control Valve Connector to PCV
		1	D, P			ECC	DD4, DD5		
	4667 577	1	D, P			ECC	DGC		PCV to Intake Plenum
		1	D, P			ECC	DD4, DD5		
5	4667 845	1							RESTRICTOR, PCV

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005



# Group – 011

## Exhaust


### GROUP 11 - Exhaust

Illustration Title	Group-Fig. No.
<b>Exhaust System</b>	
Exhaust System PL .....	Fig. 011-105
<b>Heat Shields</b>	
Exhaust Shields PL .....	Fig. 011-201



<b>011-100</b> Exhaust System	<b>011-200</b> Heat Shields		
			

# Exhaust System PL Figure 011-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DBB=Manual Trans. NAA=Federal Emissions. NAE=California Emissions. ABJ=Japan Market.									
1	6100 499	2				EBD, ECB, ECC			NUT, Hex Flange Lock, M8 Phosphate
2	4864 207	2				EBD, ECB, ECC			SEAL PACKAGE, Exhaust Ring With Springs
3									CONVERTER, Catalytic
	4546 980AB	1	D, P			ECB	DG0		Low Emission Vehicle
	5278 476	1	D, P			ECB	DG0		NAA
	4546 608	1	Z		42	ECB			Right Hand Drive Exclude Japan -ABJ
	4546 994	1	Z		42				Right Hand Drive Japan
	5278 476	1	D, P			ECC			NAA=NAE
		1	D, P			ECB	DBB		NAA=NAE Manual
4	5217 003	2				EBD, ECB, ECC			BOLT, Hex Flange Head, M8x1. 25x74.5
5									FLANGE, Exhaust Pipe
	4301 985	1	D, P						
		1	Z		42				
6	4546 937	1							PIPE, Exhaust Extension
-7	4546 992AB-	1	D, P						RESONATOR, Exhaust
8									CLAMP, Exhaust, (NOT REQUIRED)
9									MUFFLER, Exhaust
	4546 964	1	D, P			ECC			Domestic Dual
	4546 951	1				EBD, ECB			
		1	D, P			ECC			Europe Dual
10	5278 115AA	3							INSULATOR, Exhaust
11	6101 467	1				ECC			NUT, Hex Flange, M8x1.25
		4				ECB			
		2				EBD, ECB, ECC			
12	6503 767	4	D, P			ECB	DGC		BOLT, Hex Head, M8x1.25x35
13	4616 671	1	D, P			ECB			GASKET, Manifold To Exhaust Pipe

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth


BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

Exhaust Shields PL  
Figure 011-201

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5278 028AB	1							SHIELD, Heat
-2	4495 876	1							SHIELD, Fuel Tank
3	6034 716	2							SCREW AND WASHER, Hex Flange Head, .25-14x.875



DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005

# Group – 013

## Frames and Bumpers

### GROUP 13 - Frames and Bumpers


Illustration Title	Group-Fig. No.
<b>Frames</b>	
Frame, Front .....	Fig. 013-105
Frame, Rear .....	Fig. 013-135
<b>Front Bumper and Fascia</b>	
Fascia, Front .....	Fig. 013-205
<b>Rear Bumper and Fascia</b>	
Fascia, Rear .....	Fig. 013-305



<b>013-100</b> Frames	<b>013-200</b> Front Bumper and Fascia	<b>013-300</b> Rear Bumper and Fascia	



Frame, Front  
Figure 013-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4783 044	1							CROSSMEMBER, Rear Floor
2									CROSSMEMBER, Front Seat Retention, Serviced in Floor Pan Assembly, (NOT SERVICED) (Not Serviced)
3	4655 514	1							REINFORCEMENT, Engine Mount
4	4783 017	1							RAIL, Front Right
	5256 926	1							Left
-5	4783 004	2							RETAINER, Suspension Crossmember
6	4655 565	1							REINFORCEMENT, Front Side Rail Impact
7	5256 924	1							REINFORCEMENT, Front Side Rail Right
	5256 925	1							Left
8	4655 066	1							RAIL, Front Side Rail Rear, Right
9	4655 067	1							RAIL, Front Left
-10	4783 455	1							PLATE, Front Side Rail to Floor
11	4655 748	1							RETAINER, Front Suspension Right
	4655 749	1							Left
12	4783 452	1							EXTENSION, Front Side Rail Right
	4783 453	1							Left
13	4655 070	1							BRACE, Front Side Rail to Cowl Right
	4655 071	1							Left
14	4655 083	1							BRACKET, Engine Mount Lower, Left
	4655 515	1							Upper, Left
15	4655 095	1							COVER, Front Side Rail Access
16									BRACKET, Suspension Crossmember
	4655 072	1							Right
	4655 073	1							Left
17	4655 833	2							BRACKET, Side Rail to Cowl
18	5256 686	1							REINFORCEMENT, Side Rail, Right
19	5256 687	1							REINFORCEMENT, Side Rail Tie Down, Left
-20	5256 905	1							BRACKET, Side Rail Crossmember
21									CROSSMEMBER, Front Suspension

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Frame, Front  
 Figure 013-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4656 134	1	Z		42				Automatic Transaxle
	4656 135	1	Z		42				Manual Transmission
	4656 116	1	D, P						Automatic Transaxle
	4656 117	1	D, P						Manual
-22	4655 820	1							TAPPING PLATE, Front Suspension, Rear Attaching
23	4655 763	1							REINFORCEMENT, Front Side Rail to Dash
-24	6503 855	2							SCREW AND WASHER, Hex Head, M12x1.75x40, Crossmember to Side Rail
-25	4783 004	2							RETAINER, Suspension Crossmember, Crossmember to Side Rail
-26	6101 760	1							SCREW AND WASHER, Hex Head, M10x1.5x80, Damper to Crossmember

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required   - = Non illustrated part   # = New this model year

September 15, 2005

Frame, Rear  
 Figure 013-135


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4783 044	1							CROSSMEMBER, Rear Floor
2									CROSSMEMBER, Front Seat Retention, Serviced in Floor Pan Assembly, (NOT SERVICED) (Not Serviced)
3	4655 016	2							REINFORCEMENT, Bumper
4	4882 820	1							RAIL PACKAGE, Floor Pan Side Right
	4882 821	1							Left
-5	4655 307	2							T PLATE, Rear Rail Rear Suspension Sway Bar
6	4655 828	1							BRACKET, Exhaust Hanger Front Right
	4655 829	1							Front Left
7	4655 831	1							BRACKET, Exhaust Hanger
8	4655 672	2							CROSSMEMBER, Rear Suspension
9	4655 361	1							CROSSMEMBER, Rear Floor
10	4655 822	1							PLATE, Towing
11	4655 002	1							EXTENSION, Body Side Sill Right
	4655 003	1							Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005

Fascia, Front  
Figure 013-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5288 003	1							REINFORCEMENT, Fascia
2	5263 818	2							BRACKET, Fascia
3	6500 898	6							RIVET, M4.95x25
4	4741 654	1	D, P	H					FASCIA, Front, With Absorber Paint as Required
		1	Z	H	42				Paint as Required
		1	Z	L	42				Paint as Required
		1	D, P	L					Paint as Required
	4741 655	1		S					w/ Fog Lamps
		1		L					Competition Pkg.
	PE34 RR4	1	D, P	H					Red, Grained
	4741 655	1		H					w/ Fog Lamps
	PE34 RR4	1	D, P	L					Red, Grained
	PE34 RW7	1	D, P	L					White Grained
		1	D, P	H					White Grained
	PE34 RX8	1	D, P	H					Black, Grained
	PE34 SH1	1	D, P	H					Magenta, Grained
		1	D, P	L					Magenta, Grained
	PE34 RX8	1	D, P	L					Black, Grained
-5	5263 904	1							ABSORBER, Front Energy
6	6034 944	1							RIVET, Blind, .187x.54
7									BRACKET AND PIN, Front Bumper
	5263 820	1							Fascia Slide
	5263 821	1							Right
8	6035 204	4							Left
9	5263 812	1							SCREW, Tapping, .19-16x.75
10									AIR DAM
									SCREW, Hex Head, M8x1.25x30, (NOT SERVICED) (Not Serviced)
11									BRACKET, License Plate
	HV39 PD7AB	1	D, P						Attaching Parts
	HV56 PD7AB	1							
	5288 487	1	Z		42				
12									BOLT, M8x1.25x30, (NOT SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fascia, Rear  
Figure 013-305

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5263 830	1							REINFORCEMENT, Fascia
-2	6100 051	4							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25, Reinforcement to Rail
3									FASCIA, Rear
	4741 656	1	D, P	S					
		1	D, P	H					
		1	D, P	L					
	4741 657	1	D, P	H					EUROPE
		1	D, P	L					EUROPE
		1	Z	H	42				
		1	Z	S	42				
	PE35 RR4	1	D, P	H					Red, Grained
	4741 657	1	Z	L	42				
	PE35 RR4	1	D, P	L					Red, Grained
	PE35 RW7	1	D, P	H					White, Grained
		1	D, P	L					White, Grained
	PE35 RX8	1	D, P	H					Black, Grained
		1	D, P	L					Black, Grained
	PE35 SH1	1	D, P	H					Magenta, Grained
		1	D, P	L					Magenta, Grained
-4	5263 929	1	D, P						ABSORBER, Rear Energy
-5	6503 768	2							PIN, Rear Fascia Foam
6									BRACKET, Fascia
	5263 822	1							Right
	5263 823	1							Left
7	6035 204	6							SCREW, Tapping, .19-16x.75
8	6030 441	2							PIN, Retainer
9	6034 701	6							SCREW, .250-14x.875
10									NUT, .250-14, (NOT SERVICED) (Not Serviced)
11	3420 1358	2							NUT AND WASHER, Hex Nut-Sealing Washer, M6 x 1.00
12	5263 642	1							LICENSE PLATE KIT


DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




# Group – 014









Fuel



# Group – 014

Fuel

<b>014-900</b> Air Intake System	<b>014-1000</b> Speed Control	<b>014-1100</b> Accelerator Pedal	
			

<b>014-100</b> Tank, Fuel	<b>014-200</b> Fuel Tank Filler Tube	<b>014-300</b> Fuel Lines	<b>014-400</b> Fuel Rail
			
<b>014-500</b> Fuel Pump and Sending Unit	<b>014-600</b> Throttle Body	<b>014-700</b> Throttle Controls	<b>014-800</b> Air Cleaner
			


GROUP 14 - Fuel

Illustration Title	Group-Fig. No.
<b>Tank, Fuel</b>	
Fuel Tank PL .....	Fig. 014-101
<b>Fuel Tank Filler Tube</b>	
Fuel Filler Tube PL .....	Fig. 014-201
<b>Fuel Lines</b>	
Fuel Lines PL .....	Fig. 014-301
<b>Fuel Rail</b>	
Fuel Rail PL .....	Fig. 014-401
<b>Fuel Pump and Sending Unit</b>	
Fuel Pump and Sending Unit PL .....	Fig. 014-501
<b>Throttle Body</b>	
Throttle Body PL .....	Fig. 014-601
<b>Throttle Controls</b>	
Throttle Controls PL .....	Fig. 014-701
<b>Air Cleaner</b>	
Air Cleaner PL .....	Fig. 014-801
<b>Air Intake System</b>	
Air Intake PL .....	Fig. 014-901
<b>Speed Control</b>	
Speed Control PL .....	Fig. 014-1001
<b>Accelerator Pedal</b>	
Accelerator Pedal PL .....	Fig. 014-1101



Fuel Tank PL  
Figure 014-101

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5278 035AB	1							TANK, Fuel, Partial
2									STRAP, Fuel Tank
	4495 991	1							Left
	4495 992	1							Right
3	6502 863	1							SCREW AND WASHER, Hex Head, M8x1.25x35
-4									CAP, Fuel Tank Drain, (NOT REQUIRED)



DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Fuel Filler Tube PL  
Figure 014-201

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: NAB=Leaded Fuel. ABD=Middle East Equipment.


1									TUBE, Fuel Filler w/Out ABD
	4546 922	1							ABD
	5278 007	1							
2	J536 0058	1							VALVE, Fuel Tank Rollover Safety
3	4669 141	1	D, P						HOSE, Fuel
-4									CLIP, Vapor Hose
	4546 670	2	D, P						
		2	Z				42		
5	4682 674AB	1							CAP, Fuel Filler
6	4546 944	1							TUBE, Vapor, .25x.25
7	4495 653	1							HOSE, Fuel Filler
8	6502 091	1							CLAMP, Hose
9	5256 943AB	1							HOUSING, Fuel Filler
10									SCREW, (NOT SERVICED) (Not Serviced)
-11	6032 147	1				ECB			CLAMP, Vent Tube
-12									LABEL, Unleaded Fuel Only
	4696 849	1	D, P						Canada
	4206 059	1							
-13	4669 474	1							GROMMET, Vapor Harness
14	4682 676	1							TETHER, Fuel Filler Cap

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Lines PL  
Figure 014-301




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1									TUBE, Fuel Supply
	4546 646	1	D, P						
	4546 678	1	Z		42				Right Hand Drive
2									TUBE, Fuel Supply
	4546 965	1	Z		42	EBD, ECB			Right Hand Drive
	4546 923	1	D, P			EBD, ECB			Single Overhead Cam
	4546 954	1	D, P			ECC			Dual Overhead Cam
3	4443 176	1							HOSE, Fuel, .31 I.D. 50 Foot Roll
4									CLIP, Tube
	4495 636	6	D, P						
	4495 632	4	D, P						
		4	Z		42				
	4495 636	5	Z		42				
	4546 681	2	Z		42				Dash Export
	4546 674	1	Z		42				Front Rail
5	4495 504	1	D, P						TUBE, Fuel Vapor
-6	4495 782	2							CLAMP, Hose, 5/16" Stainless Steel
-7	5278 097AB-	1							ACCUMULATOR, Fuel, Up to 2-27-98
-8	4546 695	1							TUBE, Fuel Supply

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Fuel Rail PL Figure 014-401



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1									RAIL, Fuel
	4798 399	1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DD4,		
							DD5		
	4773 166	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4,		
							DD5		
	4798 399	1	Z		42	EBD	DD5		
2									BOLT AND CONED WASHER, M8x1.25x18
	6101 506	2	Z		42	ECB	DGC		
		2	D, P			ECB	DD4,		
							DD5		
		2	D, P			ECC	DGC		
		2	D, P			ECB	DGC		
		2	D, P			EBD	DD4		
		2	D, P			ECC	DD4,		
							DD5		
		2	D, P			EBD	DD5		
		2	Z		42	EBD	DD5		
		2	Z		42	EBD	DD4		
3									CLIP, Fuel Injector
	4418 257	4	D, P			ECB	DGC		
		4	D, P			ECC	DGC		
		4	Z		42	ECB	DGC		
		4	D, P			ECB	DD4,		
							DD5		
		4	D, P			EBD	DD5		
		4	Z		42	EBD	DD5		
		4	D, P			ECC	DD4,		
							DD5		
		4	D, P			EBD	DD4		
		4	Z		42	EBD	DD4		
4									O RING KIT, Fuel Injector
	4897 125AA	4	D, P			ECB	DGC		
		4	Z		42	ECB	DGC		
		4	D, P			EBD	DD5		
		4	D, P			ECB	DD4,		
							DD5		

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

Fuel Rail PL  
Figure 014-401




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4	Z		42	EBD	DD4		
		4	D, P			ECC	DGC		
		4	D, P			ECC	DD4, DD5		
		4	Z		42	EBD	DD5		
5	4669 772	4	D, P			ECB	DGC		INJECTOR, Fuel
		4	D, P			EBD	DD5		
		4	Z		42	ECB	DGC		
	4669 938	4	D, P			ECC	DD4, DD5		
	4669 772	4	Z		42	EBD	DGC		
		4	D, P			EBD	DD4		
		4	Z		42	EBD	DD4		
	4669 938	4	D, P			ECC	DD4, DD5		
6									RETAINER PACKAGE, Quick Connect
	4762 643	1	D, P			EBD	DD4		
		1	Z		42	EBD	DD4		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)  
SERIES L=Low Line H=High Line S=Special  
LINE Z=Chrysler, RHD D=Dodge D=Chrysler P=Plymouth  
BODY 41=4 Door, 104WB  
ENGINE ECB=2.0L 4 Cyl., 16V SMPI EJD=1.6L 4 Cyl16V SOHC EBD=1.8L 4 Cyl16V SEFI  
TRANSMISSION DD5 = 5 Speed Manua DGC = 3 Speed Automatic DGL = 4 Speed Automatic DG0 = All Automatics DBB= All 5 Speed Manual


Fuel Pump and Sending Unit PL  
Figure 014-501

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4897 417AA	1							MODULE KIT, Fuel Pump/Level Unit
2	4897 419AA	1							FILTER KIT, Fuel
3	4897 418AA	1							LEVEL UNIT KIT, Fuel
4	4546 692	1							SEAL, Fuel Pump and Level Unit
5	4546 610	1							FILTER, Fuel Pressure Regulator
6	5200 5389	1							NUT, Fuel Pump Module
-7	5278 081AB-	1							STRAP, Ground, Up to 2-27-98



DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

Throttle Body PL  
Figure 014-601



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans. NAA=Federal Emissions. NAE=California/or High Altitude. NAB= Leaded Fuel.

1									THROTTLE BODY
	4669 801	1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		
	4669 803	1	D, P			ECB	DD4, DD5		
	4669 709	1	D, P			ECC	DGC		
	4669 800	1	D, P			ECC	DD4, DD5		
	4669 803	1	Z		42	EBD	DD4		
		1	D, P			EBD	DD4		
2									SCREW AND WASHER, Hex Head, M8x1.25x60
	6503 181	2	Z		42	ECB	DGC		
		2	D, P			ECB	DD4, DD5		
		2	D, P			ECC	DGC		
		2	D, P			ECB	DGC		
		2	D, P			ECC	DD4, DD5		
		2	D, P			EBD	DD4		
		2	Z		42	EBD	DD4		
		2	D, P			EBD	DD5		
		2	Z		42	EBD	DD5		
3									MOTOR, A.I.S.
	4874 432	1	D, P			EBD	DD4		
		1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		
		1	Z		42	EBD	DD4		
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
-4									GASKET, Throttle Body
	4667 360	1	Z		42	ECB	DGC		
		1	D, P			ECB	DGC		
		1	D, P			EBD	DD4		
		1	D, P			ECB	DD4, DD5		
	4667 623	1	D, P			ECC	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

## Throttle Body PL

### Figure 014-601



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P			ECC	DD4,		
							DD5		
-5	4667 360	1	Z		42	EBD	DD4		SENSOR KIT, Throttle Position
	4874 430	1	Z		42	ECB	DGC		
		1	D, P			ECB	DGC		
		1	D, P			EBD	DD4		
		1	D, P			ECB	DD4, DD5		
	4874 433	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
	4874 430	1	Z		42	EBD	DD4		

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

**DODGE - PL**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005

Throttle Controls PL  
Figure 014-701

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans.  
DD5=Manual Trans.

1	4658 444	1							CLIP, Latch
2	4669 266	1				EBD, ECB			BRACKET, Throttle Control Cable
3	4287 736	1	D, P						RETAINER, Throttle Cable
4	4669 509	1				ECC	DD4, DD5		BRACKET, Cable
	4669 863	1				ECB	DGC		
	4669 864	1				ECC	DGC		
5	4669 445	1	Z		42		DD5		CABLE, Throttle Control
	4669 446	1	Z		42		DGC		
	4669 706	1	D, P				DGC		
	4891 152AA	1	D, P			ECC	DD4, DD5		
	4669 698	1	D, P			EBD, ECB	DD4, DD5		
6	5277 818	1					DGC		CABLE, Throttle Valve
7	5277 816	1					DGC		LEVER, Throttle Control
8	5214 416	1	D, P						GROMMET, Throttle Control Cable
9	4306 150	1	D, P						ISOLATOR, Throttle Cable
10	5212 384	1					DGC		NUT, Transmission Lever Bolt, M6x1.00
11	6100 154	1					DGC		BOLT, Hex Head, M8x25
-12	5277 817	1					DGC		BRACKET, Cable
-13	4669 492	1							SHIELD, Throttle Control
-14									SCREW AND WASHER, Hex Head, M6x1x16
	6501 755	1					DD4, DD5 DGC		


DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGO = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



# Air Cleaner PL Figure 014-801



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC= Automatic Trans. DD4=Manual Perf Trans. DD5=Manual Trans.									
1	4669 885	1							SHELL, Air Cleaner
2	5277 576	2							LATCH, Air Cleaner
3	4213 583	1							FILTER, Air
4									HOSE, Air Cleaner to T/Body
	4669 795AC	1				EBD			
	4669 795	1				ECB			
	4669 796	1				ECC			
5									BRACKET, Air Cleaner
	4669 664	1	D, P			ECC	DGC		
		1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECC	DD4, DD5		
		1	D, P			EBD	DD4		
		1	Z		42	EBD	DD4		
		1	D, P			EBD	DD5		
		1	Z		42	EBD	DD5		
6									GROMMET, Air Cleaner Bracket
	4669 665	2	D, P			ECC	DGC		
		2	D, P			ECB	DGC		
		2	Z		42	ECB	DGC		
		2	D, P			ECB	DD4, DD5		
		2	D, P			EBD	DD4		
		2	Z		42	EBD	DD4		
		2	D, P			ECC	DD4, DD5		
		2	D, P			EBD	DD5		
		2	Z		42	EBD	DD5		
7									BOLT AND WASHER, Hex Head, M8x1.25x20
	6101 799	2	Z		42	ECB	DGC		
		2	D, P			ECB	DD4, DD5		
		2	D, P			ECB	DGC		
		2	D, P			ECC	DGC		
		2	D, P			ECC	DD4, DD5		

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth


BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

## Air Cleaner PL

### Figure 014-801



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	D, P			EBD	DD4		
		2	Z		42	EBD	DD4		
		2	D, P			EBD	DD5		
8		2	Z		42	EBD	DD5		CLAMP, Air Cleaner to T/Body
	6504 142	2				ECC			
		2				ECB			
9	4669 419	1							COVER, Air Cleaner
-10									SLEEVE, Grommet
	4669 666	2	D, P			ECC	DGC		
		2	D, P			ECB	DGC		
		2	Z		42	ECB	DGC		
		2	D, P			ECB	DD4,		
		2	D, P			ECC	DD5		
		2	D, P			EBD	DD4,		
		2	Z		42	EBD	DD4		
		2	D, P			EBD	DD5		
-11		2	Z		42	EBD	DD5		BUMPER, Air Cleaner Mounting
									Bracket
	4669 688	1	Z		42	ECB	DGC		
		1	D, P			ECB	DD4,		
							DD5		
		1	D, P			ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECC	DD4,		
							DD5		
		1	D, P			EBD	DD4		
		1	Z		42	EBD	DD4		
		1	D, P			EBD	DD5		
		1	Z		42	EBD	DD5		
-12									CLIP, Transducer
	4669 764	1				EBD			
		1				ECC			
		1				ECB			
-13									HOSE, Air Make-up
	4777 157	1				ECB			
		1				EBD			

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

**BODGE - TE**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manual  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005

Air Intake PL  
Figure 014-901



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine.

1	4669 963AB	1				EBD			DUCT, Fresh Air
	4669 207	1	D, P			ECC			
	4669 962	1				ECB			
2	4669 484	1							SHIELD, Throttle Body
3	6503 823	1							WINGNUT, M6-1.00
4	6504 241	1							STUD


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Speed Control PL  
Figure 014-1001




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4669 792	1					DGC		CABLE, Speed Control
	4669 793	1					DD4, DD5		
2	6025 867	1					DD4, DD5		CLIP, Cable
		1					DGC		
3	4669 582AC	1							HARNESS, Vacuum Speed Control
4	4306 994	1							TEE, Hose, .25x.25x.25
5	6502 493	1							NUT, Hex Flange Serration, M6x1
6	4874 874	1							RESERVOIR PACKAGE, Speed Control
7	4669 979	1					DD4, DD5		SERVO, Speed Control
		1					DGC		
8	6030 441	2							PIN, Retainer
9	4669 585	1							BRACKET, Speed Control Servo
10	6035 135	3							SCREW
-11	3780 508	1							HOSE, Vacuum, 1/8" I.D. 50 Foot Roll
-12	4104 272	2							TUBE, Roll Stock, .25 I.D.
-13	6100 840	2							NUT, Spring

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

Accelerator Pedal PL  
Figure 014-1101

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PEDAL AND BRACKET, Accelerator
	4669 794	1	D, P						
	4669 982	1	Z		42				
2	6500 274	2							LOCK NUT, M6x1.0x6
-3	4201 048	1	D, P						SEAL, Accelerator Shaft Bracket



DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Group – 017

## Rear Suspension


### GROUP 17 - Rear Suspension

Illustration Title


Group-Fig. No.

#### Rear Suspension


Suspension, Rear ..... Fig. 017-105



017-100  
Rear Suspension



Suspension, Rear  
Figure 017-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Code SDC= Firm Feel Suspension, Used Standard on H,S Series, Optional on L Series Neon.									
NOTE: Touring Suspension, Also Known as Firm Feel Suspension (SDC).									
NOTE: Sales Code ZAR Thru ZNV= Spring Group Types, Found on Individual Vehical Sales Code Listing.									
NOTE: Sales Code SDF= European Homologation Suspension									
NOTE: Sales Code SDK= Competition Suspension									
NOTE: Sales Code SDE= Sport Suspension									
1	4656 069	2	D, P						STRUT, Rear Suspension with Firm Feel Suspension (SDC) with Special Sport Suspension, Europe (SDF) with Competition Suspension (SDK)
	4656 071	2							
	4656 196	2	D, P						
	4656 070	2	D, P						
2	4626 210	4							WASHER, Strut
3	4626 184	2							BUMPER, Suspension Jounce
4	4626 201	2							SHIELD, Shock Absorber Dust
5	4626 757	2							ISOLATOR, Spring Seat
6	4656 281	1							SPRING, Rear Coil w/All Suspension (SDC, SDF, SDK) (ZAR, ZNR) Tag# 281 w/All Suspension (SDC, SDF, SDK) (ZAS, ZNS) Tag# 282 w/All Suspension (SDC, SDF, SDK0 (ZAT, ZNT) Tag# 283 w/All Suspension (SDC, SDF, SDK) (ZAU, ZNU) Tag# 284 w/All Suspension (SDC, SDF, SDK) (ZAV, ZNV) Tag# 335
	4656 282	1							
	4656 283	1							
	4656 284	1							
	4656 335	1							
7	4626 182	2							MOUNT, Strut
8	6501 094	2							NUT, Hex Lock, M14 x 2.00
9	6502 964	8							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25
10	6503 542	4							NUT AND RETAINER, Hex Flange Locking, M14 x 2.00
11	4626 185	2							ARM, Lateral  (Non-Adjusting)
	4626 188	2							
12	6503 203	2							SCREW, Hex Head, M12x1.75x230. 50
13	6502 796	2							SCREW, Hex Head, M12x1.75x242
14	6503 253	6							WASHER, Flat, 12mm ID
15	4626 771	2							CAM, Alignment
16	6502 526	4							NUT, Hex Locking, M12x1.75

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Suspension, Rear  
Figure 017-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17	4626 196	8							BUSHING, Tension Strut
18	4626 309	4							RETAINER, Tension Strut
19									BRACKET, Tension Strut
	4626 262	1							Right
	4626 263	1							Left
20	6502 936	4							SCREW AND WASHER, Hex Head Pilot Point, M12x1.75x45
21	6502 765	4							BOLT, Hex Head
22	4773 957	4							BOLT PACKAGE, Camber Adjustment, Contains 2 Bolts, 2 Nuts
23	4626 193	2							KNUCKLE, Rear
24	4626 763	1							BAR, Rear Sway
25	4626 767	2							CUSHION, Sway Eliminator
26									BRACKET, Stabilizer Bar Link
	4626 769	1							Rear Sway BarLeft
	4626 768	1							Rear Sway Bar Right
27	4626 766	2							LINK, Sway Eliminator
28	6502 803	4							BOLT AND WASHER, Hex Head, M10x1.50x55
29	6502 696	2							NUT, Hex Flange Lock, M10x1.5
30									BRACKET, Stabilizer Bar Link
	4626 764	1							Right
	4626 765	1							Left
31									SCREW, with Washer M10x1.50x50. 00 (Not Serviced), (NOT SERVICED) (Not Serviced)
32	4626 189	2							STRUT, Rear Suspension
33	6501 247	2							NUT, M12x1.75

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				ENGINE		TRANSMISSION	
SERIES	LINE	BODY		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic	
H=High Line	D=Dodge			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic	
S=Special	D=Chrysler					DG0 = All Automatics	
	P=Plymouth					DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



# Group – 019

## Steering

### GROUP 19 - Steering

Illustration Title

Group-Fig. No.

#### Steering Wheel

Wheel, Steering ..... Fig. 019-105

#### Steering Column

Column, Steering, Upper and Lower ..... Fig. 019-205

#### Steering Gear

Gear, Rack and Pinion ..... Fig. 019-305

#### Steering Linkage


Tie Rod Ends ..... Fig. 019-410







#### Power Steering Pump

Pump, Assembly and Mounting ..... Fig. 019-505


#### Power Steering Hoses

Hoses, Power Steering ..... Fig. 019-705



<b>019-100</b> Steering Wheel	<b>019-200</b> Steering Column	<b>019-300</b> Steering Gear	<b>019-400</b> Steering Linkage
			
<b>019-500</b> Power Steering Pump	<b>019-700</b> Power Steering Hoses		
			

Wheel, Steering  
Figure 019-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code DBB= All Manual Trans.

Note: Sales Code DGO= All Auto. Trans.

-1	4664 197	1							DAMPER, Steering Wheel
2									AIR BAG, Driver
	QG75 LAZAC	1							Agate
	QG75 SKBAC	1							Dark Camel
3									WHEEL, Steering
	JF56 SKB	1							Dark Camel Tan with out Leather Wrapped
	JF56 TAZ	1							Agate with out Leather Wrapped
	JF82 SKB	1							Dark Camel Tan with Leather Wrapped
	JF82 TAZ	1							Agate with Leather Wrapped
4									NUT, Hex Flange Lock
	6500 906	1					DGO		
		1					DBB		
5									CAP, Steering Wheel
	HY38 DX9	1							Flat Black Right
	HY39 DX9	1							Flat Black Left
-6									SWITCH, Speed Control
	PW68 DX9	1							Flat Black (On/Off)
	PW69 DX9	1							Flat Black (Set/Resume)
7	6503 656	2							SCREW
8									CLOCKSPRING
	4793 485AB	1							with Speed Control (Five Circuit)
	4793 483AB	1							with out Speed Control (Three Circuit)
9	6034 779	4							SCREW, Pan Head, .164-32x.50
10									COVER, Steering Wheel Back
	QM01 SKB	1							Dark Camel
	QM01 TAZ	1							Agate
-11	4783 054	1							LABEL, Airbag, Warning English
-12	4664 164	1							LABEL, Air Bag Warning, European


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DGO = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Column, Steering, Upper and Lower Figure 019-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Coupling Assembly Lower See Rack and Pinion									
Note: Sales Code= ABB European Market Requirements									
Note: Sales Code= ABU United Kingdom Market Requirements									
Note: Sales Code= DBB All Manual Trans.									
Note: Sales Code= DG0 All Auto. Trans.									
1	4690 494AB	1	D, P				DBB		COLUMN, steering, non tilt with Manual
	4690 495AB	1	D, P				DG0		with Automatic
-2									COLUMN, Steering, Tilt
	4690 591AA-	1					DBB		with Manual (ABB,ABU)
	4690 592AA-	1					DG0		with Automatic (ABB,ABU)
	4690 492AB-	1					DBB		with Manual
	4690 493AB-	1					DG0		with Automatic
-3	4470 934	1					DG0		COUPLING, Steering, Upper Steering
-4									LINER, Steering Column Cover with Tilt
	5291 069	1	Z						
	5291 172	1	D, P						
-5									BEARING, Steering Column Shaft
	4147 362	1					DG0		
		1					DBB		
6									SHROUD, Lock Housing
	LG15 TAZ	1					DBB		Upper and Lower Agate
	LG15 TKB	1					DBB		Upper and Lower Dark Camel Tan
	LG14 TAZ	1					DG0		Upper and Lower Agate
	LG14 TKB	1					DG0		Upper and Lower Dark Camel Tan
7	4793 150	1							SWITCH, Multifunction
-8	4793 313	1							SWITCH, Intermittent Wiper
9	6503 395	2							SCREW AND WASHER, Self Tapping, M4x.7x14
10	6503 182	4							NUT AND WASHER, Hex Lock Nut- Coned Teeth Washer, M8 x 1.25
11	6502 413	1							BOLT, Special Head Locking, M8x1. 25x42.50
12	6034 206	1							PIN, Hair, .250 Dia x.766x.059
13	6034 978	4							SCREW, Hex Flange Head Tapping, .19-16x1.00, Cover
14	4664 181	1							SEAL, Dash Cover To Coupling
-15									BUTTON, Gearshift Knob, Ignition Key Remote w/Manual Trans. (Service in Column), (NOT SERVICED) (Not Serviced)

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Column, Steering, Upper and Lower  
Figure 019-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-16									SHROUD, Lock Housing, Upper (Service in Item 6), (NOT SERVICED) (Not Serviced)
-17									LEVER, Tilt (Service in Column), (NOT SERVICED) (Not Serviced)
-18									CABLE PACKAGE, Ignition, Auto TransAxle Shifter Ignition Inter-Lock (See Group 21), (NOT SERVICED) (Not Serviced)
19	4664 123	1	D, P						COVER, Steering Column
	4664 157	1	Z						
-20	4690 327	1					DG0		O RING, Tilt Handle Damper
21	6035 434	3							SCREW AND WASHER, Pan Head, Shroud Mounting
22	5274 442	1							SHIELD, Steering Coupling
-23	4690 023	2					DG0		SCREW, Pan Head, .25-20x.62
		2					DBB		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear, Rack and Pinion  
Figure 019-305

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code: SBA= Standard Power Steering  
Note: Sales Code SBB= Firm Feel Power Steering  
Note: Sales Code DBB= All Manual Trans.  
Note: Sales Code ECB= 2.0L 4 Cyl. SOHC 16 Valve

1									GEAR, Power Steering
	4626 971AB	1	D, P						with Firm Feel Power Steering (SBB)
	4626 867AB	1	Z						
	4626 890AD	1	D, P						with Standard Power Steering (SBA)
2									END PACKAGE, Tie Rod with Jam Nut with Jam Nut
	4762 861	1	Z						
		1	D, P						
3									JAM NUT, Outer Tie Rod
	4762 860	1	Z						
		1	D, P						
4	4626 648	1							BRACKET, Steering Gear
5	3643 471	1							BUSHING, Steering Gear
6	4664 174	1	D, P						COUPLING, Steering, Lower Gear to Column
-7	4664 211	1	Z						COUPLING, Power Steering Pump
8	6503 985	1							PIN, Spring, M8.4x30x1.60
9	6501 866	4							BOLT AND WASHER, Rack and Pinion Mounting, M10x1.50x50.00
10	6503 046	2							NUT, Hex Lock, M12 x 1.25
11	4626 650	1							BRACKET, Steering Gear, Lower
12	5274 442	1							SHIELD, Steering Coupling
-13									SWITCH, Power Steering
	5269 625	1	Z						
		1	D, P						


DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Tie Rod Ends  
Figure 019-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Code: ECB= 2.0L 4 Cyl. SOHC 16 Valve									
1	4762 860	1	Z						JAM NUT, Outer Tie Rod
		1	D, P						
2	4762 861	1	Z						END PACKAGE, Tie Rod
		1	D, P						with Jam Nut
3	6503 046	2							with Jam Nut
									NUT, Hex Lock, M12 x 1.25



DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

## Pump, Assembly and Mounting

### Figure 019-505

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PUMP, Power Steering
	4626 834	1	Z						
	4626 897	1	D, P						
2	4668 172	1							BRACKET, Power Steering Pump
3	6101 524	2							BOLT AND WASHER, Hex Head, M10x1.5x30
4	6101 462	3							SCREW AND WASHER, Hex Head, M8x1.25x30
5	4612 242	1							PULLEY, Power Steering Pump
6	4612 133	1							BRACKET, Power Steering Pump



**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

**DODGE - PL**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 15, 2005

# Hoses, Power Steering Figure 019-705



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Code									
[ECB]=2.0L 4 Cyl. SOHC 16 Valve									
[ECC]=2.0L 4 Cyl. DOHC 16 Valve									
[EBD]=1.8L 4 Cyl. SOHC 16 Valve									
[DGC]=3 Sp. Auto Trans.									
[ACR]=COMPETITION GROUP									
1	4626 753	1	D, P			ECC			RESERVOIR, Power Steering Pump
	4626 846	1	D, P			EBD,			Dual Overhead Cam Rear Exhaust
						ECB			
	4626 849	1	Z						Single Overhead Cam
2	4798 280	1	Z						CAP, Power Steering Reservoir
	4695 775	1	D, P			EBD			
3	6504 174	3	D, P			EBD,			SCREW, Hex Flange Head, M8x1.
						ECB			25x23, Single Overhead Cam
-4	6035 017	3	Z						SCREW, Hex Flange Head, .25-
									14x1.00, Reservoir Mounts
-5	6504 175	2	D, P			ECC			NUT AND WASHER, Hex, M8x1.25,
									Reservoir Mount Dual Overhead
									Cam Rear Exhaust
6	4656 087	1	D, P			ECB			HOSE, Power Steering Pressure
	5274 432	1	D, P			EBD,			Single Overhead Cam
						ECB			Single Overhead Cam
	4626 755	1	D, P			ECC			Dual Overhead Cam Rear Exhaust
	4626 889	1	Z						
-7									BRACKET, Power Steering
	4626 848	1	Z						Mount Reservoir Assembly
	4626 882	1	Z						Hold Down
8	4626 888	1	Z						BOLT, Banjo
	4626 690	1	D, P			ECC			Power Steering Hose
		1	D, P			EBD,			
						ECB			
9									O RING, Power Steering Banjo
									Fitting
	4361 097	1	Z						
		1	D, P			EBD,			
						ECB			
10									HOSE, Power Steering Pressure
	4626 754	1	D, P			ECC			Dual Overhead cam Rear Exhaust

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Hoses, Power Steering  
Figure 019-705

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4626 832	1	D, P			EBD, ECB			Single Overhear Cam
-11	4626 878	1	Z						HOSE, Pump Supply
12	4626 891	1	Z						HOSE, Power Steering Return
	4626 896	1	D, P						
13	6503 270	2							SCREW, Hex Head, M8x1.25x30, Bracket Mounting
14									SWITCH, Power Steering
	5269 625	1	Z						
15	5274 438	1	D, P			EC0			BRACKET, Power Steering Hose
16									CLAMP, Supply Hose, 26 mm Diameter
	6503 422	4	D, P						
		2	Z						
-17	4626 880	1	Z						INSERT, Rubber Grommet
18									O RING, Power Steering Hose
	4626 691	1	D			ECB			with 4 Tabs 17.475 ID 1.60 Thick
		1	Z						with 4 Tabs 17.475 ID 1.60 Thick
		1	D, P			ECC			
19									HOSE, Power Steering Return
	4626 686	1	D, P						
	4626 921	1	Z						
20									O RING, Power Steering Hose
	5205 254	1	Z			ECB			
		1	D, P			ECC			
-21	4626 998AB-	1							CLIP, Power Steering Tube
22	4626 694	1	D, P			ECB			CLIP, Power Steering Tube
23									CLAMP, Hose
	6034 853	1	Z						
		1	D, P						

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			


AR = Use as required - = Non illustrated part # = New this model year









September 15, 2005



# Group – 31TH


## Automatic Transaxle 3 Speed



<b>31TH-100</b> Transaxle Assembly	<b>31TH-200</b> Case and Extension	<b>31TH-300</b> Oil Pump	<b>31TH-400</b> Gear Train
			
<b>31TH-500</b> Bands, Reverse and Kickdown	<b>31TH-600</b> Governor	<b>31TH-700</b> Valve Body	<b>31TH-800</b> Differential
			

# Group – 31TH

## Automatic Transaxle 3 Speed

<b>31TH-1200</b> Gearshift Controls			
			

GROUP 31TH - Automatic Transaxle 3 Speed

Illustration Title	Group-Fig. No.
<b>Transaxle Assembly</b>	
Transaxle Assembly, (DGC) .....	Fig. 31TH-120
<b>Case and Extension</b>	
Transaxle Mounting and Misc. Parts ,(DGC) .....	Fig. 31TH-203
Case, Extension and Retainer, (DGC) .....	Fig. 31TH-215
<b>Oil Pump</b>	
Pump, Oil With Reaction Shaft. (DGC) .....	Fig. 31TH-320
<b>Gear Train</b>	
Clutch, Rear and Input Shaft , (DGC) .....	Fig. 31TH-415
Shaft, Transfer ,(DGC) .....	Fig. 31TH-425
Clutch, Front, (DGC) .....	Fig. 31TH-435
Gears, Front Annulus and Sun, (DGC) .....	Fig. 31TH-445
Shaft, Output, Rear Carrier,Reverse Drum, and Overrunning Clutch, (DGC) .....	Fig. 31TH-460
<b>Bands, Reverse and Kickdown</b>	
Bands, Reverse and Kickdown, (DGC) .....	Fig. 31TH-520
<b>Governor</b>	
Governor , (DGC) .....	Fig. 31TH-620
<b>Valve Body</b>	
Valve Body, (DGC) .....	Fig. 31TH-715
Servos, Accumulator Piston and Springs, (DGC) .....	Fig. 31TH-725
Parking Sprag, (DGC) .....	Fig. 31TH-740
<b>Differential</b>	
Differential, (DGC) .....	Fig. 31TH-820
<b>Gearshift Controls</b>	
Controls, Gearshift, Floor Shaft, (DGC) .....	Fig. 31TH-1201



Transaxle Assembly, (DGC)  
Figure 31TH-120


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: SALES CODES: DGC = 3 Spd Auto Trans 31TH

ECB = 2.0L 4 CYL SOHC


ECC = 2.0L 4 CYL DOHC

1									TRANSAXLE PACKAGE, WITH TORQUE CONVERTER
	4883 102AB	1				ECC	DGC		Production No. 4659960
	4883 103AB	1	D, P			ECB	DGC		Production No. 4659962
	4883 104AB	1	Z			ECB	DGC		Production No. 4659870
-2	4796 384AB-	1					DGC		CONVERTER PACKAGE, Torque



DODGE - PLYMOUTH - CHRYSLER NEON (PL)						
SERIES	LINE	BODY	ENGINE	TRANSMISSION		
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua		
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic		
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic		
	P=Plymouth			DG0 = All Automatics		
				DBB= All 5 Speed Manual		

**Transaxle Mounting and Misc. Parts ,(DGC)  
Figure 31TH-203**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 Cyl - SOHC									
ECC = 2.0L 4 Cyl - DOHC									
1	4670 323	1					DGC		LEVER, Manual Control
2	4567 147	1					DGC		COVER, Transaxle Converter
3	6501 755	1					DGC		SCREW AND WASHER, Hex Head, M6x1x16
4	6503 244	1				ECB	DGC		STUD
5	6501 742	3				ECC	DGC		SCREW, Hex Head, M12x1.75x50
		2				ECB	DGC		
6	4670 198	1					DGC		INDICATOR, Transmission Fluid Level
7	6101 752	2					DGC		SCREW AND WASHER, Hex Head, M10x1.5x28
8	4670 315	1					DGC		TUBE, Transmission Oil Filler
9	6030 608	1					DGC		SEAL, Oil Filler Tube
10									WASHER, Switch
	2408 143	1	D, P			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
11									SWITCH, Neutral, Safety, Back Up
	3747 361	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		
12									PLUG, Pressure Check
	6030 035	7	D, P			ECB	DGC		
		7				ECC	DGC		
		7	D, P			ECB	DGC		Europe
		7	Z			ECB	DGC		
13									CONNECTOR, Oil Cooler Hose
	4531 202	2	D, P			ECB	DGC		
		2				ECC	DGC		
		2	D, P			ECB	DGC		Europe
		2	Z			ECB	DGC		
14									DOWEL, Block To Clutch Housing
	5240 849	2	D, P			ECB	DGC		
		2	D, P			ECC	DGC		
15	4670 196	1					DGC		COVER, Transaxle Converter
16	4668 270AB	1							COLLAR, Structural, Oil Pan To Transmission

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Transaxle Mounting and Misc. Parts ,(DGC)  
Figure 31TH-203




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17	4668 118	1					DGC		STRUT, Engine Roll
18									SCREW AND WASHER, Hex Head, M10x1.5x25
	6101 503	1					DGC		
		1	Z						

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Case, Extension and Retainer, (DGC) Figure 31TH-215



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
EBD = 1.8L 4 Cyl - SOHC									
ECB = 2.0L 4 CYL SOHC									
ECC = 2.0L 4 CYL DOHC									
-1									GASKET AND SEAL PACKAGE, Transaxle
	4798 152	1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
-2									OVERHAUL PACKAGE, Transaxle
	4798 215	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
3									BOLT, Hex Head, M8x1.25x16
	6501 474	2	D, P			ECB	DGC		Europe
		2	D, P			ECB	DGC		
		2				ECC	DGC		
4									PAN, Transaxle Differential Oil
	4659 738	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		
5									CUP, Differential Side Bearing
	4659 237	1	D, P			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
6									SPACER, Final Drive, 0.98mm
	4659 257	AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
		AR	D, P			ECB	DGC		
		AR				ECC	DGC		
-7									SPACER, Final Drive, 1.02mm
	4659 258	AR	D, P			ECB	DGC		
		AR				ECC	DGC		
		AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
-8									SPACER, Final Drive, 1.06mm
	4659 259	AR	D, P			ECB	DGC		
		AR				ECC	DGC		
		AR	D, P			ECB	DGC		Europe

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case, Extension and Retainer, (DGC)  
Figure 31TH-215



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-9		AR	Z			ECB	DGC		SPACER, Final Drive, 1.10mm
	4659 260	AR	D, P			ECB	DGC		
		AR				ECC	DGC		
		AR	D, P			ECB	DGC		Europe
-10		AR	Z			ECB	DGC		SPACER, Final Drive, 1.14mm
	4659 261	AR	D, P			ECB	DGC		
		AR				ECC	DGC		
		AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
-11		AR	D, P			ECB	DGC		SPACER, Final Drive, 1.18mm
	4659 262	AR	D, P			ECB	DGC		
		AR				ECC	DGC		
		AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
-12		AR	D, P			ECB	DGC		SPACER, Final Drive, 1.22mm
	4659 263	AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
		AR	D, P			ECB	DGC		
		AR				ECC	DGC		
-13		AR	D, P			ECB	DGC		SPACER, Final Drive, 1.26mm
	4659 264	AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
		AR	D, P			ECB	DGC		
		AR				ECC	DGC		
-14		AR	D, P			ECB	DGC		SPACER, Final Drive, 1.30mm
	4659 265	AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
		AR	D, P			ECB	DGC		
		AR				ECC	DGC		
-15		AR	D, P			ECB	DGC		SPACER, Final Drive, 1.34mm
	4659 266	AR	D, P			ECB	DGC		
		AR				ECC	DGC		
		AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
-16		AR	D, P			ECB	DGC		SPACER, Final Drive, 1.38mm
	4659 267	AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
		AR	D, P			ECB	DGC		
		AR				ECC	DGC		
-17									SPACER, Final Drive, 1.42mm

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Case, Extension and Retainer, (DGC)  
Figure 31TH-215



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4659 268	AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
		AR	D, P			ECB	DGC		
		AR				ECC	DGC		
-18									SPACER, Final Drive, 1.46mm
	4659 269	AR	D, P			ECB	DGC		
		AR				ECC	DGC		
		AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
-19									SPACER, Final Drive, 1.50mm
	4659 270	AR	D, P			ECB	DGC		
		AR				ECC	DGC		
		AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
-20									SPACER, Final Drive, 1.54mm
	4659 271	AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
		AR	D, P			ECB	DGC		
		AR				ECC	DGC		
-21									SPACER, Final Drive, 1.58mm
	4659 272	AR	D, P			ECB	DGC		
		AR				ECC	DGC		
		AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
-22									SPACER, Final Drive, 1.62mm
	4659 273	AR				ECC	DGC		
		AR	D, P			ECB	DGC		
		AR	Z			ECB	DGC		
-23									SPACER, Final Drive, 1.66mm
	4659 274	AR	D, P			ECB	DGC		
		AR				ECC	DGC		
		AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
-24									SPACER, Final Drive, 1.70mm
	4659 275	AR	D, P			ECB	DGC		
		AR				ECC	DGC		
		AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
-25									SPACER, Final Drive, 2.02mm
	4659 283	AR	D, P			ECB	DGC		
		AR				ECC	DGC		
		AR	D, P			ECB	DGC		Europe

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case, Extension and Retainer, (DGC)  
Figure 31TH-215



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			AR	Z		ECB	DGC		
-26	4659 284	AR	D, P			ECB	DGC		SPACER, Final Drive, 2.06mm
		AR				ECC	DGC		
		AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
27	4659 290	1	D, P			ECB	DGC		DAM, Differential Extension Oil
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
28									RETAINER, Transmission Differential Bearing
	4329 829	1	D, P			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
-29									SCREW, Flange Head, M8x1.25x33
	6500 511	4	D, P			ECB	DGC		
		4				ECC	DGC		
		4	D, P			ECB	DGC		Europe
		4	Z			ECB	DGC		
30	4412 522AB	1	Z			ECB	DGC		SEAL
		1	D, P			ECB	DGC		
		1				ECC	DGC		
31	4659 342	1	D, P			ECB	DGC		COVER, Transaxle Rear
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
-32									BOLT, Hex Head, M8x1.25x16
	6501 474	2				ECC	DGC		
		2	Z			ECB	DGC		
33	3878 447	1	D, P			ECB	DGC		SEAL, Manual Lever Shaft
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
34	4471 573	1	D, P			ECB	DGC		PAN, Transmission Oil
		1				ECC	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case, Extension and Retainer, (DGC)  
Figure 31TH-215



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-35	4446 728	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		MAGNET, Transmission
		1	D, P			ECC	DGC		
		1	Z			ECB	DGC		
36	6501 474	2	Z			ECB	DGC		BOLT, Hex Head, M8x1.25x16
		2	D, P			ECB	DGC		
		2				ECC	DGC		
		1				ECC	DGC		CASE, Transmission
-38	6100 994	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		DOWEL, M6x16
		1	D, P			ECB	DGC		Europe
		1	Z			ECC	DGC		
39	4446 689	1	D, P			ECB	DGC		BEARING CUP, Differential
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECC	DGC		
40	4567 494	1	D, P			ECB	DGC		RETAINER, Transmission Extension Oil
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
41	4549 219	1	D, P			ECB	DGC		EXTENSION PACKAGE, Transmission Rear
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
-42	6500 511	4				ECC	DGC		SCREW, Flange Head, M8x1.25x33
		4	Z			ECB	DGC		
43	4412 522AB	1				ECC	DGC		SEAL

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

**Case, Extension and Retainer, (DGC)  
Figure 31TH-215**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

SERIES	LINE	BODY
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB
H=High Line	D=Dodge	
S=Special	D=Chrysler	
	P=Plymouth	


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manual  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 15, 2005**

**Pump, Oil With Reaction Shaft. (DGC)**  
**Figure 31TH-320**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 CYL - SOHC									
ECC = 2.0L 4 CYL - DOHC									
1	4412 525	1	D, P			ECB	DGC		PUMP, Transmission Oil
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
2	4567 026	1	D, P			ECB	DGC		THRUST WASHER, Oil Pump
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
3	5212 305	2	D, P			ECB	DGC		SEAL, Pump Reaction Shaft
		2	Z			ECB	DGC		Europe
		2	D, P			ECB	DGC		
		2				ECC	DGC		
4	6500 211	6	D, P			ECB	DGC		BOLT, Hex Head, M8x1.25x19
		6	Z			ECB	DGC		
5	4269 661	1	D, P			ECB	DGC		GASKET, Transmission Oil Pump
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
6	6501 106	7	D, P			ECB	DGC		SCREW AND WASHER, Hex Flange Head, M8x1.25x25
		7				ECC	DGC		
		7	D, P			ECB	DGC		Europe
		7	Z			ECB	DGC		
7	4659 945	1	D, P			ECB	DGC		SEAL, Oil Pump
		1	Z			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1				ECC	DGC		
8	2466 796	1	D, P			ECB	DGC		BUSHING, Front Pump
		1	Z			ECB	DGC		
		1				ECC	DGC		
9									SEAL, Impeller Hub, 57.25mm OD

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Pump, Oil With Reaction Shaft. (DGC)**  
**Figure 31TH-320**

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4412 475	1	D, P			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		



**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

DODGE - PLYMOUTH - CHRYSLER NEON (FL)		
SERIES	LINE	BODY
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB
H=High Line	D=Dodge	
S=Special	D=Chrysler	
	P=Plymouth	


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 15, 2005**

# Clutch, Rear and Input Shaft , (DGC) Figure 31TH-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH ECB = 2.0L 4 CYL SOHC ECC = 2.0L 4 CYL DOHC									
1	4377 047	3	D, P			ECB	DGC		SEAL, Input Shaft
		3				ECC	DGC		
		3	D, P			ECB	DGC		Europe
		3	Z			ECB	DGC		
2	4348 397	1	D, P			ECB	DGC		INPUT SHAFT, Transaxle
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
3	4269 593	1	D, P			ECB	DGC		SEAL, Rear Clutch Retainer, 1.75 OD
		1	Z			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1				ECC	DGC		
4	5205 680	1	D, P			ECB	DGC		THRUST WASHER, Rear Clutch
		1	Z			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1				ECC	DGC		
5	4348 856	1	D, P			ECB	DGC		RETAINER, Transmission Rear
		1				ECC	DGC		Clutch
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
6	5205 691	1	D, P			ECB	DGC		SNAP RING, Input Shaft
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
7	5224 039	AR	D, P			ECB	DGC		THRUST WASHER, Output Shaft, 1. 98-2.03mm
		AR	Z			ECB	DGC		Europe
		AR	D, P			ECB	DGC		
		AR				ECC	DGC		
-8									THRUST WASHER, Output Shaft, 2. 16-2.21mm

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Clutch, Rear and Input Shaft , (DGC) Figure 31TH-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5224 040	AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
		AR	D, P			ECB	DGC		
		AR				ECC	DGC		
-9									THRUST WASHER, Output Shaft, 2.34-2.39mm
	5224 041	AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
		AR	D, P			ECB	DGC		
		AR				ECC	DGC		
10	5212 373	1				ECC	DGC		SEAL, Rear Clutch Piston Inner
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		Inner
11	4207 202	1	D, P			ECB	DGC		PISTON, Clutch Rear
		1				ECC	DGC		Rear
		1	Z			ECB	DGC		Rear
-12	0147 483	1	D, P			ECB	DGC		CHECK BALL, Dia-.187
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
13	5205 701	1	D, P			ECB	DGC		SEAL, Rear Clutch Piston Outer
		1				ECC	DGC		Outer
		1	D, P			ECB	DGC		Outer, Europe
		1	Z			ECB	DGC		Outer
14									SPRING, Rear Clutch Piston
	4269 623	1	D, P			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
15	4207 265	1	D, P			ECB	DGC		SPRING, Rear Clutch Wave, Europe
		1	Z			ECB	DGC		Wave
		1	D, P			ECB	DGC		Wave
		1				ECC	DGC		Wave
16									PLATE, Transmission Clutch Reaction
	4269 618	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



# Clutch, Rear and Input Shaft , (DGC) Figure 31TH-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17		1	D, P			ECB	DGC		PLATE, Transmission Clutch Reaction
		1				ECC	DGC		
	4659 378	3	D, P			ECB	DGC		
18		3				ECC	DGC		DISC, Clutch
		3	D, P			ECB	DGC		
		3	Z			ECB	DGC		
		3				ECB	DGC		
19	4659 191	4	D, P			ECB	DGC		PLATE, Transmission Clutch Reaction Europe
		4	Z			ECB	DGC		
		4	D, P			ECB	DGC		
		4				ECC	DGC		
20	4269 619	1	D, P			ECB	DGC		SNAP RING .060 - .062 Inch Thick, Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		
	1942 421	AR	D, P			ECB	DGC		
		AR	Z			ECB	DGC		
	4130 774	AR	D, P			ECB	DGC		
	1942 421	AR	D, P			ECB	DGC		
		AR				ECC	DGC		
	4130 774	AR	D, P			ECB	DGC		
		AR	Z			ECB	DGC		
	4130 775	AR	D, P			ECB	DGC		
		AR	Z			ECB	DGC		.087 - .089 Inch Thick, Europe
	4269 670	AR	D, P			ECB	DGC		
	4130 774	AR				ECC	DGC		
	4130 775	AR	D, P			ECB	DGC		
		AR				ECC	DGC		
	4269 670	AR	D, P			ECB	DGC		
		AR	Z			ECB	DGC		
		AR				ECC	DGC		

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft, Transfer ,(DGC)  
Figure 31TH-425



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4CYL SOHC									
ECC = 2.0L 4CYL DOHC									
1	4659 626	1	Z			ECB	DGC		SHAFT, Transfer Gear
		1	D, P			ECB	DGC		21 Teeth, With 2.98 Ratio
	4659 624	1				ECC	DGC		21 Teeth, With 2.98 Ratio
	4659 626	1	D, P			ECB	DGC		20 Teeth, With 3.19 Ratio
2									21 Teeth, With 2.98 Ratio, Europe
	4567 025	1				ECC	DGC		BEARING
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
3									BEARING CUP, Differential
	4567 022	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
4									O RING, Transfer Shaft Bearing
	6500 169	1	D, P			ECB	DGC		Retainer, ATX
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
5									RETAINER, Bearing
	4269 688	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1				ECC	DGC		
6									SNAP RING
	5212 353	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		
7									RETAINER, Transmission Governor
	5212 371	1	D, P			ECB	DGC		Support
		1	Z			ECB	DGC		
		1				ECC	DGC		
8									BEARING CUP, Differential
	4567 022	1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		
9									BEARING
	4567 025	1	Z			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

Shaft, Transfer ,(DGC)  
 Figure 31TH-425




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ECC	DGC		
10									SPACER, Transfer Shaft, 0.94mm(.037")
	4207 166	1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
-11									SPACER, Transfer Shaft, 0.99mm(.039")
	4207 167	1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
-12									SPACER, Transfer Shaft, 1.04mm(.041")
	4207 168	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
-13									SPACER, Transfer Shaft, 1.09mm(.043")
	4207 169	1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
-14									SPACER, Transfer Shaft, 1.14mm(.045")
	4207 170	1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
-15									SPACER, Transfer Shaft, 1.19mm(.047")
	4207 171	1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
-16									SPACER, Transfer Shaft, 1.24mm(.051")
	4207 172	1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
-17									SPACER, Transfer Shaft, 1.29mm(.052")
	4207 173	1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
-18									SPACER, Transfer Shaft, 1.34mm(.053")
	4207 174	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
-19									SPACER, Transfer Shaft, 1.39mm(.055")
	4207 175	1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
-20									SPACER, Transfer Shaft, 1.84mm(.072")

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required   - = Non illustrated part   # = New this model year

September 15, 2005

Shaft, Transfer ,(DGC)  
Figure 31TH-425



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4207 176	1	D, P			ECB	DGC		
-21		1	Z			ECB	DGC		SPACER, Transfer Shaft, 2.29mm(.090")
	4207 177	1	D, P			ECB	DGC		
22		1	Z			ECB	DGC		GEAR PACKAGE, Output And Transfer Shaft Europe
	4773 281	1	D, P			ECB	DGC		
23		1	Z			ECB	DGC		WASHER, Output Shaft Europe
	5222 010	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
24		1				ECC	DGC		NUT, Hex, M20x1.5
	5222 009	1	D, P			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
25									STIRRUP, Retainer Nut
	4567 336	2	D, P			ECB	DGC		Europe
		2	Z			ECB	DGC		
		2	D, P			ECB	DGC		
		2				ECC	DGC		
26									STRAP, Retaining
	4659 134	2	D, P			ECB	DGC		
		2				ECC	DGC		
		2	D, P			ECB	DGC		Europe
		2	Z			ECB	DGC		
27									BOLT, Hex Head, M8x1.25x10.00 Europe
	6503 355	4	D, P			ECB	DGC		
		4	Z			ECB	DGC		
		4	D, P			ECB	DGC		
		4				ECC	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

Clutch, Front, (DGC)  
Figure 31TH-435




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 CYL SOHC									
ECC = 2.0L 4 CYL DOHC									
1									RETAINER, Transmission Front Clutch
	4348 854	1	D, P			ECB	DGC		
		1				ECC	DGC		
		1	Z			ECB	DGC		
2									SEAL, Front Clutch Piston
	5205 670	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		
3									PISTON, Clutch
	4348 855	1	D, P			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
4									SEAL, Front Piston Clutch
	4058 487	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
5									PLATE, Transmission Clutch Reaction
	4659 379	4	Z			ECB	DGC		
		4	D, P			ECB	DGC		
		4				ECC	DGC		
6									DISC, Direct Clutch
	4567 887	4	D, P			ECB	DGC		
		4				ECC	DGC		
		4	Z			ECB	DGC		
7									PLATE, Transmission Clutch Reaction
	4348 888	1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		
8									SPRING, Front Clutch
	4207 227	1	D, P			ECB	DGC		
		1				ECC	DGC		
		1	Z			ECB	DGC		
9									RETAINER, Differential
	5205 673	1	D, P			ECB	DGC		Front Clutch Spring, Europe

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

### Clutch, Front, (DGC) Figure 31TH-435



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Z			ECB	DGC		Front Clutch Spring
		1	D, P			ECB	DGC		Front Clutch Spring
10		1				ECC	DGC		Front Clutch Spring
	5205 674	1	D, P			ECB	DGC		SNAP RING
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
11		1	Z			ECB	DGC		
									SNAP RING
	4659 652	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

**DODGE - TLE**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 15, 2005**

# Gears, Front Annulus and Sun, (DGC) Figure 31TH-445



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 CYL - SOHC									
ECC = 2.0L 4 CYL - DOHC									
1	5222 022	1	D, P			ECB	DGC		SNAP RING
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
2	5222 493	1	D, P			ECB	DGC		THRUST WASHER, Annulus Gear
		1	Z			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1				ECC	DGC		
3	5224 079	2	D, P			ECB	DGC		SNAP RING
		2				ECC	DGC		
		2	D, P			ECB	DGC		Europe
		2	Z			ECB	DGC		
4	5224 070	1	D, P			ECB	DGC		SUPPORT, Annulus Gear
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
5	4269 620	1	D, P			ECB	DGC		GEAR, Front Annulus
		1	Z			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1				ECC	DGC		
6									THRUST WASHER, Planetary
									Carrier
	4659 163	2	D, P			ECB	DGC		
		2				ECC	DGC		
7									CARRIER, Planetary Pinion
	4659 141	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		
8	4567 133	1	D, P			ECB	DGC		GEAR, Sun
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
9									SPACER, Sun Gear

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

**Gears, Front Annulus and Sun, (DGC)**  
**Figure 31TH-445**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5224 236	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		
10									PLATE, Transmission Module
	5205 737	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		
11									SHELL, Sun Gear
	4207 195	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		
12									SNAP RING, Sun Gear Shell
	5205 739	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		
						</			

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

**DODGE - PL**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005



Shaft, Output, Rear Carrier,Reverse Drum, and Overrunning Clutch, (DGC)  
 Figure 31TH-460




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 CYL - SOHC									
ECC = 2.0L 4 CYL - DOHC									
1	4348 932	1	D, P			ECB	DGC		OUTPUT SHAFT, Rear Axle
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
-2	5205 691	1	D, P			ECB	DGC		SNAP RING, Input Shaft
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
3	5205 724	2	D, P			ECB	DGC		THRUST WASHER, Planetary Carrier
		2				ECC	DGC		
		2	D, P			ECB	DGC		Europe
		2	Z			ECB	DGC		
4	4659 414	1	D, P			ECB	DGC		CARRIER, Planetary Pinion Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		
5	5222 047	1	D, P			ECB	DGC		GEAR, Rear Annulus
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
6	4659 545	1	D, P			ECB	DGC		DRUM, Automatic Transmission
		1				ECC	DGC		
-7	5222 137	1	Z			ECB	DGC		FITTING, Reducer
		1	D, P			ECB	DGC		
		1				ECC	DGC		
8	4186 886	1	D, P			ECB	DGC		SRING AND ROLLER PACKAGE, Overrunning Clutch Europe
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required   - = Non illustrated part   # = New this model year

September 15, 2005

Shaft, Output, Rear Carrier,Reverse Drum, and Overrunning Clutch, (DGC)  
 Figure 31TH-460




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	5205 772	1	D, P			ECB	DGC		THRUST WASHER, Overrunning Clutch Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		
10	4567 259	2	D, P			ECB	DGC		BEARING CONE, Output Shaft Europe
		2				ECC	DGC		
		2	D, P			ECB	DGC		
		2	Z			ECB	DGC		
11	4567 260	2	D, P			ECB	DGC		BEARING CUP, Output Shaft Europe
		2				ECC	DGC		
		2	D, P			ECB	DGC		
		2	Z			ECB	DGC		
12	4207 162	1	D, P			ECB	DGC		SPACER, Output Shaft, 12.65mm Europe
		1	Z			ECB	DGC		
-13	4207 164	1	D, P			ECB	DGC		SPACER, Output Shaft, 13.65mm Europe
		1	Z			ECB	DGC		
-14	4207 163	1	D, P			ECB	DGC		SPACER, Output Shaft, 14.99mm Europe
		1	Z			ECB	DGC		
15	5224 152	AR	D, P			ECB	DGC		GEAR PACKAGE, Output And Transfer Shaft Europe
		AR				ECC	DGC		
		AR	D, P			ECB	DGC		
		AR	Z			ECB	DGC		
16	4773 281	1	D, P			ECB	DGC		WASHER, Output Shaft Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1				ECC	DGC		
17	5222 010	1	D, P			ECB	DGC		NUT, Hex, M20x1.5 Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		
18	5222 009	1	D, P			ECB	DGC		STIRRUP, Retainer Nut Europe
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY			ENGINE			TRANSMISSION
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB			ECB=2.0L 4 Cyl., 16V SMPI			DD5 = 5 Speed Manua
H=High Line	D=Dodge					EJD=1.6L 4 Cyl16V SOHC			DGC = 3 Speed Automatic
S=Special	D=Chrysler					EBD=1.8L 4 Cyl16V SEFI			DGL = 4 Speed Automatic
	P=Plymouth								DG0 = All Automatics
									DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 15, 2005


Shaft, Output, Rear Carrier,Reverse Drum, and Overrunning Clutch, (DGC)  
 Figure 31TH-460



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4567 336	2	D, P			ECB	DGC		
		2				ECC	DGC		
		2				ECB	DGC		
		2				ECB	DGC		
19	4659 134	2	D, P			ECB	DGC		STRAP, Retaining
		2	Z			ECB	DGC		
		2				ECC	DGC		
20	6503 355	4	D, P			ECB	DGC		BOLT, Hex Head, M8x1.25x10.00 Europe
		4	Z			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY			ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB			ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth					DG0 = All Automatics			
						DBB= All 5 Speed Manual			

# Bands, Reverse and Kickdown, (DGC) Figure 31TH-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 CYL - SOHC									
ECC = 2.0L 4 CYL - DOHC									
1	4412 466	1	Z			ECB	DGC		SHAFT, Band Lever
		1	D, P			ECB	DGC		
		1				ECC	DGC		
2	5212 343	1	Z			ECB	DGC		STRUT, Kickdown Band
		1	D, P			ECB	DGC		
		1				ECC	DGC		
3	4659 732	1	Z			ECB	DGC		BAND, Kickdown
		1	D, P			ECB	DGC		
		1				ECC	DGC		
4	5212 206	1				ECC	DGC		NUT, Band Adjusting Screw Lock
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
5									STUD, Double Ended, M12x1.75/ 9x67
	5212 255	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1				ECC	DGC		
6	4348 857	1				ECC	DGC		LEVER, Kickdown
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
7	4207 182	1	D, P			ECB	DGC		LEVER, Reverse Band
		1	Z			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1				ECC	DGC		
8									PLUG, Pipe, .250-18x.560, (NOT SERVICED) (Not Serviced)
9	5224 264	1	D, P			ECB	DGC		STRUT, Reverse Band
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
10	4531 138	1	D, P			ECB	DGC		BAND, Reverse

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

# Bands, Reverse and Kickdown, (DGC) Figure 31TH-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
-11									SCREW, Reverse Band Adjusting, M8x1.25x42
	5224 140	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
		1				ECC	DGC		
12									ANCHOR, Reverse Band
	5212 344	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		
13									SHAFT, Band Lever
	5222 090	1	D, P			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Governor , (DGC)  
Figure 31TH-620

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 CYL - SOHC									
ECC = 2.0L 4 CYL - DOHC									
1	4207 183	1	D, P			ECB	DGC		VALVE, Governor Secondary, Europe
		1	Z			ECB	DGC		Secondary
		1	D, P			ECB	DGC		Secondary
		1				ECC	DGC		Secondary
2	4567 447	1	D, P			ECB	DGC		SPRING, Governor Valve
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
3	4659 366	1	D, P			ECB	DGC		BODY, Governor Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		
4	6500 209	1	D, P			ECB	DGC		SCREW, Hex Flange Head Locking, M5x.8x37 Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		
5	6500 208	2	D, P			ECB	DGC		SCREW, Shoulder Hex Flange Head, M5x.8x20 Europe
		2	Z			ECB	DGC		
		2	D, P			ECB	DGC		
		2				ECC	DGC		
6	4269 641	1	D, P			ECB	DGC		VALVE, Governor Primary
		1				ECC	DGC		Primary
		1	D, P			ECB	DGC		Primary, Europe
		1	Z			ECB	DGC		Primary
7									PIN, (NOT SERVICED) (Not Serviced)
8	6100 306	1	D, P			ECB	DGC		BOLT AND CONED WASHER, Hex Head, M8x35x20
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Governor , (DGC)  
Figure 31TH-620


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	5212 265	1	Z			ECB	DGC		COUNTER WEIGHT, Governor Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
10	5205 839	1				ECC	DGC		FILTER, Transmission Governor Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
11	4659 352	1				ECC	DGC		SUPPORT, Governor Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
12	4269 594	3	D, P			ECB	DGC		SEAL, Governor Support Europe
		3				ECC	DGC		
		3	D, P			ECB	DGC		
		3	Z			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Valve Body, (DGC) Figure 31TH-715



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 CYL - SOHC									
ECC = 2.0L 4 CYL - DOHC									
1	6035 208	1	D, P			ECB	DGC		SNAP RING Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		
2	2538 062	1	D, P			ECB	DGC		WASHER, Manual Valve Lever Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		
3	2466 548	1	D, P			ECB	DGC		SEAL, Valve Lever Shift Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		
-4	6500 207	1	D, P			ECB	DGC		SCREW, Special Head, M5x.8x42.40
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
5									LEVER, Manual Valve, Serviced In Valve Body
	4659 897	1	D, P			ECB	DGC		
		1				ECC	DGC		
6	4567 993AC	1	D, P			ECB	DGC		VALVE BODY, Complete 2.9 Gear Ratio
	4659 612	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
	4659 879	1				ECC	DGC		3.19 Gear Ratio
-7									DOWEL, M6x16
	6100 994	1	D, P			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
8	4269 584	1	D, P			ECB	DGC		DETENT, Valve Body Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		
-9									VALVE, Transmission Regulator

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth


BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual



# Valve Body, (DGC) Figure 31TH-715



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	4329 873	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		SHAFT, Valve Body
	5212 244	1	D, P			ECB	DGC		
		1				ECC	DGC		
-11		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		SCREW, Pan Head, M5 x 0.8 x 12.60
-12	6503 232	1	D, P			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
13	6500 215	16	D, P			ECB	DGC		SCREW AND WASHER, Pan Head, M5x.8x25
		16	Z			ECB	DGC		Europe
		16	D, P			ECB	DGC		
		16				ECC	DGC		SCREEN, Transmission Regulator Valve
-14	3878 313	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		
15	6100 155	7	D, P			ECB	DGC		BOLT, Hex Head, M8x30
		7				ECC	DGC		
		7	D, P			ECB	DGC		Europe
		7	Z			ECB	DGC		
16	5222 020	2	D, P			ECB	DGC		TUBE, Valve Body
		2	Z			ECB	DGC		Europe
		2	D, P			ECB	DGC		
		2				ECC	DGC		
-17	4269 649	1	D, P			ECB	DGC		FILTER, Valve Body
		1				ECC	DGC		
		1	Z			ECB	DGC		
	6500 216	2	D, P			ECB	DGC		SCREW AND WASHER, Pan Head, M5x.8x25

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Valve Body, (DGC)  
Figure 31TH-715



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	4269 671	2				ECC	DGC		
		2	D, P			ECB	DGC		Europe
		2	Z			ECB	DGC		
		1	D, P			ECB	DGC		GASKET, Transmission Fluid Filter Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
19	4377 005	1				ECC	DGC		
		1	Z			ECB	DGC		SOLENOID, Transmission Lock Up
		1	D, P			ECB	DGC		
		1				ECC	DGC		
20	5210 7671	1					DGC		O RING, Filler Tube
21	4412 305	1	D, P			ECB	DGC		GASKET, Lock-up Solenoid Europe
		1	Z			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

# Servos, Accumulator Piston and Springs, (DGC) Figure 31TH-725



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 CYL - SOHC									
ECC = 2.0L 4 CYL - DOHC									
1	6031 765	1	D, P			ECB	DGC		SNAP RING Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		
2	6031 545	1	D, P			ECB	DGC		SEAL, Accumulator
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
3	5224 344	1	D, P			ECB	DGC		GUIDE, Kickdown Servo
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
4	4659 331	1	D, P			ECB	DGC		SPRING, Kickdown Servo Piston
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
5	4058 943	1	D, P			ECB	DGC		ROD, Kickdown Servo Piston
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
6	4269 524	1	D, P			ECB	DGC		PISTON, Kickdown Servo
		1	Z			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1				ECC	DGC		
-7	6025 031	1	D, P			ECB	DGC		SNAP RING, 1.205 OD
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
-8	6031 410	1	D, P			ECB	DGC		O RING, Trans Kickdown Servo
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual


Servos, Accumulator Piston and Springs, (DGC)  
Figure 31TH-725



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Z			ECB	DGC		
9	3743 014	1	D, P			ECB	DGC	SEAL, Kickdown Servo	
		1				ECC	DGC	Large	
		1	D, P			ECB	DGC	Large, Europe	
10	3743 033	1	Z			ECB	DGC	Large	
		1	D, P			ECB	DGC	SEAL, Kickdown Servo	
		1				ECC	DGC	Small	
11	3743 010	1	D, P			ECB	DGC	Small, Europe	
		1	Z			ECB	DGC	Small	
		1				ECC	DGC	SEAL, Piston Accumulator	
12	3743 013	1	D, P			ECB	DGC	Small, Europe	
		1	Z			ECB	DGC	Small	
		1				ECC	DGC	Small	
13	3743 650	1	D, P			ECB	DGC	SEAL, Piston Accumulator	
		1	Z			ECB	DGC	Large, Europe	
		1	D, P			ECB	DGC	Large	
14	4659 332	1				ECC	DGC	Large	
		1	D, P			ECB	DGC	Large	
		1	Z			ECB	DGC	Large	
15	4205 857	1	D, P			ECB	DGC	PISTON, Accumulator	
		1				ECC	DGC	SPRING, Accumulator	
		1	Z			ECB	DGC	Europe	
16	6031 545	1	D, P			ECB	DGC	PLATE PACKAGE, Accumulator	
		1				ECC	DGC		
		1	Z			ECB	DGC	SEAL, Accumulator	
17	5212 252	1	D, P			ECB	DGC	SNAP RING	
		1				ECC	DGC		
		1	D, P			ECB	DGC	Europe	
18	6031 909	1	Z			ECB	DGC	SNAP RING	
		1	D, P			ECB	DGC		
		1				ECC	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)  
SERIES L=Low Line H=High Line S=Special  
LINE Z=Chrysler, RHD D=Dodge D=Chrysler P=Plymouth  
BODY 41=4 Door, 104WB  
ENGINE ECB=2.0L 4 Cyl., 16V SMPI EJD=1.6L 4 Cyl16V SOHC EBD=1.8L 4 Cyl16V SEFI  
TRANSMISSION DD5 = 5 Speed Manua DGC = 3 Speed Automatic DGL = 4 Speed Automatic DG0 = All Automatics DBB= All 5 Speed Manual


Servos, Accumulator Piston and Springs, (DGC)  
Figure 31TH-725



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P			ECB	DGC		Europe
19	3681 434	1	Z			ECB	DGC		SPRING, Reverse Servo Piston
20	4269 707	1	D, P			ECB	DGC		PLUG, Reverse Servo
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1	Z			ECC	DGC		
21									SPRING, Reverse Servo Piston
	4659 179	1	D, P			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
22									PISTON, Reverse Servo
	4659 837	1	Z			ECB	DGC		
		1				ECC	DGC		
23									SEAL, Reverse Servo Piston
	4269 736	1	D, P			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
24									SNAP RING
	1638 461	1	D, P			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
25									REVERSE SERVO PACKAGE
	4882 433	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

**Parking Sprag, (DGC)  
Figure 31TH-740**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 CYL - SOHC									
ECC= 2.0L 4 CYL - DOHC									
1	6035 256	1	D, P			ECB	DGC		SNAP RING, Rod
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
2	4431 530	1	D, P			ECB	DGC		ROD, Parking Sprag
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
3									BOLT, Hex Flange Head, M8x1.
	6500 368	2	D, P			ECB	DGC		25x23
		2	Z			ECB	DGC		Europe
		2	D, P			ECB	DGC		
		2				ECC	DGC		
4	5212 296	1	D, P			ECB	DGC		SUPPORT, Parking Sprag Rod
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
5	5212 010	1	D, P			ECB	DGC		SHAFT, Parking Sprag
		1	Z			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1				ECC	DGC		
6	5222 244	1	D, P			ECB	DGC		SPRING, Parking Sprag
		1	Z			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1				ECC	DGC		
7	5224 468	1	D, P			ECB	DGC		PAWL, Parking Sprag
		1	Z			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1				ECC	DGC		


**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Differential, (DGC) Figure 31TH-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 CYL - SOHC									
ECC = 2.0L 4 EYL - DOHC									
1									DIFFERENTIAL, Transaxle
	4659 680	1	D, P			ECB	DGC		
	4659 681	1				ECC	DGC		
	4659 680	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
2									GEAR, Differential Drive
	4659 627	1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
	4659 625	1				ECC	DGC		
	4659 627	1	D, P			ECB	DGC		Europe
3									CASE, Transaxle
	4659 455	1	D, P			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
4									PINION, Differential
	4348 679	2	D, P			ECB	DGC		Europe
		2	D, P			ECB	DGC		
		2	Z			ECB	DGC		
		2				ECC	DGC		
5									WASHER, Thrust
	4412 521	2	D, P			ECB	DGC		
		2				ECC	DGC		
		2	D, P			ECB	DGC		Europe
		2	Z			ECB	DGC		
6									GEAR, Differential Side
	4659 502	2	D, P			ECB	DGC		Europe
		2	D, P			ECB	DGC		
		1				ECC	DGC		
		2	Z			ECB	DGC		
7									WASHER PACKAGE, Side Gear
	4504 568	1	D, P			ECB	DGC		Thrust
		1	Z			ECB	DGC		Europe
		1				ECC	DGC		
		1	D, P			ECB	DGC		
8									PIN, Pinion Shaft
	6503 827	1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

# Differential, (DGC) Figure 31TH-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	4659 142	1				ECC	DGC		
		1	Z			ECB	DGC		SHAFT, Pinion Gear
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
10	4659 626	1				ECC	DGC		
		1	Z			ECB	DGC		SHAFT, Transfer Gear
		1	D, P			ECB	DGC		
		1	D, P			ECC	DGC		
11	4659 624	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		BOLT, Hex Head, M10x1.00x25
		1	D, P			ECB	DGC		
12	6501 240	12	D, P			ECB	DGC		
		12	Z			ECB	DGC		
		12	D, P			ECB	DGC		
		12	D, P			ECC	DGC		
13	4659 237	1	D, P			ECB	DGC		CUP, Differential Side Bearing
		1	D, P			ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
14	4659 238	1	Z			ECB	DGC		
		1	D, P			ECB	DGC		BEARING CONE, Differential
		1	D, P			ECC	DGC		
		1	D, P			ECB	DGC		Europe
15	4446 610	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		BEARING CONE, Differential
		1	D, P			ECB	DGC		Europe
		1	D, P			ECC	DGC		
16	4446 689	1	D, P			ECB	DGC		
		1	D, P			ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual



Controls, Gearshift, Floor Shaft, (DGC)  
Figure 31TH-1201

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
1	4670 347	1	D, P				DGC		KNOB, Gearshift Leather
	4670 205	1	Z				DGC		
	4670 345	1	D, P				DGC		
2	6504 104	1	Z				DGC		SCREW, Set M6x1.0x11.20, Starter Inner Housing
		1	D, P				DGC		
		1	D, P				DGC		
3	4565 353	1	D, P				DGC		INDICATOR, PRNDL
4									SCREW, M5-.80x15, (NOT SERVICED) (Not Serviced)
5	4670 291	1					DGC		CABLE, Gearshift Control
-6	4670 147	1							CLIP, Shift Cable
-7	4670 042	1							PLATE, Transmission Shifter
8									NUT, Hex, M6x1.00
	6500 284	1					DGC		
		4							
9	4670 174	1	D, P				DGC		SHIFTER, Transmission
10	L000 0194	1					DGC		BULB, 194
11	4670 323	1					DGC		LEVER, Manual Control
12	6101 978	1					DGC		SCREW AND WASHER, Hex Head, M8-1.25x40
-13	5212 384	1					DGC		NUT, Transmission Lever Bolt, M6x1. 00
14	4641 088	1					DGC		BRACKET, Transmission Control Cable
15	6101 453	1					DGC		SCREW AND WASHER, Hex Head, M8x1.25x30
16	4641 200	1	D, P				DGC		CABLE, Ignition Interlock
-17	4670 206	1	Z				DGC		CABLE, Ignition Interlock

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Group – T350

## NVG Manual Transaxle 5 Speed

### GROUP T350 - NVG Manual Transaxle 5 Speed





Illustration Title	Group-Fig. No.
<b>Transaxle Assembly</b>	
Transaxle Assemblies, and Mounting A578 (DD4, DD5)	Fig. T350-110
<b>Case and Extension</b>	
Case, Transaxle and Related Parts A578 (DD4,DD5)	Fig. T350-210
<b>Gear Train</b>	
Gear Train A578 (DD4, DD5)	Fig. T350-410
<b>Differential</b>	
Differential A578 (DD4, DD5)	Fig. T350-810
<b>Fork and Rails</b>	
Fork and Rail A578 (DD4, DD5)	Fig. T350-910
<b>Gearshift Controls</b>	
Controls, Gearshift A578 (DD4, DD5)	Fig. T350-1210

<b>T350-100</b> Transaxle Assembly	<b>T350-200</b> Case and Extension	<b>T350-400</b> Gear Train	<b>T350-800</b> Differential
<b>T350-900</b> Fork and Rails	<b>T350-1200</b> Gearshift Controls		

Transaxle Assemblies, and Mounting A578 (DD4, DD5)  
Figure T350-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DD4 = 5 Spd Manual Trans A578 W/Perf G/S									
DD5 = 5 Spd Manual Trans A578									
ECB = 2.0L 4 CYL - SOHC									
ECC = 2.0L 4 CYL - DOHC									
1									TRANSAXLE
	4773 388	1	D, P			ECB	DD5		Sport, With 2.0L Engine, DOHC, Rear Exhaust, 2.80 Overall Gear Ratio, Transaxle Production Number 4670664
	4798 294	1	D, P			ECC	DD4		
	4897 743AA	1	Z			EBD	DD4		ACR Competition Group
	4773 389	1					DD4		
		1	D, P			EBD	DD4		
2									COVER, Transaxle Converter
	4670 196	1	D, P				DD4, DD5		Case, Upper
	4567 147	1					DD4, DD5		
							DD5		
	4670 197AB	1	Z				DD5		SCREW, Hex Head, M12x1.75x50
		1	Z				DD4		
3									
	6501 742	3				EBD	DD4		
		3	Z			ECB	DD5		
		3	D, P			ECC	DD4, DD5		
4									BOOT, Clutch Release Lever
	4670 019	1	D, P				DD4, DD5		
	4670 071	1	Z			EBD	DD4		
5	4608 404	1							CLIP, Transaxle
6	6503 244	1				ECB	DD4, DD5		STUD
-7									STUD, M12x1.75/M10x1.25x94.5
	4761 085	2	Z			EBD	DD4		
		2	Z			ECB	DD5		
8									BRACE, Transmission, (NOT REQUIRED)
9	6101 503	3							SCREW AND WASHER, Hex Head, M10x1.5x25
-10									BRACKET, Engine Roll Dampener
	4668 166	1	D, P				DD4, DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Figure T350-110**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4668 184	1	Z				DD4		
11	4668 176	1					DD4, DD5		STRUT, Engine Roll

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 15, 2005

**Case, Transaxle and Related Parts A578 (DD4,DD5)**  
**Figure T350-210**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DD4 = 5 Spd Manual Trans A578 W/Perf G/S DD5 = 5 Spd Manual Trans A578 ECC = 2.0L 4 CYL - DOHC									
1	4874 130	1	Z			EBD	DD4		HOUSING, Clutch
	4761 088	1	D, P			ECB	DD5		
	5003 473AA	1					DD4		
2	4761 074	1					DD4		CASE, Transmission
		1	D, P			ECB	DD5		
3	4761 081	1	D, P			ECB	DD5		PLATE, Transaxle Case Rear
		1					DD4		
4	4761 107	1					DD4		SEAL, Axle Drive Shaft
		1	D, P			ECB	DD5		
5	4567 022	1	D, P			ECB	DD5		BEARING CUP, Differential
		1					DD4		
6	4761 090	1	D, P			ECB	DD5		BEARING, Input Shaft
		1					DD4		
7	4761 101	1	D, P			ECB	DD5		SCREW, Drain
		1					DD4		
8	4761 100	1	D, P			ECB	DD5		WASHER, Drain Plug
		1					DD4		
9	4670 240	1	D, P			ECB	DD5		PIVOT, Clutch Release Lever
		1					DD4		
10	4761 099	1					DD4		PIN, Locating
		1	D, P			ECB	DD5		
11	4761 093	1	D, P			ECC	DD4		BEARING PACKAGE, Output Shaft
		1	Z			EBD	DD4		
		1	D, P			ECB	DD5		
		1	D, P			EBD	DD4		
12	4761 096	1	D, P			ECB	DD5		SNAP RING
		1					DD4		
13		1							DETENT, Valve Body


**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case, Transaxle and Related Parts A578 (DD4,DD5)  
Figure T350-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4761 094	1					DD4		
14		1	D, P			ECB	DD5		SPRING, Select Detent
	4761 095	1	D, P			ECB	DD5		
		1					DD4		
15									RETAINER, Transmission Output Shaft Bearing
	4761 097	1	D, P			ECB	DD5		
		1					DD4		
16									BOLT, Output Shaft Bearing
	4761 098	1	D, P			ECB	DD5		
		1					DD4		
17									BUSHING, Shift Rail
	4740 899	1	D, P			ECB	DD5		15mm I/D, 12mm Long
		1					DD4		15 Millimeters I/D, 12 Millimeters Long
	4761 076	1	D, P			ECB	DD5		
		1					DD4		15 Millimeters I/D, 25 Millimeters Long
	4762 605	3	D, P			ECB	DD5		
		3					DD4		
18									MAGNET, Transmission
	4761 078	1					DD4		
		1	D, P			ECB	DD5		
19									TROUGH, Lubrication
	4761 087	1					DD4		
		1	D, P			ECB	DD5		
20									BOLT AND CONED WASHER, Hex Head, M8x45x17
	6100 299	1	D, P			ECB	DD5		
		1					DD4		
21									VENT, Cap, Jiggle
	2124 715	1	D, P			ECB	DD5		
		1	Z			ECB	DD5		
		1					DD4		
22									SEAL, Shift Lever
	4761 077	2					DD4		
		2	D, P			ECB	DD5		
23									PLUG, Oil Fill
	4348 325	1					DD4		
	4761 083	1	D, P			ECB	DD5		
24									BEARING, Input Shaft

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case, Transaxle and Related Parts A578 (DD4,DD5)  
Figure T350-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
25	4761 079	2	D, P			ECB	DD5		SNAP RING
		2					DD4		
26	4761 080	2	D, P			ECB	DD5		SWITCH, Back Up Lamp
		2					DD4		
27	4864 775	1	D, P			ECB	DD5		BOLT, Case Plate
		1					DD4		
28	4761 082	10	D, P			ECB	DD5		RETAINER, Shaft
		10					DD4		
29	4762 606	1	D, P			ECB	DD5		BUSHING, Crossover Shaft 15 Millimeters I/D, 20 Millimeters Long
		1					DD4		
30	4761 076	1	D, P			ECB	DD5		BUSHING, Shift Rail 15 Millimeters I/D, 25 Millimeters Long
		1					DD4		
31	4740 899	1	D, P			ECB	DD5		BUSHING, Shift Rail 15 Millimeters I/D, 12 Millimeters Long
		1					DD4		
	4762 605	3	D, P			ECB	DD5		
		3					DD4		


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train A578 (DD4, DD5)  
Figure T350-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DD4 - 5 Spd Manual Trans A578 W/Perf G/S									
DD5 - 5 Spd Manual Trans A578									
ECB = 2.0L 4 CYL - SOHC									
ECC = 2.0L 4 CYL - DOHC									
1									INPUT SHAFT PACKAGE, Transaxle
	4761 174	1					DD4		
		1	D, P			ECB	DD5		
2	4762 612	2					DD4		NEEDLE BEARING
3									GEAR, Third
	4761 132	1					DD4		
		1	D, P			ECB	DD5		
4									STOP RING, Synchronizer
	4874 135	1	D, P			ECB	DD5		
		1					DD4		
5									SYNCHRONIZER, Third and Fourth
	4761 133	1	D, P			ECB	DD5		
		1					DD4		
6									RING, Synchronizer Hub, White
	4761 134	1					DD4		
		1	D, P			ECB	DD5		
-7									RING, Synchronizer Hub, Blue
	4761 135	1	D, P			ECB	DD5		
		1					DD4		
-8									RING, Synchronizer Hub, Yellow
	4761 136	1					DD4		
		1	D, P			ECB	DD5		
9									SYNCHRONIZER, Fifth
	4874 136	1	Z			ECB	DD5		
		1					DD4		
		1	D, P			ECB	DD5		
10									GEAR, Fifth
	4761 141	1	Z			ECB	DD5		
	4761 142	1	D, P			ECB	DD5		
		1					DD4		
11									GEAR, Fourth
	4761 139	1					DD4		
		1	Z			ECB	DD5		
		1	D, P			ECB	DD5		
12									RING, 4th Gear
	4761 138	1	D, P			ECB	DD5		
		1					DD4		
		1	Z			ECB	DD5		
13									PIN, Mainshaft

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		



Gear Train A578 (DD4, DD5)  
Figure T350-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4761 140	1					DD4		
		1	Z			ECB	DD5		
		1	D, P			ECB	DD5		
14	4761 137	2	D, P			ECB	DD5		WASHER, Fourth Gear
		2	Z			ECB	DD5		
		2					DD4		
15									NEEDLE BEARING
	4761 119	1	D, P			ECB	DD5		
		1					DD4		
		1	Z			ECB	DD5		
16									BEARING CUP, Reverse Brake
	4761 120	1					DD4		
		1	D, P			ECB	DD5		
		1	Z			ECB	DD5		
17									NEEDLE BEARING
	4761 119	1	D, P			ECC			
		1					DD4		
		1	Z			ECB	DD5		
18									BEARING CONE, Reverse Brake
	4761 121	1	D, P			ECB	DD5		
		1	Z			ECB	DD5		
		1					DD4		
19									SPACER, Reverse Brake
	4761 118	1	D, P			ECB	DD5		
		1	Z			ECB	DD5		
		1					DD4		
20	4761 108	1	D, P			ECB	DD5		OUTPUT SHAFT, Transaxle, Includes First & Second Gears
21									GEAR, Reverse Idler
	4886 482AA	1	Z			ECB	DD5		
		1					DD4		
		1	D, P			EBD	DD4		
22									SPACER, Reverse Idler
	4761 127	1	D, P			ECB	DD5		
		1					DD4		
		1	Z			ECB	DD5		
23									IDLER SHAFT, Transmission
	4761 126	1					DD4		
		1	Z			ECB	DD5		
		1	D, P			ECB	DD5		
24									BOLT AND CONED WASHER, Hex Head, M8x45x17

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Gear Train A578 (DD4, DD5)  
Figure T350-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6100 299	1	D, P			ECB	DD5		
		1					DD4		
25									BALL, Pivot, (NOT SERVICED) (Not Serviced)
26									KEY, Synchronizer
	4863 720	1	D, P			ECC	DD4		
		1	D, P			ECB	DD5		
27									SPRING, Synchronizer
	4761 113	3					DD4		
		3	D, P			ECB	DD5		
-28	5003 747AA-	1	D, P			ECB	DD5		RETAINER
-29	4761 117	1	D, P			ECB	DD5		SLEEVE, Oil Restrictor

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual


Differential A578 (DD4, DD5)  
Figure T350-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DD4 - 5 Spd Manual Trans A578 W/Perf G/S									
DD5 = 5 Spd Manual Trans A578									
EBD = 1.8L 4 Cyl - SOHC									
ECB = 2.0L 4 Cyl - SOHC									
1									DIFFERENTIAL, Transaxle
	4856 349	1					DD4		
		1	D, P			ECB	DD5		
2									GEAR, Differential Ring
	4761 104	1	D, P			ECB	DD5		
	4761 103	1					DD4		
	4761 104	1	Z			ECB	DD5		
3									CASE, Differential
	4761 102	1					DD4		
		1	Z			ECB	DD5		
		1	D, P			ECB	DD5		
4									PINION, Differential
	4348 679	1	D, P			ECB	DD5		
		2	Z			ECB	DD5		
		1					DD4		
5									WASHER, Pinion Thrust
	4137 024	1	D, P			ECB	DD5		
		2	Z			ECB	DD5		
		1					DD4		
6									GEAR, Differential Side
	4659 502	2	D, P			ECB	DD5		
		2	Z			ECB	DD5		
		2					DD4		
7									WASHER PACKAGE, Side Gear Thrust
	4504 568	1	D, P			ECB	DD5		
		1					DD4		
		1	Z			ECB	DD5		
8									SHAFT, Pinion Gear
	4659 142	1	D, P			ECB	DD5		
		1	Z			ECB	DD5		
		1					DD4		
9									PIN, Pinion Shaft
	6503 827	1	D, P			ECB	DD5		
		1	Z			ECB	DD5		
		1					DD4		
10									BOLT, Differential Ring Gear
	4761 105	1	D, P			ECB	DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

**Differential A578 (DD4, DD5)  
Figure T350-810**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1					DD4		
11	4567 022	1	12	Z		ECB	DD5		BEARING CUP, Differential
		1		D, P		ECB	DD4		
		1		Z		ECB	DD5		
12	4567 025	2	1	Z		ECB	DGC		BEARING
		2		Z		EBD	DD4		
		2		Z		ECB	DD4		
13	4797 316	1	2	Z		ECB	DD5		GEAR, Speedometer Drive
		1		Z		ECB	DD4		
		1		D, P		ECB	DD5		
14	4883 546AA	AR	1	D, P		ECB	DD4		SHIM, Final Drive, .42mm (Illus. Incl. Items 15-32)
		AR		Z		ECB	DD5		
		AR		Z		ECB	DD5		
-15	4883 545AA-	AR					DD4		SHIM, Final Drive, .46mm
		AR		Z		ECB	DD5		
		AR		D, P		ECB	DD5		
-16	5222 345	AR					DD4		SHIM, Final Drive, .50mm
		AR		Z		ECB	DD5		
		AR		D, P		ECB	DD5		
-17	5222 346	AR					DD4		SHIM, Final Drive, .54mm
		AR		Z		ECB	DD5		
		AR		D, P		ECB	DD4		
-18	5222 347	AR					DD4		SHIM, Final Drive, .58mm
		AR		Z		ECB	DD5		
		AR		D, P		ECB	DD5		
-19	5222 348	AR					DD4		SHIM, Final Drive, .62mm
		AR		Z		ECB	DD5		
		AR		D, P		ECB	DD4		
-20	5222 349	AR					DD4		SHIM, Final Drive, .66mm
		AR		Z		ECB	DD5		
		AR		D, P		ECB	DD5		
-21									SHIM, Final Drive, .70mm

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Differential A578 (DD4, DD5)  
Figure T350-810**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5222 350	AR	Z			ECB	DD5		
		AR					DD4		
		AR	D, P			ECB	DD5		
-22	5222 352	AR	D, P			ECB			SHIM, Final Drive, .78mm
		AR					DD4		
-23	5222 353	AR	D, P			ECB			SHIM, Final Drive, .82mm
		AR					DD4		
-24	5222 355	AR	Z			ECB	DD5		SHIM, Final Drive, .90mm
		AR					DD4		
		AR	D, P			ECB	DD5		
-25	5222 356	AR	Z			ECB	DD5		SHIM, Final Drive, .94mm
		AR					DD4		
		AR	D, P			ECB	DD5		
-26	5222 358	AR					DD4		SHIM, Final Drive, 1.02mm
		AR	Z			ECB	DD5		
		AR	D, P			ECB	DD5		
-27	5222 359	AR	Z			ECB	DD5		SHIM, Final Drive, 1.06mm
		AR					DD4		
		AR	D, P			ECB	DD5		
-28	5222 362	AR	Z			ECB	DD5		SHIM, Final Drive, 1.18mm
		AR					DD4		
		AR	D, P			ECB	DD5		
-29	5222 364	AR					DD4		SHIM, Final Drive, 1.26mm
-30	5222 365	AR	Z			ECB	DD5		SHIM, Final Drive, 1.30mm
		AR					DD4		
		AR	D, P			ECB	DD5		
-31	5222 367	AR					DD4		SHIM, Final Drive, 1.38mm
		AR	Z			ECB	DD5		
		AR	D, P			ECB	DD5		
-32	5222 368	AR	Z			ECB	DD5		SHIM, Final Drive, 1.42mm
		AR					DD4		
		AR	D, P			ECB	DD5		

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Fork and Rail A578 (DD4, DD5) Figure T350-910



NOTE; DD4 = 5 Spd Manual Trans A578 W/Perf G/S

DD5 = 5 Spd Manual Trans A578

ECB = 2.0L 4 Cyl - SOHC

ECC = 2.0L 4 Cyl - DOHC

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LEVER PACKAGE, Gearshift
	4856 841	1	D, P			ECB	DD5		
		1					DD4		
		1	Z			ECB	DD5		
2									PIN, Shift Shaft
	4761 145	1	Z			ECB	DD5		
	4778 249	1	D, P			ECB	DD5		
		1					DD4		
3									SHAFT, Detent
	4773 411	1	D, P			ECB	DD5		
		1	Z			ECB	DD5		
		1					DD4		
4									BLOCKER, Shift
	4761 146	1					DD4		
		1	Z			ECB	DD5		
		1	D, P			ECB	DD5		
5									PIN
	6101 475	1	Z			ECB	DD5		
		1	D, P			ECB	DD5		
		1					DD4		
6									RAIL, First and Second Shift
	4761 176	1					DD4		
		1	Z			ECB	DD5		
		1	D, P			ECB	DD5		
7									FORK, Transmission
	4761 175	1					DD4		
		1	D, P			ECB	DD5		
	4874 137	1	Z			ECB	DD5		
8									RAIL, Third and Fourth Shift
	4761 178	1	D, P			ECB	DD5		
		1					DD4		
		1	Z			ECB	DD5		
9									LUG, Third and Fourth Shift
	4761 179	1	D, P			ECB	DD5		
		1					DD4		
		1	Z			ECB	DD5		
10									LUG, Fifth and Reverse
	4761 181	1					DD4		

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

Fork and Rail A578 (DD4, DD5)  
Figure T350-910


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11	4761 180	1	D, P			ECB	DD5		RAIL, Fifth and Reverse Shift
		1	Z			ECB	DD5		
		1					DD4		
		1	Z			ECB	DD5		
12	4761 182	1	D, P			ECB	DD5		ARM, Reverse Lever
		1					DD4		
		1	Z			ECB	DD5		
		1					DD4		
13	6501 862	1	D, P			ECB	DD5		SNAP RING
		1	Z			ECB	DD5		
		1					DD4		
		1					DD4		
14	4761 152	1					DD4		BRACKET, Reverse Shift Rod
		1	Z			ECB	DD5		
		1	D, P			ECB	DD5		
		2					DD4		
15	4761 153	2					DD4		SCREW, Reverse Bracket
		2	Z			ECB	DD5		
		2	D, P			ECB	DD5		
		1					DD4		
16	4761 154	1					DD4		CAM, Reverse Block
		1	Z			ECB	DD5		
		1	D, P			ECB	DD5		
		1					DD4		
17	4874 137	1					DD4		FORK, Transmission
		1	Z			ECB	DD5		
		1	D, P			ECB	DD5		
		1					DD4		
18	4796 650	1					DD4		FORK, Transmission
		1	D, P			ECB	DD5		
		1	Z			ECB	DD5		
		1					DD4		
19	4874 137	1					DD4		LEVER, Crossover
		1	Z			ECB	DD5		
		1	D, P			ECB	DD5		
		1					DD4		
20	4761 148	1	D, P			ECB	DD5		PLATE, Crossover Stop
		1					DD4		
		1	Z			ECB	DD5		
		1					DD4		
21		1	Z			ECB	DD5		SPACER, Inner Crossover Lever

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Figure T350-910**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4761 151	1					DD4		
		1	Z			ECB	DD5		
22		1	D, P			ECB	DD5		SPRING, Crossover Lever
	4761 149	1					DD4		
		1	Z			ECB	DD5		
23		1	D, P			ECB	DD5		RETAINER, Spring
	4761 150	1					DD4		
		1	Z			ECB	DD5		
24		1	D, P			ECB	DD5		LEVER, Crossover
	4761 143	1					DD4		
		1	D, P			ECB	DD5		
25	4761 147	1	Z			ECB	DD5		CLIP, Detent Shaft
	4761 158	1	D, P			ECB	DD5		
		1					DD4		
26		1	Z			ECB	DD5		PIN, Shift Shaft
	4762 603	1					DD4		
		1	Z			ECB	DD5		
		1	D, P			ECB	DD5		

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

**BODGE - TE**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 15, 2005**



# Controls, Gearshift A578 (DD4, DD5) Figure T350-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; DD4 = 5 Spd Manual Trans A578 W/Perf G/S

DD5 = 5 Spd Manual Trans A578

1	4670 185	1					DD4, DD5		KNOB, Gearshift With Leather Wrap
	4446 987	1					DD4, DD5		Except Leather Wrap
2	4641 138	1					DD4, DD5		BOOT, Gearshift
3	4670 220	1					DD4, DD5		SHIFTER, Transmission
4	6500 284	2					DD4, DD5		NUT, Hex, M6x1.00
5	6501 326	2					DD4, DD5		CLIP, Moulding
6	4641 135	1					DD4, DD5		CABLE, Gearshift Control
7	4269 830	2					DD4, DD5		CLIP, Cable
8	4641 134	1					DD4, DD5		BRACKET, Transmission Control Cable
9	6100 296	3					DD4, DD5		BOLT, Hex Head

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Group – 21P

## Speedometer Pinions


### GROUP 21P - Speedometer Pinions


Illustration Title

Group-Fig. No.


#### Speedometer Pinions

Pinion, Speedometer, (DD4 - DD5 - DGC) ..... Fig. 21P-101



<div>21P-100</div> <div>Speedometer Pinions</div> <div></div>			
--	--	--	--

Pinion, Speedometer, (DD4 - DD5 - DGC)  
Figure 21P-101



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; DD4 = 5 Spd Manual Trans A578 W/Perf G/S

DD5 = 5 Spd Manual Trans A578

DGC = 3 Spd Manual Trans 31TH

1	4707 839AA	1							SENSOR, Vehicle Speed
2									SCREW AND WASHER, Hex Head, M6x1x18
	6501 714	1					DD4, DD5 DGC		
		1							
3	4567 881	1					DGC		PINION, Speedometer Drive, Blue
	4593 107	1					DD4, DD5		
-4	4641 215	1					DD4, DD5		PINION, Speedometer Drive, Natural

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005




Group – 022  
Wheels, Covers and Jacks

GROUP 22 - Wheels, Covers and Jacks

Illustration Title Group-Fig. No.








<b>Wheels and Hardware</b>	
Wheels and Hardware .....	Fig. 022-101
<b>Wheel Covers and Center Caps</b>	
Caps and Covers, Wheel .....	Fig. 022-201
<b>Jack Stowage</b>	
Jack and Spare Tire Stowage .....	Fig. 022-301



<b>022-100</b> Wheels and Hardware	<b>022-200</b> Wheel Covers and Center Caps	<b>022-300</b> Jack Stowage	
			

## Wheels and Hardware

### Figure 022-101

<p>1</p> 	<p>2</p> 	<p>3</p> 	
		<p>4</p>  <p>5</p>  <p>6</p> 	<p>7</p> 

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Codes:									
WH6 - WHEELS - 14 X 6.0 ALUMINUM, WHITE									
WHH,WHP - WHEELS - 14 X 6.0 ALUMINUM									
WBB - WHEELS - 14 X 5.5 BLACK									
TBB - SPARE TIRE - FULL SIZE									
WH0 - WHEELS - ALL 14" STYLED									
W4Y,W4X,W4E - WHEEL COVERS - 14"									
W4C,W4W - WHEEL COVERS - 14"									
1									WHEEL, Aluminum
	PL54 GW7	4							White, WH6
	PL54 PAK	4							Silver, WHP
	4370 832	4							Fleet - Gold
	RY42 PAKAA	4							Silver, WHH
2	4684 697	4							WHEEL, Steel, WBB - TBB
3	4684 695	1							WHEEL, Spare
4	6502 738	20							NUT, Wheel Chrome, M12x1.5, WH0
5	6500 526	20							NUT, Wheel, M12x1.5, W4E, W4S, W4G
6	6504 266	20							NUT, Wheel, [W4Y,W4C,W4J,W4W, W4X]
7									STEM, Wheel Valve
	3461 079	4							1' Extension
	2073 355	5							1 1/4'
-8									LABEL, Tire Pressure
	4472 985	1	D, P						English
	4472 986	1	D, P						French - CANADA
	4656 079	1	Z		42				w/o Australia
	4656 077	1	Z		42				Australia
	4656 079	1	D, P						EUROPE
	4656 293AA-	1	D, P						Competition Pkg., French
	4656 280AA-	1	D, P						Competition Pkg., English

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

**DODGE - FL**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE

Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY

41=4 Door, 104WB


ENGINE

ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION

TRANSMISSION  
DD5 = 5 Speed Manual  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

Caps and Covers, Wheel  
Figure 022-201



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

WH6 - WHEELS - 14 X 6.0 ALUMINUM, WHITE

W4J - WHEEL COVERS - 14', PREMIUM

W4C,W4W - WHEEL COVERS - 14' WHITE

W4Y,W4X,W4E - WHEEL COVERS - 14'

WHH,WHP - WHEELS - 14 X 6.0 ALUMINUM

1									COVER, Wheel, 14"
	4656 251	4							Bright White (W4C)
	4656 376	4							Silver (W4Y)
2	4656 376AB	4							COVER, Wheel, (W4X)
3	4656 381	4							COVER, Wheel, 14", (W4E)
4									COVER, Wheel, 14"
	4656 777	4							White (W4W)
	4656 825	4							(W4J)
5									CAP, Wheel Center, Machine Finish Aluminum
	PH83 GW7	4							White (WHT)
	PH83 PAK	4							Silver (WHP)
6									CAP, Wheel Center, Fleet - Gold (WHP,WH6)
	4370 833	4							
	RY51 PAKAA	4							Silver (WHH)
7	4882 554	1							CAP, Nut
-8	2073 355	5							STEM, Wheel Valve, 1.25 inches

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

## Jack and Spare Tire Stowage Figure 022-301

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

### Sales Codes:

TBC = Compact Spare

TBB - Full Size Spare

1	4371 785	1							PLATE, Spare Tire Cover
2									COVER, Spare Tire, with Carpet
	PP26 HSBAB	1							Dark Charcoal, Compact Spare
	QH36 HSBAB	1							Dark Charcoal, Full Size Spare
3	6032 619	1							WINGNUT, Jack and Tire Hold Down
4	4371 895	1							PLATE, Spare Tire Cover
5	6034 821	1							BOLT, Square Neck, .375-16x5.50
6									PAD, Spare Tire, (NOT SERVICED) (Not Serviced)
7	4206 922	1							BRACKET, Spare Tire
8	5256 625	1							JACK
-9	4751 528	1							HANDLE, Jack
-10									LABEL, Tire Pressure
	4656 077	1	Z		42				Australia
	4656 079	1	D, P						Bi-Lingual
	4656 293AA-	1	D, P						French - Competition Package
	4472 985	1	D, P						
	4472 986	1	D, P						French
	4656 079	1	Z		42				Bi-Lingual
	4656 280AA-	1	D, P						English
-11	4103 504	1							LABEL, Jack Caution
-12									LABEL, Jack Instructions
	4888 576	1	Z		42				Usage
	4888 682	1	Z		42				Warning
	4783 035AB-	1							Compact Spare
	4888 536AB-	1							Conventional Spare
-13	5256 549	1							BAG, Jack Tool Storage

### DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005

Group – 23D

Wiper/Lock Cylinder and Keys

GROUP 23D - Wiper/Lock Cylinder and Keys


Illustration Title	Group-Fig. No.
<b>Lock Cylinders and Keys</b>	
Lock Cylinder And Keys .....	Fig. 23D-105
<b>Windshield Wiper and Washer Systems</b>	
Windshield Wiper And Washer .....	Fig. 23D-205



<div>23D-100</div> <div>Lock Cylinders and Keys</div> <div></div>	<div>23D-200</div> <div>Windshield Wiper and Washer Systems</div> <div></div>		
---	---	--	--



Lock Cylinder And Keys  
Figure 23D-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5507 5487	1	D, P						KEY, Blank
2	4773 984	2	Z		42				KEY, Blank, Neon Glow
		1	D, P						
3	5003 843AA	1	Z		42				CYLINDER, Ignition Lock
		1	D, P						
4	5010 879AA	1	Z		42				TUMBLER, Ignition Number 1, Sidebar
		1	D, P						
-5	5010 880AA-	1	Z		42				TUMBLER, Ignition Number 2, Sidebar
		1	D, P						
-6	5010 881AA-	1	Z		42				TUMBLER, Ignition Number 3, Sidebar
		1	D, P						
-7	5010 882AA-	1	Z		42				TUMBLER, Ignition Number 4, Sidebar
		1	D, P						
8	5010 883AA	1	D, P						SPRING, Ignition Tumbler, Sidebar
9									CYLINDER LOCK, DOOR OR LIFTGATE, BRIGHT
	4778 125	1	Z		42				
		1	D, P						
10									TUMBLER, Door and Deck Number 1, Wide
	4778 117	1	Z		42				
		1	D, P						
-11									TUMBLER, Door and Deck Number 2, Wide
	4778 118	1	D, P						
		1	Z		42				
-12									TUMBLER, Door and Deck Number 3, Wide
	4778 119	1	Z		42				
		1	D, P						
-13									TUMBLER, Door and Deck Number 4, Wide

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lock Cylinder And Keys  
Figure 23D-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4778 120	1	Z		42				
		1	D, P						
14	4778 121	1	D, P						SPRING, Door and Deck Tumbler
		1	Z		42				
15	4778 146	1	Z		42				CYLINDER, Deck Lid Lock
		1	D, P						
16									TUMBLER, Door and Deck Number 1, Wide
	4778 117	1	Z		42				
		1	D, P						
-17									TUMBLER, Door and Deck Number 2, Wide
	4778 118	1	D, P						
		1	Z		42				
-18									TUMBLER, Door and Deck Number 3, Wide
	4778 119	1	Z		42				
		1	D, P						
-19									TUMBLER, Door and Deck Number 4, Wide
	4778 120	1	Z		42				
		1	D, P						
20									SPRING, Door and Deck Tumbler
	4778 121	1	Z		42				
		1	D, P						
21									LINK, Key Cylinder To Latch Right
	4658 918	1			42				Left
	4658 919	1			42				Right
	4658 924	1	D, P		22				Left
	4658 925	1	D, P		22				Right
22	56021 903AA	1	D, P						TRANSMITTER, Keyless Entry
-23	5600 9113	2							TRANSMITTER, Anti Theft, Export
-24	8350 4802	1	D, P						BATTERY, Transmitter
25	4661 982	1	D, P						RECEIVER, Keyless Entry
26	4480 116	1							RETAINER, Lock Cylinder
27									CLIP, Retainer
	6026 125	2	D, P						E-Type
		2	Z		42				E-Type
28									CAP, Door Lock Cylinder, Bright
	4778 149	1	D, P						

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lock Cylinder And Keys  
Figure 23D-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Z		42				
29	5257 148	1	D, P						CAP, Door Lock Cylinder, Black
		1	Z		42				
30	4717 288	2	D, P						LEVER, Front Door Cylinder
		2	Z		42				
31	4723 494	1	D, P						LEVER, Deck Lid Lock Cylinder
		1	Z		42				
32	4658 444	1							CLIP, Latch Purple
	4658 445	1							Orange
33	5507 4799	1							GASKET, Door Lock Cylinder, Black
34	2583 377	1							RETAINER, Door Lock Cylinder
35									SHUTTER, Door, Deck and Liftgate, Bright
	4778 150	1	Z		42				
		1	D, P						
-36	4778 151	1	Z		42				SHUTTER, Door, Deck Lid, Black
		1	D, P						
37	5257 245	1	Z		42				SPRING, Deck Lid Return
		1	D, P						
-38	4378 793	1	D, P						SPRING, Cylinder Return Door
		1	Z		42				Door
-39	5293 136AA-	1							MODULE, Security Alarm, Immobilizer, Export

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Windshield Wiper And Washer Figure 23D-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4863 705	1							PUMP, Washer, Windshield
2	4882 071	1							RESERVOIR, Washer
3	5003 285AA	1							FILLER NECK AND CAP, Washer Reservoir
4	4439 003	1							HOSE, Washer And Vacuum, 50 Foot Roll 5/32"
5	5263 881	2							NOZZLE, Washer, Windshield w/o Power Bulge, Right & Left
		1							Left
	5288 402	1							Right
6	4389 440	2							CAP, Wiper Arm Nut
7	6500 165	2							NUT, Wiper Arm
8									ARM, Wiper
	4882 156	1	D, P						Right
	4882 157	1	D, P						Left & Right Connector
	4882 093	1	Z		42				Left
	4882 096	1	Z		42				Right
9									BLADE, Wiper
	5288 236	1	D, P						Right
	5288 237	1	D, P						Left
10									FRAME, Wiper Pivot
	4864 912	1	Z		42				
	4882 158	1	D, P						
11	4761 321	1	Z		42				LINK, Drive Wiper
12	4761 324	1	Z		42				LINK, Slave
13									MOTOR, Wiper
	4882 659	1	Z		42				
	5011 390AA	1	D, P						
14									GROMMET, WIPER FRAME, (NOT REQUIRED)
-15	4798 779	1							GASKET, Reservoir Sensor
-16	4863 704	1							GROMMET, Washer Reservoir
-17	5288 274	2							CHECK VALVE, Washer
-18	4741 482	1	Z		42				REFILL, Wiper Blade
-19	5012 964AA-	1							GROMMET, Windshield Washer Pump
-20	4793 909AB-	1							WIRING, Underhood Lamp

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

# Group – 024

## Air Conditioning & Heater

### GROUP 24 - Air Conditioning & Heater

Illustration Title Group-Fig. No.

#### Air Conditioner and Heater Units

Heater Unit Left-Hand Drive .....	Fig. 024-103
Heater Unit Right-Hand Drive .....	Fig. 024-105
Air Conditioning Unit Left-Hand Drive .....	Fig. 024-115
Air Conditioning and Heater Unit Right Hand Drive .....	Fig. 024-120

#### Air Conditioner and Heater Plumbing

Plumbing, Heater .....	Fig. 024-202
Plumbing, Air Conditioning .....	Fig. 024-204

#### Air Conditioner and Heater Controls

Controls, Air Conditioning and Heater .....	Fig. 024-302
---	--------------

#### Air Conditioning Compressor


Compressor .....	Fig. 024-403
------------------	--------------







#### Air Conditioning Compressor Mounting

Compressor Mounting .....	Fig. 024-503
---------------------------	--------------


#### Air Ducts and Outlets

Air Distribution Ducts, Outlets .....	Fig. 024-603
---------------------------------------	--------------



<b>024-100</b> Air Conditioner and Heater Units 	<b>024-200</b> Air Conditioner and Heater Plumbing 	<b>024-300</b> Air Conditioner and Heater Controls 	<b>024-400</b> Air Conditioning Compressor 
<b>024-500</b> Air Conditioning Compressor Mounting 	<b>024-600</b> Air Ducts and Outlets 		

Heater Unit Left-Hand Drive  
Figure 024-103




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4864 954	1	D, P						HOUSING, Blower Motor
2	4644 388	7	D, P						CLIP, A/C Heater Housing
3	4734 227	18	D, P						SCREW, Hex Head, M4.8-1.59x19
4	4644 225	3	D, P						STUD, A/C Heater Housing
5	6031 087	3	D, P						SEAL, Air Conditioning Unit
6	4644 545	1	D, P						MOTOR PACKAGE, Heater Blower
-7	5264 693	1	D, P						RESISTOR, Blower Motor
-8	5264 714	1	D, P						COVER, Blower Motor
9	6101 308	2							NUT, U, M6x1
10	4661 316	1	D, P						WIRING, Heater Jumper
11	4661 315AB	1	D, P						WIRING, Heater and A/C Jumper
12	4734 453	1	D, P						CORE, Heater
-13	4734 021	1							SEAL, Heater Core, Serviced in Heater Core
14	4644 499	4	D, P						CLIP, Air Conditioning Cable
15	4886 379AA	1	D, P						HOUSING, Distribution
16	4644 500	1	D, P						DUCT, Floor Distribution
17	4864 960	1	D, P						SEAL KIT, A/C And Heater Unit

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Heater Unit Right-Hand Drive Figure 024-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HOUSING, Heater Air Inlet
	4874 178	1	Z		42				Up to 6-8-98
	5013 422AA	1	Z		42				After 6-8-98
2									HOUSING, A/C And Heater
	4874 176	1	Z		42				Up to 6-8-98
	5013 421AA	1	Z		42				After 6-8-98
3	4874 179	1	Z		42				MOTOR, Blower with Wheel
-4	4462 840	1	Z		42				RESISTOR, Blower Motor
-5	4874 185	1	Z		42				COVER, Blower Motor
6	4874 181	1	Z		42				CORE, Heater
7	4874 182	1	Z		42				COVER, Heater Core Tubes
8	4874 183	1	Z		42				TUBE, Heater Core
9	4644 388	6	Z		42				CLIP, A/C Heater Housing
10	4644 225	3	Z		42				STUD, A/C Heater Housing
11	6031 087	3	Z		42				SEAL, Air Conditioning Unit
12	4874 186	1	Z		42				PLUG, A/C Evaporator Drain Tube
13	4874 187	1	Z		42				SEAL KIT, A/C And Heater Unit
14	4661 940AB	1	Z		42				WIRING, Heater and A/C Jumper
-15	4734 227	25	Z		42				SCREW, Hex Head, M4.8-1.59x19
-16	4874 184	1	Z		42				GROMMET, A/C Probe

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

# Air Conditioning Unit Left-Hand Drive Figure 024-115



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4864 527	1	D, P						HOUSING, Blower Motor
2	4644 388	4	D, P						CLIP, A/C Heater Housing
3	4734 227	28	D, P						SCREW, Hex Head, M4.8-1.59x19
4	4644 225	3	D, P						STUD, A/C Heater Housing
5	6031 087	3	D, P						SEAL, Air Conditioning Unit
6	4864 953	1	D, P						HOUSING, Air Inlet
7	6101 308	2							NUT, U, M6x1
8	4644 918	1	D, P						MOTOR, Blower with Wheel
-9	4462 840	1							RESISTOR, Blower Motor
10	4661 315AB	1	D, P						WIRING, Heater and A/C Jumper
11	4644 536	1	D, P						PROBE, Air Conditioning
12	5011 513AA	1	D, P						EVAPORATOR, Air Conditioning
13	4734 918	1	D, P						ACTUATOR, Recirculation Door
14	4734 921	1	D, P						HARNESS, A/C And Heater Vacuum
15	4734 453	1	D, P						CORE, Heater
16	4644 499	4	D, P						CLIP, Air Conditioning Cable
17	4886 379AB	1	D, P						HOUSING, Distribution
18	4644 500	1	D, P						DUCT, Floor Distribution
19	4864 960	1	D, P						SEAL KIT, A/C And Heater Unit
-20	5264 774	1							DECAL, A/C System Specification

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth


BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual




Air Conditioning and Heater Unit Right Hand Drive  
Figure 024-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HOUSING, Air Inlet
	4864 953	1	D, P						
	4874 177	1	Z		42				Up to 6-8-98
	5013 423AA	1	Z		42				After 6-8-98
2									HOUSING, A/C And Heater
	4874 176	1	Z		42				Up to 6-8-98
	5013 421AA	1	Z		42				After 6-8-98
3	4874 179	1	Z		42				MOTOR, Blower with Wheel
4	4874 185	1	Z		42				COVER, Blower Motor
5	4644 536	1	Z		42				PROBE, Air Conditioning
6	4874 180	1	Z		42				EVAPORATOR, Air Conditioning
7	4874 181	1	Z		42				CORE, Heater
8	4874 182	1	Z		42				COVER, Heater Core Tubes
9	4874 183	1	Z		42				TUBE, Heater Core
10	4644 388	6	Z		42				CLIP, A/C Heater Housing
11	4644 225	3	Z		42				STUD, A/C Heater Housing
12	6031 087	3	Z		42				SEAL, Air Conditioning Unit
13	4661 940AB	1	Z		42				WIRING, Heater and A/C Jumper
14									SEAL KIT, A/C And Heater Unit
	4864 960	1	D, P						
	4874 187	1	Z		42				
-15	4734 227	25	Z		42				SCREW, Hex Head, M4.8-1.59x19
16	4644 500	1							DUCT, Floor Distribution

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

Plumbing, Heater  
Figure 024-202



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

ECB = 2.0L SOHC

ECC = 2.0L DOHC

EBD = 1.8L SOHC 16V

1	5264 658	2	D, P						HOSE, Heater Core To Tube
	5264 709	2	Z		42				
-2	5264 728	1	Z		42				CLIP
3	6502 017	4	D, P			ECC			CLAMP, Heater Hose
4									CLAMP, Supply Hose, 26 mm Diameter
	6503 422	4	D, P						
		2	Z		42				
5	5264 651	1	D, P			ECB			TUBE, Heater Hose
		1	Z		42	ECB			
		1	D, P			EBD			Export
		1	Z		42	EBD			Export
6	4777 036	1	D, P			ECC			TUBE, Heater
-7	6505 088AA-	1	D, P			ECC			STUD, Double Ended, M8x1.25x50.00, Heater Tube
-8									BOLT AND CONED WASHER, Hex Head, M6x16x14
	6102 003	2	D, P			ECB			
		2	Z		42	ECB			
		2	D, P			ECC			
		1	D, P			EBD			Export
		2	Z		42	EBD			Export
9	5264 692	1	D, P			EBD			BRACKET, Heater Tube To Block
		1	D, P			ECB			Export
		1	Z		42	ECB			
		1	Z		42	EBD			Export
10	5264 689	1	D, P			ECB			HOSE, Heater
		1	Z		42	ECB			
		1	D, P			EBD			Export
		1	Z		42	EBD			Export
11	4667 564	1	D, P			ECC			HOSE, Heater Supply
12									HOSE, Heater, Tube to Pump
									(Served in Item #6), (NOT SERVICED) (Not Served)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth


BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual


Plumbing, Heater  
Figure 024-202

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	4667 854	1	D, P			ECC			HOSE, Heater Return
14									CLAMP, Supply Hose, 26 mm Diameter
	6503 422	4	D, P			ECB			
		4	Z		42	ECB			
		4	Z		42	EBD			Export



DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

Plumbing, Air Conditioning  
 Figure 024-204




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Codes:									
ECB = 2.0L SOHC									
1									DRIER, Air Conditioning Filter
	4883 278	1	Z		42				
	4883 282	1	D, P						
2									LINE, A/C Liquid
	4883 277	1	Z		42				
	4883 281	1	D, P						
3									LINE, A/C Suction And Liquid
	4883 280	1	Z		42				
	4883 283	1	D, P						
4									O RING, A/C Line
	4796 564	1	Z		42				
		1	D, P						
5									VALVE CORE, Service Port
	4762 788	2	Z		42				
		2	D, P						
6	5264 642	1							CAP, A/C Check Valve
-7	6101 770	1							SCREW AND WASHER, Hex Head, .19-16x1.00, Liquid Line to
									Condenser
-8	6101 660	1							SCREW AND WASHER, Hex Head, M8x1.25x35, Lines to Expansion Valve
9	5264 643	1							GROMMET, A/C Drier Mounting
10	5264 744	1							VALVE, A/C Expansion, w/Cut-Off Switch
11									GASKET, A/C Expansion Valve
	5264 633	1	Z		42				
		1	D, P						
12	6032 572	2							SCREW, Cap, .25-20x2.00
13	5264 578	1							LINE, A/C Discharge
-14	6503 605	1							CLIP, Discharge Line
-15	6101 769	1							SCREW, Hex Head, M6x1x35, Discharge Line to Condenser
-16	4677 204	1	D, P						VALVE, Vacuum Check
17	4796 565	2							O RING, A/C Line
18									O RING, A/C Line
	4882 139	2	Z		42				
		2	D, P						
19	4677 045	1							GASKET, Valve To Evaporator
20									CONDENSER, Air Conditioning

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required   - = Non illustrated part   # = New this model year

September 15, 2005

Plumbing, Air Conditioning  
Figure 024-204



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4740 109	1				ECB			[Stamped 4495936-4495937-4495936AB, Belvedere Built - first digit of VIN = 1]
		1				ECC			[Stamped 4495936-4495937-4495936AB, Belvedere Built - first digit of VIN = 1]
		1	Z		42	EBD			[Stamped 4495936-4495937-4495936AB, Belvedere Built - first digit of VIN = 1]
	4798 950	1							[Stamped 4546986-4546900, Mexico Built - first digit of VIN = 3]
-21	5264 774	1							DECAL, A/C System Specification


DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Controls, Air Conditioning and Heater

## Figure 024-302



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CONTROL, A/C And Heater, w/o Faceplate
	4897 294AA	1	Z		42				
	4886 204AA	1	D, P						
2									CONTROL, Heater, w/o Faceplate
	4886 205AA	1							
	4897 293AA	1	Z		42				
3	MK01 TX9	3							KNOB, A/C Control
4	MK02 TX9	1							KNOB, Blower Switch
5	6032 723	2							SCREW, Self Tapping, M4.2x1.69x19.05
6									CABLE, Mode
	4644 495	1	D, P						
		1	Z		42				
7									CABLE, Temperature Control
	4644 496	1	D, P						
		1	Z		42				
8	4644 494	1	Z		42				CABLE, Recirculation Door
9	4734 921	1	D, P						HARNESS, A/C And Heater Vacuum
10									CLIP, Air Conditioning Cable
	4644 499	4	Z		42				
		4	D, P						
-11									BULB, Heater and A/C Control
	5003 281AA-	2	D, P						
		2	Z		42				

### DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual


Compressor  
Figure 024-403



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5264 745	1							COMPRESSOR, Air Conditioning
2	4773 100	1							MANIFOLD KIT, A/C Compressor
3	4728 854	1							SEAL, Manifold To Compressor
-4	4773 102	1							BOLT, A/C Compressor, Plumbing Attaching
5									VALVE, High Pressure Relief, Serviced in Manifold, (NOT SERVICED) (Not Serviced)
6	5264 457	1							BOLT KIT, A/C Compressor Manifold
7	5264 454	1							SNAP RING KIT, A/C Clutch
8	5264 452	1							CLUTCH OVERHAUL KIT, A/C Compressor
9	4864 715	1							COIL, Stator, A/C Compressor Clutch
10	4723 014	1							PULLEY HUB KIT, A/C Compressor, Pulley and Hub
11	4773 101	1							SWITCH, A/C High Pressure Cut Off

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

Compressor Mounting  
Figure 024-503



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

ECB = 2.0L SOHC

ECC = 2.0L DOHC

EBD = 1.8L SOHC 16V


1									SCREW AND WASHER, Hex Head, M10x1.5x45
	6101 512	3	Z		42	ECB			
		3	D, P			ECB			
		3	D, P			ECC			
		3	D, P			EBD			Export
		3	Z		42	EBD			Export
2	4612 130	1							BRACKET, A/C Compressor
3	5264 745	1							COMPRESSOR, Air Conditioning
4	6503 219	3							SCREW AND WASHER, Hex Head, M8x1.25x100

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual



# Air Distribution Ducts, Outlets Figure 024-603



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5264 791AA	1							DUCT, Defroster, Black, Upper
-2	5264 656	1							SEAL, Defroster Duct, Upper
3	5264 703	1	Z		42				DUCT, Defroster Lower
	5264 569	1	D, P						DUCT, Defroster Lower
-4	5264 604	1	Z		42				SEAL, Defroster Duct Lower
		1	D, P						SEAL, Defroster Duct Lower
5	5264 541	1	D, P						DUCT, Air Outlet
6	5264 702	1	Z		42				DUCT, Air Outlet Distribution
-7	6032 723	2							SCREW, Self Tapping, M4.2x1.69x19.05
8									ADAPTER, Demister
	5264 705	1	Z		42				
	5264 575	1	D, P						
-9	6032 723	2							SCREW, Self Tapping, M4.2x1.69x19.05
10									HOSE, Demister Right
	5264 574	1	D, P						
		1	Z		42				
11	5264 610	1	D, P						DUCT, Air Outlet
12	5264 706	1	Z		42				DUCT, Air Outlet, Left
13	5264 540	1	D, P						DUCT, Air Outlet
14	5264 701	1	Z		42				DUCT, Air Outlet
15									DUCT, Air Outlet
	5264 609	1	D, P						
	5264 707	1	Z		42				
16	LF74 TX7	1	D, P						OUTLET, Air Side Instrument Panel Left
		3	D, P						OUTLET, Air Side Instrument Panel Right
		1	Z		42				OUTLET, Air Side Instrument Panel Left
		3	Z		42				OUTLET, Air Side Instrument Panel Right
17									GRILLE, Instrument Panel Demister
	MF99 1AZ	1	D, P						Agate, Left
	MF98 1AZ	1	D, P						Agate, Right
	MF98 1KB	1	D, P						Dark Camel, Right
	MF99 1KB	1	D, P						Dark Camel, Left

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Group – 025

## Emission Systems

### GROUP 25 - Emission Systems

Illustration Title Group-Fig. No.

**Emission Labels**

Emission Labels PL ..... Fig. 025-101

**EGR System**

EGR System PL ..... Fig. 025-201

**Vacuum Canister**

Vapor Canister PL ..... Fig. 025-301

**Emission Harness**





Emission Control Vacuum Harness PL ..... Fig. 025-401

Leak Detection Pump PL ..... Fig. 025-491

025-100

025-400

025-300

<p><b>025-100</b> Emission Labels</p> 	<p><b>025-200</b> EGR System</p> 	<p><b>025-300</b> Vacuum Canister</p> 	<p><b>025-400</b> Emission Harness</p> 
---	--	---	--

Emission Labels PL  
Figure 025-101

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes

[ABJ]=Japan

[ABT]=Tiawan

[DD4]=Manual Perf. Trans.

[DD5]=Manual Trans.

[DGC]=Automatic Trans

[EBD]=1.8L Engine.

[ECB]=2.0L SOHC Engine.

[ECC]=2.0L DOHC Engine

[NAA]=Federal Emissions

[NAE]=California Emissions

1

LABEL, Emission

4669 952	1	D, P	ECC	DGC	
	1	D, P	ECC	DD4, DD5	
4891 100AA	1		EBD		All [NAA] Federal
4891 085AA	1		ECB		Domestic [NAA] Federal
4891 091AA	1		ECC		Domestic/International [NAA] Federal
4891 087AA	1		ECB	DD4, DD5	All [NAE] California
4891 088AB	1		ECB	DGC	All [NAE] California
4891 093AA	1		ECC		All [NAE] California
4891 086AB	1		ECB		Canada [NAA] Federal
4891 092AB	1		ECC		Canada [NAA] Federal
4891 219AA	1		ECB	DD4	Canada [ACR] Competition Group
4891 220AA	1		ECC	DD4	Canada [ACR] Competition Group
4891 090AA	1		ECB	DD4, DD5	All [ACR] Competition Group
4891 218AA	1		ECC	DD4	Domestic/International [ACR] Competition Group
4891 089AA	1		ECB	DD5, DGC	International [ABD] Middle East Equipment


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


1



CATALYST

CHRYSLER CORPORATION

# EGR System PL Figure 025-201



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1									VALVE, EGR
	4287 602	1	D, P			ECB	DGC		
		1	D, P			ECC	DGC		
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECC	DD4, DD5		
2									TUBE, EGR
	4669 228	1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		
	4669 244	1	D, P			ECC	DGC		
	4669 228	1	D, P			ECB	DD4, DD5		
	4669 244	1	D, P			ECC	DD4, DD5		
-3									SEAL, EGR Tube
	4667 431	1	D, P			EBD	DD4		
		1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	Z		42	EBD	DD4		
4									BOLT, EGR Tube
	6500 464	2	Z		42	ECB	DGC		
		2	D, P			ECB	DGC		
		2	D, P			ECC	DGC		
		2	D, P			ECC	DD4, DD5		
		2	D, P			EBD	DD4		
		2	Z		42	EBD	DD4		
		2	D, P			ECB	DD4, DD5		
5									GASKET, EGR Valve
	4663 247	1	D, P			ECB	DGC		
		1	D, P			ECC	DGC		
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DD4, DD5		

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth


BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

**EGR System PL**  
**Figure 025-201**

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P			ECC	DD4,		
		1	Z		42	ECB	DD5		
		1	D, P			EBD	DD4		
		1	Z		42	EBD	DD4		
6	5277 928	1	D, P			ECB	DGC		GASKET, EGR Tube Flange
		1	D, P			ECC	DGC		
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DD4,		
		1	D, P			ECC	DD5		
		1	D, P			ECC	DD4,		
		1	D, P			ECC	DD5		
		1	Z		42	ECB	DD5		
7	4669 920AB	1				ECB,			HARNESS, Emission Control
						ECC			



**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

SERIES	LINE	BODY
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB
H=High Line	D=Dodge	
S=Special	D=Chrysler	
	P=Plymouth	


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005

Vapor Canister PL  
Figure 025-301



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DGC] = 3 Speed Automatic Transmission

[DD4] = 5 Speed Performance Manual Transmission

[DD5] = 5 Speed Manual Transmission

[EBD] = 1.8L 4 Cylinder SOHC 16V SEFI Engine

[ECB] = 2.0L 4 Cylinder SOHC 16V SMPI Engine

[ECC] = 2.0L 4 Cylinder DOHC 16V SMPI Engine


1	4891 240AA	1							BRACKET, Vapor Canister
2	6035 155	4							SCREW, Hex Head, .25-14x.875
3	53031 643AA	1							CAP, Vent Tube
4									CANISTER, Vapor
	4669 456	1							[NAE] California Emissions
	4891 255AA	1							[NAA] Federal [NZ5] High Speed
									Engine Controller
5									CONNECTOR, Vapor Canister Vent Hose
	4179 981	1	Z		42	ECB	DGC		
		1	D, P			EBD	DD4		
		1	Z		42	EBD	DD4		
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4,		
		1	D, P				DD5		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DD4,		
							DD5		
6	4669 358	1							BRACKET, Leak Detection Pump

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

# Emission Control Vacuum Harness PL

## Figure 025-401



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4741 758	1							BRACKET, Duty Cycle Purge Solenoid
2	4669 564	1							HARNESS, Emission Control Vacuum
3	4669 475AB	1							SOLENOID, Duty Cycle Purge
4	4669 391AB	1	D, P			ECB	DGC		HARNESS, Vapor Purge NAE (California)
		1	D, P			ECB	DD4, DD5		NAA, NAE (Federal, California)
	4669 879	1	Z		42	ECB	DGC		NAB (Leaded Fuel)
		1	D, P			ECB	DGC		NAB (Leaded Fuel)
		1	D, P			ECB	DD4, DD5		
		1	D, P			EBD	DD4		
		1	Z		42	EBD	DD4		
	4669 392AB	1	D, P			ECC	DGC		Vapor Purge and LDP
		1	D, P			ECC	DD4, DD5		Vapor Purge and LDP
5									HARNESS, Vacuum Vapor Purge, (NOT REQUIRED)
-6									HARNESS, EGR And Speed Control, (NOT REQUIRED)
-7	4546 944	1							TUBE, Vapor, .25x.25
-8	4669 427	1	D, P			ECC	DGC		BRACKET, Vacuum Harness
		1	D, P			ECC	DD4, DD5		
	4669 557	1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	Z		42	ECB	DD5		
		1	D, P			EBD	DD5		
		1	Z		42	EBD	DD5		
		1	D, P			EBD	DD4		
		1	Z		42	EBD	DD4		
-9	4669 292	1							ORIFICE, Emission Harness
-10									CONNECTOR, Manifold Vacuum, (NOT REQUIRED)
-11	4612 901	1							FILTER, Leak Detection Pump

### DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

Emission Control Vacuum Harness PL  
Figure 025-401



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-12	4897 592AA-	1							HARNESS, Duty Cycle Purge Solenoid

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		




Leak Detection Pump PL  
Figure 025-491

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans.  
DD5=Manual Trans.


1	4612 901	1							FILTER, Leak Detection Pump
2	4669 359	1							HOSE, Leak Detection Pump
3	4669 306AB	1							PUMP, Leak Detection
4	4669 360	1							HOSE, Leak Detection Pump
5	4669 358	1							BRACKET, Leak Detection Pump



DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual





# Group – DPL

## Doors and Related Parts




### GROUP DPL - Doors and Related Parts

Illustration Title	Group-Fig. No.
<b>Front Door</b>	
Door, Front, PL42 Shell, Glass and Hinge .....	Fig. DPL-105
Door, Front, PL22 Shell, Glass and Hinge .....	Fig. DPL-106
Door, Front, PL42 Regulator, Handle and Locking .....	Fig. DPL-107
Door, Front, PL22 Regulator, Handle and Locking .....	Fig. DPL-108
<b>Rear Door</b>	
Door, Rear Shell, Glass and Hinge .....	Fig. DPL-205
Door, Rear Regulator, Handle and Locking .....	Fig. DPL-207
<b>Exterior Mirror</b>	
Mirror, Exterior .....	Fig. DPL-505
<b>Weatherstrips and Seals</b>	
Door, Front and Rear Weatherstrips and Seals .....	Fig. DPL-605
Door, Front, PL22 Weatherstrips and Seals .....	Fig. DPL-606

<b>DPL-100</b> Front Door	<b>DPL-200</b> Rear Door	<b>DPL-500</b> Exterior Mirror	<b>DPL-600</b> Weatherstrips and Seals
			

Door, Front, PL42 Shell, Glass and Hinge  
Figure DPL-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Front
	4883 508AA	1			42				Right
	4883 509AA	1			42				Left
2									PANEL, Door Outer
	4615 660AB	1			42				Right
	4615 661AB	1			42				Left
-3	2895 126	4							PLUG, Body, 1.25x.50
-4									SPACER, Door Impact Blocker, Hard Foam
	4658 718	1			42				Right
	4658 719	1			42				Left
-5	0154 619	6			42				SCREW, Tap Hex Flange Head, .190-16x1.0, Blocker
6									GLASS, Front Door
	4783 498	1			42				Right
	4783 499	1			42				Left
7	4658 332AB	4			42				STABILIZER, Door Glass Belt
8									SCREW, M6 x 1.00 x 12.00, (NOT SERVICED) (Not Serviced)
9									BRACKET, Inside Handle
	4658 352	1							Right
	4658 353	1							Left
10	6501 773	4							NUT, Plastic Snap-in
11	6035 372	2			42				SCREW, Pan Head Tapping, M6. 3x1.8x22.23
12	4620 799	2			42				BRACKET PACKAGE, Door Trim Panel
13									HINGE, Door
	4783 484	1			42				Lower Right,Upper Left
	4783 485	1			42				Lower Left,Upper Right
-14	6502 975	8							SCREW AND WASHER, Hex Head, M8x1.25x33, Hinge Attaching
15	4783 500	1			42				PIN, Door Hinge
-16	6035 926AA-	4							NUT, .312 Diameter, Hinge Pin
17	4661 215	2	D, P						PLUG, Body
18	4520 289	AR							SPACER, Door Latch Striker
19	4658 446	2			42				STRIKER AND BUMPER, Door Latch
20	6503 120	4			42				SCREW AND WASHER, Button Head Torx
21	4658 282	4			42				RETAINER, Glass to Liftplate, Front
22	4658 592	2			42				RETAINER, Glass to Liftplate, Rear
23	4793 758	2							SPEAKER, Front Door

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
24	0154 640	6							SCREW, Piercing, .164-15x1.25
-25	4888 625AA-	2			42				BUMPER, Door Ajar Switch
-26	5256 594	1							LABEL, Lift Point
-27									LABEL, Child Protection Lock, English
	4615 722	2			42				
	4615 723	2			42				French



**September 15, 2005**

# Door, Front, PL22 Shell, Glass and Hinge Figure DPL-106



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Front
	4741 334	1			22				Right
	4741 335	1			22				Left
2									PANEL, Front Door Outer Repair
	4658 054	1	D, P		22				Right
	4658 055	1	D, P		22				Left
-3	4658 826	2	D, P		22				BRACE, Door Inner Panel Belt
-4	2895 126	4							PLUG, Body, 1.25x.50
5									GLASS, Front Door
	4658 360	1	D, P		22				Right
	4658 361	1	D, P		22				Left
6	4658 332AB	4	D, P		22				STABILIZER, Door Glass Belt
7									SCREW, M6 x 1.00 x 12.00, (NOT SERVICED) (Not Serviced)
8									BRACKET, Inside Handle
	4658 352	1							Right
	4658 353	1							Left
9	6501 773	4							NUT, Plastic Snap-in
10	6035 372	2							SCREW, Pan Head Tapping, M6. 3x1.8x22.23
11	4665 530	2	D, P		22				BRACKET, Door Trim Panel
12									HINGE, Door
	4783 484	1	D, P		22				Upper Left,Lower Right
	4783 485	1	D, P		22				Upper Right,Lower Left
13	4783 500	1	D, P		22				PIN, Door Hinge
-14	6035 926AA-	4							NUT, .312 Diameter, Hinge Pin
-15	6502 975	8							SCREW AND WASHER, Hex Head, M8x1.25x33
16	4661 215	2	D, P						PLUG, Body
17	4520 289	AR							SPACER, Door Latch Striker
18	4658 446	2							STRIKER AND BUMPER, Door Latch
19	6503 120	4							SCREW AND WASHER, Button Head Torx
20	4658 282	6	D, P		22				RETAINER, Glass to Liftplate, Front
21	4658 282	6	D, P		22				RETAINER, Glass to Liftplate
22	4793 758	2							SPEAKER, Front Door
-23	4775 117	1	D, P		22				SEAL, Speaker
24	0154 640	6							SCREW, Piercing, .164-15x1.25

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Door, Front, PL42 Regulator, Handle and Locking Figure DPL-107



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									REGULATOR, Front Door Window
	4798 620	1			42				Right,Power
	4798 621	1			42				Left,Power
	4658 978	1			42				Right,Manual
	4658 979	1			42				Left,Manual
-2									REINFORCEMENT, Front Door
									Inner, Electric Window
	4783 150	1			42				Right
	4783 151	1			42				Left
-3	6100 047	1			42				NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00
4									HANDLE, Window Regulator
	FW80 SK5	2	D, P						Camel Tan
	FW80 TAZ	2	D, P						Agate
	JC09 SK5	2	D, P		42				Camel Tan, EUROPE
		2	Z		42				Camel Tan, EUROPE
	JC09 TAZ	2	D, P		42				Agate, EUROPE
		2	Z		42				Agate, EUROPE
5									SPACER, Window Regulator
	GY80 TAZ	2			42				Agate
	GY80 SK5	2			42				Camel Tan
6	4615 678AB	2							STABILIZER, Door Glass Belt
7	6100 047	1			42				NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00
8									KNOB, Front Door Latch Locking
	FX30 TX9	1		H	42				Right
		1	D, P	L	42				Right
	FX31 TX9	1		H	42				Left
	FX30 TX9	1		S	42				Right
	FX31 TX9	1	D, P	L	42				Left
		1		S	42				Left
9									LEVER
	4624 631	1			42				Left
	4624 630	1			42				Right
10									CHECK, Front Door
	4615 440AC	1			42				Right
	4615 441AC	1			42				Left
11									NUT, M6 x 1.00, (NOT SERVICED) (Not Serviced)
12									LINK, Door Latch
	4658 920	1			42				Right
	4658 921	1			42				Left
13									HANDLE, Front Door Exterior

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Door, Front, PL42 Regulator, Handle and Locking  
Figure DPL-107

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	PF74 MS4	1	D, Z						Warm Silver, Right
		1	P						Warm Silver, Right
	PF74 RH2	1	P						Candy Apple Red, Right
	PF74 RR4	1	D, Z						Bright Red, Right
		1	P						Bright Red, Right
	PF74 RW7	1	D, Z						Bright White, Right
		1	P						Bright White, Right
	PF74 RX8	1	D, Z						Black, Right
		1	P						Black, Right
	PF74 SG8	1	P						Forest Green, Right
	PF74 VAW	1	P						Deep Slate, Right
	PF74 VB3	1	D, Z						Intense Blue, Right
		1	P						Intense Blue, Right
	PF74 VMT	1	P						Deep Cranberry, Right
	PF74 VTE	1	P						Champagne Pearl, Right
	PF75 MS4	1	D, Z						Warm Silver, Left
		1	P						Warm Silver, Left
	PF75 RH2	1	P						Candy Apple Red, Left
	PF75 RR4	1	D, Z						Bright Red, Left
		1	P						Bright Red, Left
	PF75 RW7	1	D, Z						Bright White, Left
		1	P						Bright White, Left
	PF75 RX8	1	D, Z						Black, Left
		1	P						Black, Left
	PF75 SG8	1	P						Forest Green, Left
	PF75 VAW	1	P						Deep Slate, Left
	PF75 VB3	1	D, Z						Intense Blue, Left
		1	P						Intense Blue, Left
	PF75 VMT	1	P						Deep Cranberry, Left
	PF75 VTE	1	P						Champagne Pearl, Left
	4783 218	1							Flat Black, Right
	4783 219	1							Flat Black, Left
-14	6101 967	2							SCREW, Hex Head, M6x1.00x10.00
15	6033 876	6				42			SCREW, Tapping, M6.3x1.8x38.1
16									LATCH, Front Door
	4783 814	1							w/o Power Locks, Right
	4783 815	1							w/o Power Locks, Left
	4783 816	1							w/Power Locks, Right
	4783 817	1							w/Power Locks, Left
-17									CLIP, Latch Link
	4658 674	3				42			Right
	4658 675	3				42			Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DGO = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Door, Front, PL42 Regulator, Handle and Locking  
Figure DPL-107

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-18	4658 448	4			42				CLIP, Latch
19									LINK, Front Door Inside Remote Control to Latch
	4658 188	1			42				Right
	4658 189	1			42				Left
-20	3882 620	2	D, P		22				CLIP, Door Latch Anti-Rattle
-21	6035 372	2							SCREW, Pan Head Tapping, M6. 3x1.8x22.23
22									HANDLE, Interior Door, Serviced in Door Trim Panel
	FX36 TX9	1	D, P		42				Right
		1	Z		42				Right
23									BRACKET, Outside Door Handle
	4658 213	1							Left
	4658 212	1							Right
24	6100 047	1			42				NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00
25									LINK, Key Cylinder To Latch
	4658 918	1			42				Right
	4658 919	1			42				Left
-26									CLIP, Latch Link
	4658 676	2			42				Right
	4658 677	1			42				Left
27									LINK, Latch Actuating
	4658 086	1	D, P		22				Right
	4658 087	1	D, P		22				Left
28									MOTOR, Window Regulator
	4783 212	1			42				Right
	4783 213	1			42				Left
-29									DECAL, Theft Protection
	4814 399	2	D, P						
		2	Z		42				

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005





Door, Front, PL22 Regulator, Handle and Locking  
Figure DPL-108




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4783 720	1	D, P		22				CHANNEL, Front Door Glass Front, Right
	4783 721	1	D, P		22				Front, Left
2	4658 436	1	D, P		22				LIFT PLATE, Door Glass, Front Right
	4658 437	1	D, P		22				Left
3	4783 722AB	1	D, P		22				CHANNEL, Front Door Glass, Includes Lift Plate Right
	4783 723	1	D, P		22				Left
4	FW80 TAZ	2	D, P						HANDLE, Window Regulator Agate
	FW80 SK5	2	D, P						Camel Tan
5	GY80 SK5	2	D, P						SPACER, Window Regulator Camel Tan
	GY80 TAZ	2	D, P						Agate
6	4615 678AB	2							STABILIZER, Door Glass Belt
7	6500 284	2							NUT, Hex, M6x1.00
8	FP28 TX9	1	D, P		22				KNOB AND PUSH ROD, Door Latch Right
	FP29 TX9	1	D, P		22				Left
9	4624 631	1	D, P		22				LEVER Left
	4624 630	1	D, P		22				Right
10	4658 064AC	1	D, P		22				CHECK, Front Door Right
	4658 065AC	1	D, P		22				Left
11									NUT, m6 X 1.00, (NOT SERVICED) (Not Serviced)
12	4658 078	1	D, P		22				LINK, Exterior Door Handle Right
	4658 079	1	D, P		22				Left
13	4783 218	1							HANDLE, Front Door Exterior Right
	PF74 MS4	1	D, Z						Warm Silver - SPORT, Right
	4783 219	1							Left
	PF74 RH2	1	P						Candy Apple Red - SPORT, Right
	PF74 MS4	1	P						Warm Silver - SPORT, Right
	PF74 RR4	1	P						Bright Red - SPORT, Right
	PF74 RW7	1	D, Z						Bright White - SPORT, Right
	PF74 RX8	1	P						Black - SPORT, Right

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGO = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Front, PL22 Regulator, Handle and Locking  
Figure DPL-108




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	PF74 RR4	1	D, Z						Bright Red - SPORT, Right
	PF74 RW7	1	P						Bright White - SPORT, Right
	PF74 RX8	1	D, Z						Black - SPORT, Right
	PF74 VAW	1	P						Deep Slate - SPORT, Right
	PF74 SG8	1	P						Forest Green - SPORT, Right
	PF74 VB3	1	P						Intense Blue - SPORT, Right
	PF74 VMT	1	P						Deep Cranberry - SPORT, Right
	PF74 VB3	1	D, Z						Intense Blue - SPORT, Right
	PF74 VTE	1	P						Champagne Pearl - SPORT, Right
	PF75 MS4	1	D, Z						Warm Silver - SPORT, Left
		1	P						Warm Silver - SPORT, Left
	PF75 RH2	1	P						Candy Apple Red - SPORT, Left
	PF75 RW7	1	D, Z						Bright White - SPORT, Left
		1	P						Bright White - SPORT, Left
	PF75 RR4	1	D, Z						Bright Red - SPORT, Left
		1	P						Bright Red - SPORT, Left
	PF75 RX8	1	D, Z						Black - SPORT, Left
		1	P						Black - SPORT, Left
	PF75 VB3	1	D, Z						Intense Blue - SPORT, Left
		1	P						Intense Blue - SPORT, Left
	PF75 SG8	1	P						Forest Green - SPORT, Left
	PF75 VAW	1	P						Deep Slate - SPORT, Left
	PF75 VMT	1	P						Deep Cranberry - SPORT, Left
	PF75 VTE	1	P						Champagne Pearl - SPORT, Left
-14	4480 116	1							RETAINER, Lock Cylinder
15	6033 876	6							SCREW, Tapping, M6.3x1.8x38.1
16									LATCH, Front Door
	4783 816	1							w/Power Locks, Right
	4783 817	1							w/Power Locks, Left
	4783 814	1							w/o Power Locks, Right
	4783 815	1							w/o Power Locks, Left
-17									CLIP, Latch Link
	4658 674	1							w/o Power Locks, Right
	4658 675	1							w/o Power Locks, Left
-18	4658 448	4				42			CLIP, Latch
19									LINK AND SLEEVE, Inside Remote - Right
	4783 194	1	D, P			22			Right
	4783 195	1	D, P			22			Left
-20	6035 372	2							SCREW, Pan Head Tapping, M6.3x1.8x22.23
21	FX36 TX9	1	D, P			22			HANDLE, Interior Door, Serviced in Door Trim Panel, Right

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				ENGINE		TRANSMISSION		
SERIES	LINE	BODY		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
H=High Line	D=Dodge			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
S=Special	P=Plymouth					DG0 = All Automatics		
						DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Front, PL22 Regulator, Handle and Locking  
Figure DPL-108



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
22									BRACKET, Outside Door Handle
	4658 213	1							Left
	4658 212	1							Right
23	6500 284	4	D, P		22				NUT, Hex, M6x1.00
24									LINK, Key Cylinder To Latch
	4658 924	1	D, P		22				Right
	4658 925	1	D, P		22				Left
25									LINK, Latch Actuating
	4658 086	1	D, P		22				Right
	4658 087	1	D, P		22				Left
26									REGULATOR, Front Door Window
	4658 916	1	D, P		22				Manual, Right
	4658 917	1	D, P		22				Manual, Left
	4882 284	1	D, P		22				Power, Right
	4882 285	1	D, P		22				Power, Left
-27	4883 212	1	D, P		22				SPRING, Window Regulator Assist
-28									MOTOR, Front Door Electric
	4783 276	1	D, P		22				Right
	4783 277	1	D, P		22				Left
29	6500 284	4							NUT, Hex, M6x1.00
-30									SEAL, Front Window Crank,
									Serviced in Door Trim Panel in 1998, (NOT REQUIRED)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE		TRANSMISSION				
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua				
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic				
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic				
	P=Plymouth				DG0 = All Automatics				
					DBB= All 5 Speed Manual				

Door, Rear Shell, Glass and Hinge  
Figure DPL-205


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Rear
	4888 592	1			42				Right
	4888 593	1			42				Left
2									PANEL, Door Outer Repair
	4615 652	1			42				Right
	4615 653	1			42				Left
-3	2895 126	4			42				PLUG, Body, 1.25x.50
4									GLASS, Door
	4615 936	1			42				Right
	4615 937	1			42				Left
-5	6504 546	4			42				SCREW AND WASHER, Hex Head Lock, M6x1x19
6	4658 282	4			42				RETAINER, Glass to Liftplate
7	4658 332AB	4			42				STABILIZER, Door Glass Belt
8									SCREW, M6 x 1.00 x 12.00, (NOT SERVICED) (Not Serviced)
9	6504 546	6							SCREW AND WASHER, Hex Head Lock, M6x1x19
10									CHECK, Rear Door
	4615 464AC	1			42				Right
	4615 465AC	1			42				Left
11									NUT AND WASHER, M6 x 1.00, (NOT SERVICED) (Not Serviced)
12									LABEL, Child Protection Lock, English
	4396 978	2			42				Window
	4615 722	2			42				Door
13	4888 625AA	4			42				BUMPER, Door Ajar Switch
14	4520 289	AR			42				SPACER, Door Latch Striker
15	4658 446	2			42				STRIKER AND BUMPER, Door Latch
16	6503 120	4			42				SCREW AND WASHER, Button Head Torx
17	4658 906	2			42				STRIKER, Door Interlock
18									HINGE, Door
	4783 484	1			42				Upper Left,Lower Right
	4783 485	1			42				Upper Right,Lower Left
19	4783 500	1			42				PIN, Door Hinge
20	6035 926AA	4			42				NUT, .312 Diameter, Hinge Pin
-21	6502 975	4			42				SCREW AND WASHER, Hex Head, M8x1.25x33

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
		TRANSMISSION	
		DD5 = 5 Speed Manua	
		DGC = 3 Speed Automatic	
		DGL = 4 Speed Automatic	
		DG0 = All Automatics	
		DBB= All 5 Speed Manual	

AR = Use as required   - = Non illustrated part   # = New this model year

September 15, 2005

Door, Rear Regulator, Handle and Locking  
Figure DPL-207




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									REGULATOR, Rear Door Window
	4783 338AB	1			42				Right
	4783 339AB	1			42				Left
-2	6500 284	4			42				NUT, Hex, M6x1.00
3	4658 448	4			42				CLIP, Latch, Anti-Rattle
4	4658 448	4			42				CLIP, Latch, Lock Guide
5									HANDLE, Window Regulator
	FW80 SK5	2	D, P						Camel Tan
	JC09 SK5	2	D, P		42				Camel Tan, EUROPE
		2	Z		42				Camel Tan, EUROPE
	FW80 TAZ	2	D, P						Agate
	JC09 TAZ	2	D, P		42				Agate, EUROPE
		2	Z		42				Agate, EUROPE
6									SPACER, Window Regulator
	GY80 SK5	2			42				Camel Tan
	GY80 TAZ	2			42				Agate
7									SHIELD, Door Latch
	4658 370	1			42				Right
	4658 371	1			42				Left
8									SCREW, 0164-15 x 0625, (NOT SERVICED) (Not Serviced)
9	6100 591	4			42				BOLT AND CONED WASHER, Hex Head, M8x25x24
10									BRACKET, Interlock
	4658 372	1			42				Right
	4658 373	1			42				Left
11	4661 245	2	D, P		42				PLUG, Body
12									HANDLE, Rear Door Exterior
	4658 818	1			42				Flat Black, Right
	4658 819	1			42				Flat Black, Left
	KR66 MS4	1	D, Z						Warm Silver, Right
	KR67 MS4	1	D, Z						Warm Silver, Left
	KR66 MS4	1	P						Warm Silver, Right
	KR67 MS4	1	P						Warm Silver, Left
	KR66 PR4	1	D, Z						Bright Red, Right
	KR67 PR4	1	D, Z						Bright Red, Left
	KR66 PR4	1	P						Bright Red, Right
	KR67 PR4	1	P						Bright Red, Left
	KR66 PW7	1	D, Z						Bright White, Right
	KR67 PW7	1	D, Z						Bright White, Left
	KR66 PW7	1	P						Bright White, Right
	KR67 PW7	1	P						Bright White, Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Rear Regulator, Handle and Locking  
Figure DPL-207




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	KR66 PX8	1	D, Z						Black, Right
	KR67 PX8	1	D, Z						Black, Left
	KR66 PX8	1	P						Black, Right
	KR67 PX8	1	P						Black, Left
	KR66 RH2	1	P						Candy Apple Red, Right
	KR67 RH2	1	P						Candy Apple Red, Left
	KR66 SG8	1	P						Forest Green, Right
	KR67 SG8	1	P						Forest Green, Left
	KR66 VAW	1	P						Deep Slate, Right
	KR67 VAW	1	P						Deep Slate, Left
	KR66 VB3	1	D, Z						Intense Blue, Right
	KR67 VB3	1	D, Z						Intense Blue, Left
	KR66 VB3	1	P						Intense Blue, Right
	KR67 VB3	1	P						Intense Blue, Left
	KR66 VMT	1	P						Deep Cranberry, Right
	KR67 VMT	1	P						Deep Cranberry, Left
	KR66 VTE	1	P						Champagne Pearl, Right
	KR67 VTE	1	P						Champagne Pearl, Left
13									BRACKET, Outside Door Handle
	4658 212	1				42			Right
	4658 213	1				42			Left
14									KNOB AND PUSH ROD, Door Latch
	FX32 TX9	2		L		42			Black
		2		H		42			Black
		2		S		42			Black
-15									BRACKET, Lock Knob, Serviced in Door Trim Panel, (NOT SERVICED) (Not Serviced)
16									LEVER
	4624 630	1				42			Right
	4624 631	1				42			Left
17									LATCH, Rear Door
	4783 818	1				42			w/Power Locks, Right
	4783 819	1				42			w/Power Locks, Left
	4783 822	1				42			w/o Power Locks, Right
	4783 823	1				42			w/o Power Locks, Left
-18									CLIP, Latch
	4658 444	1							Right
	4658 445	1							Left
-19									CLIP, Latch Link
	4658 674	3				42			Right
	4658 675	3				42			Left
20									LINK, Remote Handle to Latch

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Rear Regulator, Handle and Locking  
Figure DPL-207



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4658 194	1			42				Right
	4658 195	1			42				Left
21	4658 196	1			42				LINK, Remote Handle to Latch
	4658 197	1			42				Right
					42				Left
22	4658 192	1			42				LINK, Exterior Door Handle
	4658 193	1			42				Right
					42				Left
23	6033 876	6							SCREW, Tapping, M6.3x1.8x38.1
24	FX38 TX9	1			42				HANDLE, Interior Door
	FX39 TX9	1			42				Right
					42				Left
-25									BRACKET, Inside Handle
	4658 354	1			42				Right
	4658 355	1			42				Left
-26	6035 372	2							SCREW, Pan Head Tapping, M6.3x1.8x22.23
27	6100 047	1			42				NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Mirror, Exterior Figure DPL-505

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

## NOTE:

Sales Codes:

GRE = MIRROR - LEFT

GSE = MIRROR - RIGHT

GSK = MIRROR - RIGHT POWER

GRK = MIRROR -LEFT POWER

GSN,GS3 = MIRROR - RIGHT POWER FOLD-AWAY

GR3 = MIRROR - LEFT POWER FOLD-AWAY

GRN = MIRROR - LEFT POWER FOLD-AWAY

GZF = MIRROR - RIGHT MANUAL

1	4658 888	1	D, P						MIRROR, Outside Rearview Remote, Manual-Painted-Aero (GSE), Right
	4658 889	1	D, P						Remote, Manual-Painted-Aero (GRE), Left
	4783 400	1	D, P						Aero-Electric-Painted (GSK), Right
	4783 401	1	D, P						Aero-Electric-Painted (GRK), Left
	4783 396	1	D, P						Foldaway (GSN), Right
	4888 968AA	1	D, P						Handset - Black Textured Plastic - Aero (GZF), Right
	4658 878AB	1	Z			42			(GS3), Right
	4658 879AB	1	Z			42			(GR3), Left
2									MIRROR, Outside Rearview Electric Foldaway, Middle East
	4888 820AA	1	D, P						Right
	4888 821AA	1	D, P						Left
-3									GLASS PACKAGE, Mirror
	4761 070	1	D, P						Right
	4761 071	1	D, P						Left
4	6100 045	6							NUT AND WASHER, Hex, M5x.80
5	LC03 DX9	1	D, P						BEZEL, Front Door Mirror Black, Remote - Painted - Aero, Left (GRE)
	LC04 DX9	1	D, P						Black, Electric/Manual - Painted - Aero, Right
	LC05 DX9	1	D, P						Black, Electric - Painted - Aero, Left (GRK,GRN)
	LH86 DX9	1	Z			42			Power (GS3), Right
	LH87 DX9	1	Z			42			Power (GR3), Left
6	4615 534	1	D, P						BEZEL, Mirror Opening Cover

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Door, Front and Rear Weatherstrips and Seals  
Figure DPL-605




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WEATHERSTRIP, Door Glass
	4658 960	1			42				Right
	4658 961	1			42				Left
-2									PLUG, (NOT REQUIRED)
3									RETAINER, Door Glass Weatherstrip
	4724 514AA	1			42				Right
	4724 515AA	1			42				Left
4									SCREW, 8-15 x 5/8, (NOT SERVICED) (Not Serviced)
5									TRIM WELT, Door Opening Flange
	KJ64 DX9	1			42				Rear, Black, Right
	KJ65 DX9	1			42				Rear, Black, Left
	KJ62 DX9	1			42				Front, Black, Right
	KJ63 DX9	1			42				Front, Black, Left
6									BRACKET, Weatherstrip Retainer
	4658 308	1			42				Right
	4658 309	1			42				Left
7									RETAINER, B Pillar Weatherstrip
	4615 806	1			42				Right
	4615 807	1			42				Left
-8	4724 467AA-	2			42				LOCK STRIP, B-PLR, 13 inches - 3 Groove
9									RETAINER, Door Glass
	4615 808	1			42				Right
	4615 809	1			42				Left
10									SEAL, Hinge Pillar
	4615 812	1							Right
	4615 813	1							Left
11	6504 055	6							SCREW, Hex Head, M6x1x16
12	6500 284	4							NUT, Hex, M6x1.00
13									WEATHERSTRIP, Front Door Belt
	4658 934	1			42				Outer, Right
	4658 935	1			42				Outer, Left
	4658 988	1			42				Inner, Right
	4658 989	1			42				Inner, Left
14									WEATHERSTRIP, Rear Door Belt
	4615 632	1			42				Inner, Right
	4615 633	1			42				Inner, Left
	5261 808	1			42				Outer, Right
	5261 809	1			42				Outer, Left
15									WEATHERSTRIP, Front Door
	4615 562	1			42				Lower, Front, Right

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Front and Rear Weatherstrips and Seals  
Figure DPL-605




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4615 563	1			42				Lower, Front, Left
16	4615 572	1			42				WEATHERSTRIP, Rear Door Right
	4615 573	1			42				Left
-17	6505 358AA-	2							CLIP, Wrap Around, M15 x 16.40, Inner Belt
-18	6035 405	2							CLIP, Front and Rear Drive Flange to Molding, .510x.365x.014 THK
-19	4658 673	AR			42				PIN PUSH, .150x.410
-20	4696 129	AR							CLIP, Weatherstrip
-21	4724 467AA-	2			42				LOCK STRIP, B-PLR

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Front, PL22 Weatherstrips and Seals  
Figure DPL-606



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WEATHERSTRIP, Front Door Glass
	4658 964	1	D, P		22				Run
	4658 965	1	D, P		22				Right
									Left
2									RETAINER, Front Pillar to Glass
	4658 952	1	D, P		22				Right
	4658 953	1	D, P		22				Left
3									RETAINER, Center PillarWeatherstrip
	4658 044	1	D, P		22				Right
	4658 045	1	D, P		22				Left
4									SCREW, 8-15 x 5/8, (NOT SERVICED) (Not Serviced)
5									WELT, Door Opening
	GM66 DX9	1	D, P		22				Black, Right
	GM67 DX9	1	D, P		22				Black, Left
6	4696 129	AR							CLIP, Weatherstrip
7									SEAL, Hinge Pillar
	4615 812	1							Right
	4615 813	1							Left
8	6504 055	6							SCREW, Hex Head, M6x1x16
9	6500 284	2							NUT, Hex, M6x1.00
10									WEATHERSTRIP, Front Door Belt
	4658 036	1	D, P		22				Right,Outer
	4658 037	1	D, P		22				Left,Outer
	4658 034	1	D, P		22				Right,Inner
	4658 035	1	D, P		22				Left,Inner
11									WEATHERSTRIP, Front Door, Lower
	4658 032	1	D, P		22				Right
	4658 033	1	D, P		22				Left



DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			




AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Group – EPL

## Exterior Ornamentation





<b>EPL-100</b> Nameplates	<b>EPL-200</b> Moldings and Ornamentation	<b>EPL-300</b> Decals and Tapestripes	
			

### GROUP EPL - Exterior Ornamentation

Illustration Title	Group-Fig. No.
<b>Nameplates</b>	
Nameplates .....	Fig. EPL-105
<b>Moldings and Ornamentation</b>	
Moldings and Ornamentation PL-22 .....	Fig. EPL-202
Moldings and Ornamentation PL-42 .....	Fig. EPL-205
<b>Decals and Tapestripes</b>	
Decals and Tapestripes .....	Fig. EPL-305
Tapes and Caps Anti-Chip .....	Fig. EPL-310

# Nameplates Figure EPL-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	KS76 PC3	1	D						NAMEPLATE, Medallion, Ram Head Blue (R4, H1, X8)
	KS76 SZ1	1	D						Chrome
2	PG20 SC3	1	P						NAMEPLATE, Plymouth Blue (R4, H1, X8)
	PG20 SZ1	1	P						Chrome
3	5288 409	1							NAMEPLATE, Chrysler, Deck Lid
4									NAMEPLATE, Hood, (NOT REQUIRED)
5	5288 407AB	1							NAMEPLATE, DECKLID 2.0L DOHC
	5288 408AB	1							2.0L 16V
6	5288 409	1							NAMEPLATE, Chrysler
7	5288 413	2		L					NAMEPLATE, SE
8	5288 414	2		H	42				NAMEPLATE, Rear Door, Chrome
9	5288 415	2		S	42				NAMEPLATE, LX, Chrome
10	5288 706AB	1							NAMEPLATE, 1.8I 16V
11	RX00 CA1AA	2							EMBLEM, R/T Silver - Spring Special
	RX00 PCHAA	2							Brilliant Blue - Spring Special
12	5288 411	1							NAMEPLATE, Neon
13	5288 844AA	1	D						NAMEPLATE, Dodge
14	RX05 CA1AA	1							EMBLEM, Dodge Silver - Spring Special
	RX05 PCHAA	1							Brilliant Blue - Spring Special
15	5288 846AB	2							NAMEPLATE, Sport
16	5288 845AA	2	P						NAMEPLATE, Espresso
17	5288 843AA	1	P						NAMEPLATE, Plymouth, Bright
18	5288 847AB	2							NAMEPLATE, Ex, CANADA
19	5288 694AB	1							NAMEPLATE, Chrysler, Gold

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB




ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Mouldings and Ornamentation PL-22  
Figure EPL-202



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5288 535	1							MOLDING, Windshield
2	5288 463	1							MOLDING, Backlite
3									MOLDING, Fender Rear
	RG22 DX8AA	1							Black, Right
	RG23 DX8AA	1							Black, Left
	RG22 MS4AA	1							Bright Platinum, Right
	RG23 MS4AA	1							Bright Platinum, Left
	RG22 PR4AA	1							Flame Red, Right
	RG23 PR4AA	1							Flame Red, Left
	RG22 PREAA	1							Strawberry Red, Right
	RG23 PREAA	1							Strawberry Red, Left
	RG22 RC4AA	1							Lapis Blue, Right
	RG23 RC4AA	1							Lapis Blue, Left
	RG22 SG8AA	1							Forest Green, Right
	RG23 SG8AA	1							Forest Green, Left
	RG22 SQMAA	1							Jade, Right
	RG23 SQMAA	1							Jade, Left
	RG22 TCNAA	1							Amethyst Pearl, Right
	RG23 TCNAA	1							Amethyst Pearl, Left
	RG22 VB3AA	1							Intense Blue, Right
	RG23 VB3AA	1							Intense Blue, Left
	RG22 VGTAA	1							Alpine Green, Right
	RG23 VGTAA	1							Alpine Green, Left
	RG22 VMTAA	1							Deep Cranberry, Right
	RG23 VMTAA	1							Deep Cranberry, Left
	RG34 GW7AA	1							White, Right
	RG35 GW7AA	1							White, Left
4									MOLDING, Front Door
	RG30 DX8AA	1	D, P		22				Black, Right
	RG31 DX8AA	1	D, P		22				Black, Left
	RG30 MS4AA	1	D, P		22				Warm Gray, Right
	RG31 MS4AA	1	D, P		22				Warm Gray, Left
	RG30 PR4AA	1	D, P		22				Bright Red, Right
	RG31 PR4AA	1	D, P		22				Bright Red, Left
	RG30 PREAA	1	D, P		22				Strawberry Red, Right
	RG31 PREAA	1	D, P		22				Strawberry Red, Left
	RG30 RC4AA	1	D, P		22				Twilight Blue, Right
	RG31 RC4AA	1	D, P		22				Twilight Blue, Left
	RG30 SG8AA	1	D, P		22				Forest Green, Right
	RG31 SG8AA	1	D, P		22				Forest Green, Left
	RG30 SQMAA	1	D, P		22				Bright Jade, Right
	RG31 SQMAA	1	D, P		22				Bright Jade, Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

# Mouldings and Ornamentation PL-22 Figure EPL-202



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	RG30 TCNAA	1	D, P		22				Amethyst Pearl, Right
	RG31 TCNAA	1	D, P		22				Amethyst Pearl, Left
	RG30 VB3AA	1	D, P		22				Intense Blue, Right
	RG31 VB3AA	1	D, P		22				Intense Blue, Left
	RG30 VGTAA	1	D, P		22				Alpine Green, Right
	RG31 VGTAA	1	D, P		22				Alpine Green, Left
	RG30 VMTAB	1	D, P		22				Deep Cranberry, Right
	RG31 VMTAB	1	D, P		22				Deep Cranberry, Left
	RG44 GW7AA	1	D, P		22				White, Right
5	RG45 GW7AA	1	D, P		22				White, Left
	RG32 DX8AA	1	D, P		22				MOLDING, Quarter Outside Front
	RG33 DX8AA	1	D, P		22				Black, Right
	RG32 MS4AA	1	D, P		22				Black, Left
	RG33 MS4AA	1	D, P		22				Bright Platinum, Right
	RG32 PR4AA	1	D, P		22				Bright Platinum, Left
	RG33 PR4AA	1	D, P		22				Flame Red, Right
	RG32 PREAA	1	D, P		22				Flame Red, Left
	RG33 PREAA	1	D, P		22				Strawberry Red, Right
	RG32 RC4AA	1	D, P		22				Strawberry Red, Left
	RG33 RC4AA	1	D, P		22				Lapis Blue, Right
	RG32 SG8AA	1	D, P		22				Lapis Blue, Left
	RG33 SG8AA	1	D, P		22				Forest Green, Right
	RG32 SQMAA	1	D, P		22				Forest Green, Left
	RG33 SQMAA	1	D, P		22				Jade, Right
	RG32 TCNAA	1	D, P		22				Jade, Left
	RG33 TCNAA	1	D, P		22				Amethyst Pearl, Right
	RG32 VB3AA	1	D, P		22				Amethyst Pearl, Left
	RG33 VB3AA	1	D, P		22				Intense Blue, Right
	RG32 VGTAA	1	D, P		22				Intense Blue, Left
	RG33 VGTAA	1	D, P		22				Alpine Green, Right
	RG32 VMTAB	1	D, P		22				Alpine Green, Left
	RG33 VMTAB	1	D, P		22				Deep Cranberry, Right
	RG46 GW7AA	1	D, P		22				Deep Cranberry, Left
	RG47 GW7AA	1	D, P		22				White, Right
6									White, Left
	5288 470	1	D, P		22				APPLIQUE, B Pillar
	5288 471	1	D, P		22				Right
-7	5303 162	2	D, P		22				Left
8	5303 360	AR							RETAINER, B Pillar Applique
9									TAPE, Applique Repair
	5288 432	1							MOLDING, Roof
	5288 433	1							Right
									Left

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB




ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Mouldings and Ornamentation PL-42 Figure EPL-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5288 535	1							MOLDING, Windshield
2	5288 463	1							MOLDING, Backlite
3									MOLDING, Fender Rear
	RG22 DX8AA	1							Black (K3X), Right
	RG23 DX8AA	1							Black (K3X), Left
	RG22 MS4AA	1							Warm Silver (K3T), Right
	RG23 MS4AA	1							Warm Silver (K3T), Left
	RG22 PR4AA	1							Flame Red (K3R), Right
	RG23 PR4AA	1							Flame Red (K3R), Left
	RG22 PREAA	1							Strawberry Red (K3H), Right
	RG23 PREAA	1							Strawberry Red (K3H), Left
	RG22 RC4AA	1							Twilight Blue (K3B), Right
	RG23 RC4AA	1							Twilight Blue (K3B), Left
	RG22 SG8AA	1							Forest Green (K3F), Right
	RG23 SG8AA	1							Forest Green (K3F), Left
	RG22 SQMAA	1							Jade (K3L), Right
	RG23 SQMAA	1							Jade (K3L), Left
	RG22 TCNAA	1							Amethyst Pearl (K3A), Right
	RG23 TCNAA	1							Amethyst Pearl (K3A), Left
	RG22 VB3AA	1							Intense Blue (K3C), Right
	RG23 VB3AA	1							Intense Blue (K3C), Left
	RG22 VGTAA	1							Alpine Green (K3E), Right
	RG23 VGTAA	1							Alpine Green (K3E), Left
	RG34 GW7AA	1							White, Right
	RG35 GW7AA	1							White, Left
	RG22 RH2AA	1							Red [K3P], Right
	RG23 RH2AA	1							Red [K3P], Left
4									MOLDING, Front Door
	RG26 DX8AA	1			42				[K3X], Right
	RG27 DX8AA	1			42				[K3X], Left
	RG26 MS4AA	1			42				[K3T], Right
	RG27 MS4AA	1			42				[K3T], Left
	RG26 PR4AA	1			42				[K3R], Right
	RG27 PR4AA	1			42				[K3R], Left
	RG26 PREAA	1			42				[K3H], Right
	RG27 PREAA	1			42				[K3H], Left
	RG26 RC4AA	1			42				[K3B], Right
	RG27 RC4AA	1			42				[K3B], Left
	RG26 SG8AA	1			42				[K3F], Right
	RG27 SG8AA	1			42				[K3F], Left
	RG26 SQMAA	1			42				[K3L], Right
	RG27 SQMAA	1			42				[K3L], Left

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth


BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual



**Mouldings and Ornamentation PL-42**  
**Figure EPL-205**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	RG26 TCNAA	1			42				[K3A], Right
	RG27 TCNAA	1			42				[K3A], Left
	RG26 VB3AA	1			42				[K3C], Right
	RG27 VB3AA	1			42				[K3C], Left
	RG26 VGTAA	1			42				[K3E], Right
	RG27 VGTAA	1			42				[K3E], Left
	RG36 GW7AA	1			42				[K3W], Right
	RG37 GW7AA	1			42				[K3W], Left
	RG26 RH2AA	1			42				[K3P], Right
	RG27 RH2AA	1			42				[K3P], Left
	RG26 VAWAA	1			42				[K3Y], Right
	RG27 VAWAA	1			42				[K3Y], Left
	RG26 VMTAA	1			42				[K3D], Right
5	RG27 VMTAA	1			42				[K3D], Left
	RG28 DX8AA	1			42				MOLDING, Rear Door
	RG29 DX8AA	1			42				Black (K3X), Right
	RG28 MS4AA	1			42				Black (K3X), Left
	RG29 MS4AA	1			42				Warm Silver (K3T), Right
	RG28 PR4AA	1			42				Warm Silver (K3T), Left
	RG29 PR4AA	1			42				Flame Red (K3R), Right
	RG28 PREAA	1			42				Flame Red (K3R), Left
	RG29 PREAA	1			42				Strawberry Red (K3H), Right
	RG28 RC4AA	1			42				Strawberry Red (K3H), Left
	RG29 RC4AA	1			42				Twilight Blue (K3B), Right
	RG28 SG8AA	1			42				Twilight Blue (K3B), Left
	RG29 SG8AA	1			42				Forest Green (K3F), Right
	RG28 SQMAA	1			42				Forest Green (K3F), Left
	RG29 SQMAA	1			42				Jade (K3L), Right
	RG28 TCNAA	1			42				Jade (K3L), Left
	RG29 TCNAA	1			42				Amethyst Pearl (K3A), Right
	RG28 VB3AA	1			42				Amethyst Pearl (K3A), Left
	RG29 VB3AA	1			42				Intense Blue (K3C), Right
	RG28 VGTAA	1			42				Intense Blue (K3C), Left
	RG29 VGTAA	1			42				Alpine Green (K3E), Right
	RG42 GW7AA	1			42				Alpine Green (K3E), Left
	RG43 GW7AA	1			42				White, Right
6									White, Left
	4546 838	1			42				APPLIQUE, B Pillar
	4546 839	1			42				Right
-7									Left
	5303 019	1			42				RETAINER, B Pillar Applique
									Upper

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth



BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

Mouldings and Ornamentation PL-42  
Figure EPL-205

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5303 162	1			42				Lower
-8	5303 360	AR							TAPE, Applique Repair
9									MOLDING, Roof
	5288 432	1							Right
	5288 433	1							Left




DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Decals and Tapestripes  
Figure EPL-305



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	MN03 CA1AB	1	D, P						DECAL, 16V DOHC, Hood
	MN03 HC3AB	1	D, P						[KXL]
	MN03 VGMAAB	1	D, P						[KXC]
2	4370 834	1							DECAL, "NEON", Right
	4883 995AA	1							Gold, Fleet Pkg.
	QW88 CA1AA	1							Bright
	QW88 HC3AA	1							[KTA]
	QW88 VGMAA	1							[KTC]
3	4370 837	2							DECAL, Rear Quarter, Sport, Door
	QW89 CA1AB	2							Gold, Fleet Pkg.
4	RX06 CA1AA	1							DECAL, Rear Quarter, Neon Export, EXPRESSO - Chrome, [KCA] - CANADA
	RX06 PCHAA	1							STRIPE, Hood
5	QW90 CA1AB	2	D, P		22				[KLS] - R/T Spring Special
6	RX26 CA1AA	1							[KLB] - R/T Spring Special
	RX26 PCHAA	1							DECAL, Rear Quarter, Neon Export, EXPRESSO - Chrome, [KCA] - CANADA
7	RX27 CA1AA	1							STRIPE, Hood
	RX27 PCHAA	1							[KLS] - R/T Spring Special
8	RX28 CA1AA	1							[KSB] - R/T Spring Special
	RX28 PCHAA	1							[KSB] - R/T Spring Special
9	SA05 CA1AA	1							STRIPE, Decklid
	SA05 PCHAA	1							[KLS] - R/T Spring Special
10	RX25 CA1AA	1							[KSB] - R/T Spring Special
	RX25 PCHAA	1							STRIPE, Sunroof, Rear
11	4370 838	2	D, P						[KLS] - R/T Spring Special
	PH20 CA1AB	2	D, P						[KSB] - R/T Spring Special
12	SL78 CA1AA	1							DECAL, "EXPRESSO"
	SL79 CA1AA	1							Gold
	SL78 PCHAA	1							[KYA]
	SL79 PCHAA	1							TAPE STRIPE, Hood, 'Skunk' EXPORT



**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Decals and Tapestripes  
Figure EPL-305




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13									DECAL, Plymouth
	QS47 CA1AA	1							[KAA]
	QS47 HC3AA	1							[KAC]
	QS47 VGMAA	1							[KAG]
14									DECAL, Dodge
	QW91 CA1AB	1							[KBA]
	QW91 HC3AB	1							[KBC]
	QW91 VGMAB	1							[KBG]

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				ENGINE		TRANSMISSION	
SERIES	LINE	BODY		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic	
H=High Line	D=Dodge			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic	
S=Special	D=Chrysler					DG0 = All Automatics	
	P=Plymouth					DBB= All 5 Speed Manual	

Tapes and Caps Anti-Chip  
Figure EPL-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SHIELD, Splash
	4783 334AC	1							Right
	4783 335AC	1							Left
-2	6504 090	2							RIVET, Plastic Gray
-3	6035 204	4							SCREW, Tapping, .19-16x.75
-4	6032 031	4							NUT, Spring, .19-16
5	4797 292	1							TAPE, Anti Chip



DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Group – IPL

## Interior Trim

### GROUP IPL - Interior Trim

Illustration Title

Group-Fig. No.

#### Headliner and Visor

Headliner, Visor and Shelf Panel ..... Fig. IPL-110

#### Panel, Moldings, Scuff Plates

Cowl Panels ..... Fig. IPL-210  
A-Pillar ..... Fig. IPL-215  
B-Pillar ..... Fig. IPL-220  
Quarter Trim Panel ..... Fig. IPL-225  
Scuff Plates - Front and Rear ..... Fig. IPL-230

#### Carpet

Carpet, Mats and Silencers ..... Fig. IPL-310

#### Door Trim Panels

Door Panel - Front 4-Door ..... Fig. IPL-410  
Door Panel - Front 2-Door ..... Fig. IPL-415  
Door Panels - Rear ..... Fig. IPL-420

#### Front Seats and Attaching Parts

Seat Front Trim Code H7 & T7 (T7 1998 Only) ..... Fig. IPL-515  
Seat Front Trim Code G7 & L7 ( L7 - 1998 Only) ..... Fig. IPL-520  
Seat Front Trim Code F7 & W7 (W7 1998 Only) ..... Fig. IPL-522  
Seat Front Trim Code W5,M7 ..... Fig. IPL-523  
Seat Front Trim Code CL ..... Fig. IPL-524  
Seat Reclining ..... Fig. IPL-525

#### Rear Seats-Folding


Rear Seat Trim Code H7 & T7 (T7 1998 Only) ..... Fig. IPL-615  
Rear Seat - Trim Code M7 ..... Fig. IPL-619  
Rear Seat Trim Code G7,L7 ..... Fig. IPL-620  
Rear Seat Trim Code F7 & W7 (W7 1998 Only) ..... Fig. IPL-622  
Rear Seat Trim Code CL ..... Fig. IPL-624  
Rear Seat Attaching Parts ..... Fig. IPL-625









#### Seat Belts-Front and Rear

Seat Belts - Front ..... Fig. IPL-710  
Seat Belts - Rear ..... Fig. IPL-720


#### Adjusters, Covers, Shields, and Risers

Seat Adjusters, Recliners and Side Shields ..... Fig. IPL-810



<b>IPL-100</b> Headliner and Visor 	<b>IPL-200</b> Panel, Moldings, Scuff Plates 	<b>IPL-300</b> Carpet 	<b>IPL-400</b> Door Trim Panels 
<b>IPL-500</b> Front Seats and Attaching Parts 	<b>IPL-600</b> Rear Seats-Folding 	<b>IPL-700</b> Seat Belts-Front and Rear 	<b>IPL-800</b> Adjusters, Covers, Shields, and Risers 

Headliner, Visor and Shelf Panel  
Figure IPL-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									
VISOR									
	RF93 RC1AA	1	D, P					O0	Mist Gray, With Extension Panel, Without Mirror, Left
	RF93 RK4AA	1	D, P					O0	Tan, With Extension Panel, Without Mirror, Left
	RF99 RC1AA	1	D, P					O0	Mist Gray, With Covered Mirror, Left
	RF98 RC1AA	1	D, P					O0	Mist Gray, With Covered Mirror, Right
	RF98 RK4AA	1	D, P					O0	Tan, With Covered Mirror, Right
	RG04 RC1AA	1	D, P					O0	Mist Gray, Without Mirror, Right
	RF99 RK4AA	1	D, P					O0	Tan, With Covered Mirror, Left
	RG04 RK4AA	1	D, P					O0	Tan, Without Mirror, Right
2									
VISOR, Illuminated									
	RF96 RC1AA	1						O0	Mist Gray, With Extension Panels, Right
	RF96 RK4AA	1						O0	Tan, With Extension Panels, Right
	RG00 RC1AA	1						O0	Mist Gray, With Extenders and Sunroof, Right
	RF97 RC1AA	1						O0	Mist Gray, With Extension Panels, Left
	RF97 RK4AA	1						O0	Tan, With Extension Panels, A/C Compressor & Alternator Pivot
	RG01 RC1AA	1						O0	Mist Gray, With Extenders and Sunroof, Left
	RG00 RK4AA	1						O0	Tan, With Extenders and Sunroof, Right
	RG01 RK4AA	1						O0	Tan, With Extenders and Sunroof, Left
3									
	4595 749AA	1	D, P						LABEL, Air Bag Warning
	4595 746AA	1	D, P						Bilingual Removable Dash Warning
		1	Z		42			O0	End Cap Warning English, Right
	4787 437AA	2							End Cap Warning English, Right
4									
SCREW, .164-18x.75, (NOT SERVICED) (Not Serviced)									
5									
HEADLINER									
	LC37 SC1	1	D, P		42			O0	Mist Gray, With Assist Handles (Use Up To 11-17-97)
	LC37 TK4	1	D, P		42			O0	Tan, With Assist Handles (Use Up To 11-17-97)
	LG16 SC1	1	D, P		22			O0	Mist Gray, With Assist Handles (Use Up To 11-24-97)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)  
SERIES LINE BODY ENGINE TRANSMISSION  
L=Low Line Z=Chrysler, RHD 41=4 Door, 104WB ECB=2.0L 4 Cyl., 16V SMPI DD5 = 5 Speed Manua  
H=High Line D=Dodge EJD=1.6L 4 Cyl16V SOHC DGC = 3 Speed Automatic  
S=Special P=Plymouth EBD=1.8L 4 Cyl16V SEFI DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual


Headliner, Visor and Shelf Panel  
Figure IPL-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	LC36 SC1	1	D, P		42			O0	Mist Gray, Without Assist Handles (Use Up To 11-17-97)
	LC36 TK4	1	D, P		42			O0	Tan, Without Assist Handles (Use Up To 11-17-97)
	LD40 SC1	1	D, P		22			O0	Mist Gray, Without Assist Handles (Use Up To 11-24-97)
	LG16 TK4	1	D, P		22			O0	Tan, With Assist Handles (Use Up To 11-24-97)
	PB31 SC1	1	D, P		22			O0	Mist Gray, With Assist Handles and Sunroof (Use Up To 11-24-97)
	PB31 TK4	1	D, P		22			O0	Tan, With Assist Handles and Sunroof (Use Up To 11-24-97)
	PD81 SC1	1	Z		42			O0	Mist Gray, With Sunroof and Assist Handles (Use Up 11-17-97)
	LD40 TK4	1	D, P		22			O0	Tan, Without Assist Handles (Use Up To 11-24-97)
	PB39 SC1	1	D, P		42			O0	Mist Gray, With Sunroof and Assist Handles (Use Up To 11-17-97)
	PB39 TK4	1	D, P		42			O0	Tan, With Sunroof and Assist Handles (Use Up To 11-17-97)
	PD82 SC1	1	Z		42			O0	Mist Gray, With Assist Handles (Use Up To 11-17-97)
	PD81 TK4	1	Z		42			O0	Tan, With Sunroof and Assist Handles (Use Up To 11-17-97)
	SD96 RC1AA	1	D, P		22			O0	Mist Gray, Without Assist Handles (Use After 11-24-97)
	SD96 RK4AA	1	D, P		22			O0	Tan, Without Assist Handles (Use After 11-24-97)
	PD82 TK4	1	Z		42			O0	Tan, With Assist Handles (Use Up To 11-17-97)
	SD95 RC1AA	1	D, P		42			O0	Mist Gray, Without Assist Handles (Use After 11-17-97)
	SD95 RK4AA	1	D, P		42			O0	Tan, Without Assist Handles (Use After 11-17-97)
	SD98 RC1AA	1	D, P		42			O0	Mist Gray, With Sunroof and Assist Handles (Use After 11-17-97)
	SD98 RK4AA	1	D, P		42			O0	Tan, With Sunroof and Assist Handles (Use After 11-17-97)
	SE00 RC1AA	1	Z		42			O0	Mist Gray, With Assist Handles (Use After 11-17-97)
	SE00 RK4AA	1	Z		42			O0	Tan, With Assist Handles (Use After 11-17-97)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)								
SERIES	LINE	BODY	ENGINE	TRANSMISSION				
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua				
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic				
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic				
	P=Plymouth			DG0 = All Automatics				
				DBB= All 5 Speed Manual				

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005





# Headliner, Visor and Shelf Panel Figure IPL-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	SD97 RC1AA	1	D, P		42			O0	Mist Gray, With Assist Handles (Use After 11-17-97)
	SD97 RK4AA	1	D, P		42			O0	Tan, With Assist Handles (Use After 11-17-97)
	SD99 RC1AA	1	D, P		22			O0	Mist Gray, With Sunroof and Assist Handles (Use After 11-24-97)
	SD99 RK4AA	1	D, P		22			O0	Tan, With Sunroof and Assist Handles (Use After 11-24-97)
	SE02 RC1AA	1	D, P		22			O0	Mist Gray, With Assist Handles (Use After 11-24-97)
	SE02 RK4AA	1	D, P		22			O0	Tan, With Assist Handles (Use After 11-24-97)
	SE01 RC1AA	1	Z		42			O0	Mist Gray, With Sunroof and Assist Handles (Use After 11-17-97)
	SE01 RK4AA	1	Z		42			O0	Tan, With Sunroof and Assist Handles (Use After 11-17-97)
6	LR69 SC1	1						O0	Mist Gray
	LR69 SK4	1						O0	Tan
7	LE56 SC1	2	D, P		42			O0	HOOK, Coat Mist Gray
	LE56 TK4	2	Z		42			O0	Mist Gray
		2	D, P		42			O0	Tan
		2	Z		42			O0	Tan
8									PANEL, Rear Shelf
	EW40 TK5	1						O0	Tan
	PJ60 TAZ	1	Z		42			O0	Agate
	EW40 TAZ	1						O0	Agate
	PJ60 TK5	1	Z		42			O0	Tan
9	6030 441	4							PIN, Retainer
10									CLIP, Visor
	PX40 SC1	2						O0	Mist Gray
	PX40 TK4	2						O0	Tan
	PX40 TL2	2						O0	
11	QL75 RC1AB	2	D, P		22			O0	SUPPORT, Visor Mist Gray
		2	D, P		42			O0	Mist Gray
	QL75 RK4AB	2	D, P		22			O0	Tan
		2	D, P		42			O0	Tan
12									HANDLE, Door Interior, Assist Handle
	H882 TK4	3			42			O0	Tan

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth


BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Headliner, Visor and Shelf Panel  
Figure IPL-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P		22			O0	Tan
	H882 SC1	3			42			O0	Mist Gray
		1	D, P		22			O0	Mist Gray
13	6503 973	6			42				SCREW, Pan Head, M6x1x20
		2	D, P		22				
-14	6503 747	6			42				NUT, Spring Snap In Special, M6 x 1.00
		2	D, P		22				
15	H526 TK4	6			42			O0	PLUG, Assist and Grab Handle
		2	D, P		22			O0	Tan
	H526 SC1	6			42			O0	Mist Gray
		2	D, P		22			O0	Mist Gray
16	4647 896	2	D, P		42			O0	CLIP, Pinch Top
		2	D, P		22			O0	
17									CLIP, Roll Top, (NOT REQUIRED)
18	6035 324	4							SCREW, .164-18x.75


DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

## Cowl Panels

### Figure IPL-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Cowl Side
	FT19 TAZ	1	D, P					O0	Agate, Left
	FT19 TK5	1	D, P					O0	Tan, Left
	LJ97 TAZ	1	Z		42			O0	Agate, Left
	FT18 TAZ	1	D, P					O0	Agate, Right
	FT18 TK5	1	D, P					O0	Tan, Right
	LJ96 TAZ	1	Z		42			O0	Agate, Right
	LJ97 TK5	1	Z		42			O0	Tan, Left
	LJ96 TK5	1	Z		42			O0	Tan, Right
2	6503 167	2	D, P					O0	CLIP, Trim Panel

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

**DODGE - PL**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005

A-Pillar  
Figure IPL-215




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									COVER, A Pillar Trim
	ER35 TAZ	1			42			O0	Agate, Left
	ER35 TKB	1			42			O0	Tan, Left
	ER34 TAZ	1			42			O0	Agate, Right
	ER34 TKB	1			42			O0	Tan, Right
2									MOLDING, Windshield Garnish
	GE35 TAZ	1	D, P		22			O0	Agate, Left
	GE35 TKB	1	D, P		22			O0	Tan, Left
	GE34 TAZ	1	D, P		22			O0	Agate, Right
	GE34 TKB	1	D, P		22			O0	Tan, Right
3	6503 104	4			42			O0	CLIP, Pillar Trim

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE		TRANSMISSION				
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua				
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic				
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic				
	P=Plymouth				DG0 = All Automatics				
					DBB= All 5 Speed Manual				

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**B-Pillar**  
**Figure IPL-220**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									COVER, Pillar Shoulder Belt
	PH37 TAZ	1			42			O0	Agate, Left
	PH37 TK5	1			42			O0	Tan, Left
	PH36 TAZ	1			42			O0	Agate, Right
	PH36 TK5	1			42			O0	Tan, Right
2	4645 780	2			42				KNOB, Seat Belt Adjuster
3									BEZEL, B Pillar Seat Belt
	GY62 TAZ	2			42			O0	Agate, Right & Left
	GY62 TK5	2			42			O0	Tan, Right & Left
4									CLIP, Pillar Trim
	6503 104	4			42			O0	
		7	D, P		22			O0	

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

**BODGE - TE**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
 DD5 = 5 Speed Manua  
 DGC = 3 Speed Automatic  
 DGL = 4 Speed Automatic  
 DG0 = All Automatics  
 DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 15, 2005

Quarter Trim Panel  
Figure IPL-225

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Quarter Trim, Upper
	EB90 TAZ	1			42			O0	Agate, Right
	EB90 TK5	1			42			O0	Tan, Right
	EB91 TAZ	1			42			O0	Agate, Left
	EB91 TK5	1			42			O0	Tan, A/C Compressor & Alternator
									Pivot
2									PANEL, Quarter Trim, Lower
	EB93 TAZ	1			42			O0	Agate, Left
	EB93 TK5	1			42			O0	Tan, Left
	EB92 TAZ	1			42			O0	Agate, Right
	EB92 TK5	1			42			O0	Tan, Right
3	6503 167	2	D, P					O0	CLIP, Trim Panel
4									PANEL, Quarter Trim
	MN97 TAZ	1	D, P		22			O0	Agate, Left
	MN97 TK5	1	D, P		22			O0	Tan, Left
	MN96 TAZ	1	D, P		22			O0	Agate, Right
	MN96 TK5	1	D, P		22			O0	Tan, Right
-5									CLIP, Pillar Trim
	6503 104	4	D, P		22			O0	
		4			42			O0	



DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 15, 2005

# Scuff Plates - Front and Rear Figure IPL-230

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	FT20 DX9	2			42			O0	PLATE, Scuff, Front, Black
2	EB88 DX9	2			42			O0	PLATE, Scuff, Rear, Black
3	6503 061	3	D, P		22			O0	CLIP, Scuff Plate
		4			42			O0	



## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Carpet, Mats and Silencers Figure IPL-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CARPET, Full Floor
	PK54 RK5AB	1	D, P		42			O0	Tan, With Cable Release Deck Lid
	PK55 TAZ	1	D, P		22			O0	Agate, With Cable Release Deck Lid
	PK55 RK5AB	1	D, P		22			O0	Tan, With Cable Release Deck Lid
	LK51 TAZ	1	Z		42			O0	Agate, With Cable Release Deck Lid
	PK54 TAZ	1	D, P		42			O0	Agate, With Cable Release Deck Lid
	PQ16 RK5AB	1	D, P		22			O0	Tan, Without Cable Release Deck Lid
	PQ16 TAZ	1	D, P		22			O0	Agate, Without Cable Release Deck Lid
	PQ56 TAZ	1	D, P		42			O0	Agate, Without Cable Release Deck Lid
	PQ56 RK5AB	1	D, P		42			O0	Tan, Without Cable Release Deck Lid
2	4740 136	1							SILENCER, Floor Pan
3	QT43 HSBAB	1						O0	CARPET, Luggage Compartment, Dark Charcoal
-4	PE14 HSBAC-	1						O0	PANEL, Decklid, Dark Charcoal
5	6030 441	4							PIN, Retainer
-6	5601 7549	4							CLIP, .750" ID
7	MF33 HSBAB	1		H				O0	SILENCER, Rear Seat Back, Dark Charcoal
8	6030 441	4							PIN, Retainer
9	8220 3889	1							MAT KIT, Floor - Front Camel
	8220 3900	1							Agate
10	8220 3901	1							MAT KIT, Floor - Rear Camel
	8220 3902	1							Agate
11	5264 595	2							EXHAUSTER, Interior Trim Panel
12	4783 973	1	Z		42				SILENCER, Dash Panel
	4783 975	1	D, P						
-13	5016 811AA-	1							LATCH PACKAGE, Decklid, Emergency Kit Trunk Release

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Door Panel - Front 4-Door  
Figure IPL-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: JPB= Power Door Locks									
NOTE: JPA= Power Windows									
NOTE: GVB=Power Mirrors									
NOTE: RHD=Right Hand Drive									
1									PANEL, Front Door Trim
	RY68 1AZAA	1	D		42			W7	Agate, w/Power Windows and Locks, Right
	RY69 1AZAA	1	D		42			W7	Agate, w/Power Windows and Locks, Left
	LL16 2AZ	1	Z		42			F7	(F7AZ) With Power Door Locks, Power Windows & Power Mirrors (+JPB+JPA+GVB) Right, With (RHD), Right
	LL17 2AZ	1	Z		42			F7	(F7AZ)With Power Windows & Power Door Locks (+JPA & +JPB) Left, With (RHD), Left
	PJ28 TXK	1	Z		42			G7	(G7K5) With Power Door Locks, Power Windows & Power Mirrors (+JPB+JPA+GVB)Right, With (RHD), Right
	PJ28 TXZ	1	Z		42			G7	(G7AZ) With Power Door Lock, Power Windows & Power Mirrors (+JPB+JPA+GVB) Right, With (RHD), Right
	PJ29 TXK	1	Z		42			G7	(G7K5) With Power Windows & Power Door Locks (+JPA & +JPB) Left, With (RHD), Left
	PJ29 TXZ	1	Z		42			G7	(G7AZ) With Power Windows & Power Door Locks (+JPA & +JPB) Left, With (RHD), Left
	PJ30 TXZ	1	D, P		42			L7	Agate, With Power Door Locks and Mirrors, Without Power Windows, Right
	PJ30 TXK	1	D, P		42			G7	(G7K5) With Power Door Locks, Without Power Windows (+JPB & -JPA) Right, Right
		1	D, P		42			L7	(L7K5) With Power Door Locks, Without Power Windows (+JPB & -JPA) Right, Right
	PJ31 TXK	1	D, P		42			L7	(L7K5) With Power Door Locks and Mirrors, Without Power Windows (+JPB+GVB-JPA) Left, Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY	ENGINE		TRANSMISSION			
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua			
H=High Line	D=Dodge			EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic			
S=Special	D=Chrysler			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic			
	P=Plymouth					DG0 = All Automatics			
						DBB= All 5 Speed Manual			

Door Panel - Front 4-Door  
Figure IPL-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P		42			G7	(G7K5) With Power Door Locks & Power Mirrors, Without Power Windows (+JPB+GVB-JPA) Left, Left
	PJ31 TXZ	1	D, P		42			G7	(G7AZ) With Power Door Locks & Power Mirrors, Without Power Windows (+JPB+GVB-JPA) Left, Left
		1	D, P		42			L7	Agate, With Power Door Locks and Mirrors, Without Power Windows, Left
	PJ32 TXK	1	D, P		42			L7	(G7K5) With Power Windows & Power Door Locks (+JPA & +JPB) (Use Up To 10-29-97), Right
		1	D, P		42			G7	(G7K5) With Power Windows & Power Door Locks (+JPA & +JPB) Right (Use Up To 10-29-97), Right
	PJ32 TXZ	1	D, P		42			L7	L7AZ) With Power Windows and Door Locks, (Use Up To 10-29-97), Right
		1	D, P		42			G7	(G7AZ) With Power Windows & Power Door Locks (+JPA & +JPB) Right (Use Up To 10-29-97), Right
	PJ33 TXK	1	D, P		42			L7	(L7AZ) With Power Windows, Door Locks and Mirrors (+JPA+JPB+GVB) Left (Use Up To 10-29-97), Left
		1	D, P		42			G7	(G7K5) With Power Door Locks, Power Windows & Power Mirrors (+JPB+JPA+GVB) Left (Use Up To 10-29-97), Left
	PJ33 TXZ	1	D, P		42			L7	(L7AZ) With Power Windows, Door Locks and Mirrors (+JPA+JPB+GVB) Left (Use Up To 10-29-97), Left
		1	D, P		42			G7	(G7AZ) With Power Door Locks, Power Windows & Power Mirrors (+JPB+JPA+GVB) (Use Up To 10-29-97), Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door Panel - Front 4-Door  
Figure IPL-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	PT76 TXK	1	D, P		42			H7	(H7K5) Without Power Door Locks (-JPB) Right, Right
	PT76 TXZ	1	D, P		42			H7	(H7AZ) Without Power Door Locks (-JPB) Right, Right
	PT77 TXK	1	D, P		42			H7	(H7K5)Without Power Mirrors & Power Door Locks ( -GVB & -JPB) Left, Left
	PT77 TXZ	1	D, P		42			H7	(H7AZ)Without Power Mirrors & Power Door Locks ( -GVB & -JPB) Left, Left
	PT79 TXK	1	D, P		42			H7	(H7K5) With Power Mirrors, Without Power Door Locks & Power Windows (+GVB -JPB -JPA) Left, Left
	PT79 TXZ	1	D, P		42			H7	(H7AZ) With Power Mirrors, Without Power Door Locks & Power Windows (+GVB -JPB -JPA) Left, Left
	PT80 TXK	1	D, P		42			H7	(H7K5) With Power Door Locks, Without Power Windows (+JPB & -JPA) Right, Right
	PT80 TXZ	1	D, P		42			H7	(H7AZ) With Power Door Locks, Without Power Windows (+JPB & -JPA) Right, Right
	PT81 TXK	1	D, P		42			H7	(H7K5) With Power Door Locks, Power Mirrors & Without Power Windows (+JPB+GVB-JPA) Left, Left
	PT81 TXZ	1	D, P		42			H7	(H7AZ) With Power Door Locks, Power Mirrors & Without Power Windows (+JPB+GVB-JPA) Left, Left
	PT82 TXK	1	D, P		42			H7	(H7K5) With Power Windows & Power Door Locks (+JPA & +JPB) Right, Right
	PT82 TXZ	1	D, P		42			H7	(H7AZ) With Power Windows & Power Door Locks (+JPA & +JPB) Right, Right
	PT83 TXK	1	D, P		42			H7	(H7K5) With Power Windows, Power Door Locks & Power Mirrors (+JPA+JPB+GVB) Left, Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Door Panel - Front 4-Door Figure IPL-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	PT83 TXZ	1	D, P		42			H7	(H7AZ) With Power Windows, Power Door Locks & Power Mirrors (+JPA+JPB+GVB) Left, Left
	PT90 TXS	1	D, P		42			F7	(F7AZ) With Power Windows & Power Door Locks (+JPA & +JPB) Right, Right
	PT91 TXS	1	D, P		42			F7	(F7AZ) With Power Door Locks, Power Windows & Power Mirrors (+JPB+JPA+GVB) Left, Left
	QC24 1AZ	1	Z		42			H7	(H7AZ) With Power Door Lock & Power Mirror (+JPB & +GVB) Right, With (RHD), Right
	QC24 2K5	1	Z		42			H7	(H7K5) With Power Door Locks & Power Mirrors (+JPB & +GVB) Right , With (RHD), Right
	QC25 1AZ	1	Z		42			H7	(H7AZ) With Power Door Locks (+JPB) Left, With (RHD), Left
	QC25 2K5	1	Z		42			H7	(H7K5) With Power Door Locks (+JPB) Left, With (RHD), Left
	QC38 TXZ	1	D, P		42			W5	(W5AZ) Right, Right
	QC39 TXZ	1	D, P		42			W5	(W5AZ) Left, Left
	QU02 1AZAA	1	D, P		42			G7	(G7AZ)Without Power Door Locks (-JPB) Right (Use Up To 10-29-97), Right
		1	D, P		42			L7	(L7AZ) Without Power Door Locks (-JPB) Right (Use Up To 10-29-97), Right
	QU02 1K5AA	1	D, P		42			G7	(G7K5) Without Power Door Locks (-JPB) Right (Use Up To 10-29-97), Right
		1	D, P		42			L7	(L7K5) Without Power Door Locks (-JPB) Right (Use Up To 10-29-97), Right
	QU03 1AZAA	1	D, P		42			G7	(G7AZ) Without Power Door Locks and Mirrors (-GVB & -JPB) Left (Use Up To 10-29-97), Left
		1	D, P		42			L7	(L7AZ) Without Power Door Locks and Mirrors (-GVB & -JPB) Left (Use Up To 10-29-97), Left
	QU03 1K5AA	1	D, P		42			G7	(G7K5) Without Power Door Locks and Mirrors(-GVB & -JPB) Left (Use Up To 10-29-97), Left

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Door Panel - Front 4-Door  
Figure IPL-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P		42			L7	(L7K5) Without Power Door Locks and Mirrors (-GVB & -JPB) Left (Use Up To 10-29-97), Left
	RY66 1AZAA	1	D, P		42			M7	(M7AZ)Without Power Windows & Door Locks (-JPB) Right, Right
		1	D, P		42			W7	(W7AZ) Without Power Windows & Door Locks (-JPB) Right, Right
		1	D, P		42			G7	(G7AZ)Without Power Door Locks (-JPB) Right (Use After 10-29-97), Right
		1	D, P		42			L7	(L7AZ) Without Power Door Locks (-JPB) Right (Use After 10-29-97), Right
	RY66 1K5AA	1	D, P		42			G7	(G7K5) Without Power Door Locks (-JPB) Right (Use After 10-29-97), Right
		1	D, P		42			L7	(L7K5) Without Power Door Locks (-JPB) Right (Use After 10-29-97), Right
	RY67 1AZAA	1	D, P		42			W7	(W7AZ) Without Power Windows & Power Door Locks (-GVB & -JPB) Left, Left
		1	D, P		42			M7	(M7AZ) Without Power Windows & Power Door Locks (-GVB & -JPB) Left, Left
		1	D, P		42			G7	(G7AZ) Without Power Mirrors & Power Door Locks (-GVB & -JPB) (Use After 10-29-97), Left
		1	D, P		42			L7	(L7AZ) Without Power Mirrors & Power Door Locks (-GVB & -JPB) (Use After 10-29-97) Left, Left
	RY67 1K5AA	1	D, P		42			G7	(G7K5) Without Power Mirrors & PowerDoor Locks (-GVB & -JPB) (Use After 10-29-97) Left, Left
		1	D, P		42			L7	(L7K5) Without Power Mirrors & Power Door Locks (-GVB & -JPB) (Use After 10-29-97) Left, Left
	RY68 1AZAA	1	D, P		42			T7	(T7AZ) With Power Windows, Power Door Locks (+JPA & +JPB) Right, Right
		1	D, P		42			CL	(CLAZ) With Power Windows & Power Door Locks (+JPA & +JPB) Right, Right

DODGE - PLYMOUTH - CHRYSLER NEON (PL)  
SERIES L=Low Line H=High Line S=Special  
LINE Z=Chrysler, RHD D=Dodge D=Chrysler P=Plymouth  
BODY 41=4 Door, 104WB  
ENGINE ECB=2.0L 4 Cyl., 16V SMPI EJD=1.6L 4 Cyl16V SOHC EBD=1.8L 4 Cyl16V SEFI  
TRANSMISSION DD5 = 5 Speed Manua DGC = 3 Speed Automatic DGL = 4 Speed Automatic DG0 = All Automatics DBB= All 5 Speed Manual

Door Panel - Front 4-Door  
Figure IPL-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D		42			M7	(M7AZ) With Power Windows & Power Door Locks (+JPA & +JPB) Right, Right
		1	D, P		42			L7	(L7AZ)With Power Windows & Power Door Locks (+JPA & +JPB) Right (Use After 10-29-97), Right
		1	D, P		42			G7	(G7AZ) With Power Windows & Power Door Locks (+JPA & +JPB) Right (Use After 10-29-97), Right
	RY68 1K5AA	1	D, P		42			T7	(T7K5) With Power Windows & Power Door Locks (+JPA & +JPB) Right, Right
		1	D, P		42			G7	(G7K5) With Power Windows & Power Door Locks (+JPA & +JPB) (Use After 10-29-97) Right, Right
		1	D, P		42			L7	(L7K5) With Power Windows & Power Door Locks (+JPA & +JPB) (Use After 10-29-97) Right, Right
	RY69 1AZAA	1	D, P		42			CL	CLAZ) With Power Windows, Power Door Locks & Power Mirrors (+JPB+JPA+GVB) Left, Left
		1	D		42			M7	(M7AZ) With Power Windows, Power Door Locks &Power Mirrors (+JPB+JPA+GVB) Left, Left
		1	D, P		42			T7	(T7AZ) With Power Windows, Power Door Locks & Power Mirrors (+JPA+JPB+GVB) Left, Left
		1	D, P		42			L7	(L7AZ) With Power Windows, Power Door Locks & Power Mirrors (+JPA+JPB+GVB) Left (Use After 10-29-97), Left
		1	D, P		42			G7	(G7AZ) With Power Windows, Power Door Locks & Power Mirrors (+JPB+JPA+GVB) Left (Use After 10-29-97), Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Door Panel - Front 4-Door Figure IPL-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	RY69 1K5AA	1	D, P		42			T7	(T7K5) With Power Windows, Power Door Locks & Power Mirrors (+JPA+JPB+GVB) Left, Left
		1	D, P		42			L7	(L7K5) With Power Windows, Power Door Locks & Power Mirrors (+JPA+JPB+GVB) Left (Use After 10-29-97), Left
		1	D, P		42			G7	(G7K5) With Power Windows, Power Door Locks & Power Mirrors (+JPB+JPA+GVB) Left (Use After 10-29-97), Left
2									ARMREST, Door
	FC76 TAZ	1	Z		42			H7	Agate, Right
		1	Z		42			G7	Agate, Right
		1	Z		42			F7	Agate, Right
		1	D, P		42			H7	Agate, Right
	FC76 TKB	1	D, P		42			F7	Agate, Right
		1	D, P		42			G7	Agate, Right
		1	Z		42			H7	Tan, Right
		1	D, P		42			H7	Tan, A/C & Heater Blower Switch
	FC77 TAZ	1	Z		42			G7	Tan, Right
		1	D, P		42			G7	Tan, Right
		1	Z		42			H7	Agate, Left
		1	Z		42			G7	Agate, Left
		1	Z		42			F7	Agate, Left
		1	D, P		42			H7	Agate, Left
		1	D, P		42			F7	Agate, Left
		1	D, P		42			G7	Agate, Left
	FC77 TKB	1	D, P		42			L7	Tan, Left
		1	D, P		42			H7	Tan, Left
		1	Z		42			H7	Tan, Left
		1	Z		42			G7	Tan, Left
3									BOLSTER, Front Door
	PF94 TAZ	1	D, P		42			H7	Agate, Right
	PF94 TK5	1	D, P		42			H7	Tan, Right
	PF94 TAZ	1	D, P		42			W5	Agate, Right
	PF95 TK5	1	D, P		42			H7	Tan, Left
	PF95 TAZ	1	D, P		42			H7	Agate, Left
		1	D, P		42			W5	Agate, Left
	PG00 RS6	1	D, P		42			F7	Quartz, Right

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door Panel - Front 4-Door  
Figure IPL-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	PG01 RS6	1	D, P		42			F7	Quartz, Left
	PJ34 TAZ	1	Z		42			G7	Agate, (Use Up To 10-29-97), Right
		1	D, P		42			G7	Agate, (Use Up To 10-29-97), Right
	PJ34 TK5	1	Z		42			G7	Tan, (Use Up To 10-29-97), Right
	PJ34 TAZ	1	D, P		42			L7	Agate, (Use Up To 10-29-97), Right
	PJ34 TK5	1	D, P		42			L7	Tan, (Use Up To 10-29-97), Right
		1	D, P		42			G7	Tan, (Use Up To 10-29-97), Right
	PJ35 TAZ	1	Z		42			G7	Agate, (Use Up To 10-29-97), Left
		1	D, P		42			G7	Agate, (Use Up To 10-29-97), Left
	PJ35 TK5	1	D, P		42			G7	Tan, (Use Up To 10-29-97), Left
	PJ35 TAZ	1	D, P		42			L7	Agate, (Use Up To 10-29-97), Left
	PJ35 TK5	1	Z		42			G7	Tan, (Use Up To 10-29-97), Left
		1	D, P		42			L7	Tan, (Use Up To 10-29-97), Left
	RY60 LAZAA	1	Z		42			G7	Agate, (Use After 10-29-97), Right
		1	D, P		42			T7	Agate, Right
		1	D, P		42			M7	Agate, Right
		1	D, P		42			G7	Agate, (Use After 10-29-97), Right
		1	D, P		42			L7	Agate, (Use After 10-29-97), Right
	RY60 RK5AA	1	D, P		42			W7	Agate, Right
		1	Z		42			G7	Tan, (Use After 10-29-97), Right
		1	D, P		42			G7	Tan, (Use After 10-29-97), Right
		1	D, P		42			L7	Tan, (Use After 10-29-97), Right
	RY61 LAZAA	1	D, P		42			T7	Tan, Right
		1	Z		42			G7	Agate, (Use After 10-29-97), Left
		1	D, P		42			G7	Agate, (Use After 10-29-97), Left
		1	D, P		42			L7	Agate, (Use After 10-29-97), Left
		1	D, P		42			T7	Agate, Left
		1	D, P		42			M7	Agate, Left
		1	D, P		42			W7	Agate, Left
	RY61 RK5AA	1	Z		42			G7	Tan, (Use After 10-29-97), Left
		1	D, P		42			T7	Tan, Left
		1	D, P		42			G7	Tan, (Use After 10-29-97), Left
		1	D, P		42			L7	Tan, (Use After 10-29-97), Left
4	4620 799	2			42				BRACKET PACKAGE, Door Trim Panel
-5	6032 723	2							SCREW, Self Tapping, M4.2x1. 69x19.05
6	6501 773	4							NUT, Plastic Snap-in
7									SCREW AND WASHER, (NOT SERVICED) (Not Serviced)


DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Door Panel - Front 4-Door  
Figure IPL-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	FASTENER, Door Trim Panel								
	6504 014	8	Z		42			G7	
		8	Z		42			F7	
		8	Z		42			H7	
		8	D, P		22			G7	
		8			42			G7	
		8			42			H7	
		8			42			F7	
		8	D, P		22			L7	
9	WATERDAM, Front Door								
	4783 506	1			42				Right
	4783 507	1			42				Left



Door Panel - Front 2-Door  
Figure IPL-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: JPB = Power Door Locks									
NOTE: JPA = Power Windows									
NOTE: GVB = Power Mirrors									
1									PANEL, Front Door Trim
	QJ95 1AZ	1	D, P		22			B5	(B5AZ) Base Model, Left
	QJ94 1AZ	1	D, P		22			B5	(B5AZ) Base Model, Right
	QJ84 2K5	1	D, P		22			G7	(G7K5) With Power Door Locks, Without Power Windows (+JPB & -JPA) Right
	QJ85 1AZ	1	D, P		22			G7	(G7AZ) With Power Door Locks & Power Mirrors, Without Power Windows (+JPB+GVB-JPA) Left
	QJ85 2K5	1	D, P		22			G7	(G7K5) With Power Door Locks & Power Mirrors, Without Power Windows (+JPB+GVB-JPA) Left
	QJ86 1AZ	1	D, P		22			G7	(G7AZ) With Power Windows & Power Door Locks (+JPA & +JPB) Right
	QJ86 2K5	1	D, P		22			G7	(G7K5) With Power Windows & Power Door Locks (+JPA & +JPB) Right
	QJ87 1AZ	1	D, P		22			G7	(G7AZ) With Power Door Locks, Power Windows & Power Mirrors (+JPB+JPA+GVB) Left
	QJ87 2K5	1	D, P		22			G7	(G7K5) With Power Door Locks, Power Windows & Power Mirrors (+JPB+JPA+GVB) Left
	QU00 1AZAA	1	D, P		22			G7	(G7AZ) Without Power Door Locks & Power Windows (-JPB & -JPA) Right
	QU00 1K5AA	1	D, P		22			G7	(G7K5) Without Power Door Locks & Power Windows (-JPB & -JPA) Right
	QU01 1AZAA	1	D, P		22			G7	(G7AZ) Without Power Windows, Power Door Locks & Power Mirrors (-JPA-JPB-GVB) Left
	QU01 1K5AA	1	D, P		22			G7	(G7K5) Without Power Windows, Power Door Locks & Power Mirrors (-JPA-JPB-GVB) Left
	QJ84 1AZ	1	D, P		22			G7	(G7AZ) With Power Door Locks, Without Power Windows (+JPB & -JPA) Right

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY			ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB			ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth					DG0 = All Automatics			
						DBB= All 5 Speed Manual			

Door Panel - Front 2-Door  
Figure IPL-415





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QJ83 2K5	1	D, P		22			H7	(H7K5) With Power Windows, Power Door Locks & Power Mirrors (+JPA+JPB+GVB) Left
	QJ83 1AZ	1	D, P		22			H7	(H7AZ) With Power Windows, Power Door Locks & Power Mirrors (+JPA+JPB+GVB) Left
	QJ59 2K5	1	D, P		22			H7	(H7K5) Without Power Windows, Power Door Locks & Power Mirrors (-JPA, -JPB, -GVB) Left
	QJ59 1AZ	1	D, P		22			H7	(H7AZ) Without Power Windows, Power Door Locks & Power Mirrors (-JPA, -JPB, -GVB) Left
	QJ68 1AZ	1	D, P		22			H7	(H7AZ) With Power Door Locks, Without Power Windows (+JPB & -JPA) Right
	QJ68 2K5	1	D, P		22			H7	(H7K5) With Power Door Locks, Without Power Windows (+JPB & -JPA) Right
	QJ69 1AZ	1	D, P		22			H7	(H7AZ) With Power Door Locks & Power Mirrors, Without Power Windows (+JPB+GVB-JPA) Left
	QJ69 2K5	1	D, P		22			H7	(H7K5) With Power Door Locks & Power Mirrors, Without Power Windows (+JPB+GVB-JPA) Left
	QJ58 2K5	1	D, P		22			H7	(H7K5) Without Power Door Locks & Power Windows ( -JPB & -JPA) Right
	QJ58 1AZ	1	D, P		22			H7	(H7AZ) Without Power Door Locks & Power Windows ( -JPB & -JPA) Right
	QJ82 2K5	1	D, P		22			H7	(H7K5) With Power Windows & Power Door Locks (+JPA+JPB) Right
	QJ82 1AZ	1	D, P		22			H7	(H7AZ) With Power Windows & Power Door Locks (+JPA+JPB) Right
	QJ84 1AZ	1	D, P		22			L7	(L7AZ), With Power Windows w/o Power Windows
	QJ84 2K5	1	D, P		22			L7	(L7K5), With Power Windows w/o Power Windows
	QJ85 1AZ	1	D, P		22			L7	(L7AZ), With Power Door Locks and Mirrors, w/o Power Windows

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Door Panel - Front 2-Door Figure IPL-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QJ85 2K5	1	D, P		22			L7	(L7K5), With Power Door Locks and Mirrors, w/o Power Windows
	QJ86 1AZ	1	D, P		22			L7	(L7AZ, With Power Windows and Power Door Locks
	QJ86 2K5	1	D, P		22			L7	(L7K5), With Power Windows and Power Door Locks
	QJ87 1AZ	1	D, P		22			L7	(L7AZ), With Power Door Locks, Power Windows & Power Mirrors
	QJ87 2K5	1	D, P		22			L7	(L7K5), With Power Door Locks, Power Windows & Power Mirrors
	QU00 1AZAA	1	D, P		22			L7	Agate, Without Power Door Locks & Power Windows (-JPB & -JPA, Right
	QU00 1K5AA	1	D, P		22			L7	Tan, Without Power Door Locks & Power Windows (-JPB & -JPA, Right
	QU01 1AZAA	1	D, P		22			L7	Agate, Without Power Door Locks & Power Windows (-JPB & -JPA, Left
	QU01 1K5AA	1	D, P		22			L7	Tan, Without Power Door Locks & Power Windows (-JPB & -JPA, Left
	RY65 1AZAA	1	D, P		22			M7	(M7AZ) Without Power Windows and Door Locks, Left
	RY64 1AZAA	1	D, P		22			M7	(M7AZ) Without Power Windows and Door Locks, Right
	RY75 1AZAA	1	D		22			M7	(M7AZ) Agate, w/Power Windows and Door Locks, Left
	RY74 1AZAA	1	D		22			M7	(M7AZ) Agate, w/Power Windows and Door Locks, Right
	RY65 1AZAA	1	D, P		22			W7	(W7AZ) Without Power Windows and Door Locks, Left
	RY75 1AZAA	1	D		22			W7	(W7AZ) Agate, w/Power Windows and Door Locks, Left
	RY74 1AZAA	1	D		22			W7	(W7AZ) Agate, w/Power Windows and Door Locks, Right
	RY64 1AZAA	1	D, P		22			W7	(W7AZ) Without Power Windows and Door Locks, Right
-2	6032 723	4							SCREW, Self Tapping, M4.2x1.69x19.05
3	6501 773	4							NUT, Plastic Snap-in
4									SCREW AND WASHER, (NOT SERVICED) (Not Serviced)

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth



BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual


Door Panel - Front 2-Door  
Figure IPL-415

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
5	6504 014	8	D, P		22			G7	FASTENER, Door Trim Panel
6	PK02 TAZ	1	D, P		22			B5	CUP, Door Pull, Agate
7	4783 505	1	D, P		22				WATERDAM, Front Door, Left



DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

## Door Panels - Rear Figure IPL-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: JPA = Power Windows									
NOTE: JPB = Power Door Locks									
1									PANEL, Rear Door Trim
	EB83 TXK	1			42			H7	(H7K5) Left, Left
	EB83 TXZ	1			42			H7	(H7AZ) Left, Left
	LP38 TXZ	1			42			F7	(F7AZ) Right, Right
	EB82 TXK	1			42			H7	(H7K5) Right, Right
	EB82 TXZ	1			42			H7	(H7AZ) Right, Right
	PJ36 TXK	1			42			G7	(G7K5) Right, Right
	LP39 TXZ	1			42			F7	(F7AZ) Left, Left
	PJ36 TXZ	1			42			G7	(G7AZ) Right, Right
		1			42			L7	(L74AZ) Right (Use Up To 10-24-97), Right
	PJ37 TXZ	1			42			G7	(G7AZ) Left, Left
	PJ36 TXK	1			42			L7	(L7K5) Right (Use Up To 10-24-97), Right
	PJ37 TXK	1			42			G7	(G7K5) Left, Left
		1			42			L7	(L7K5) Left (Use Up To 10-24-97), Left
	QC58 TXZ	1	D, P		42			W5	(W5AZ) Right, Right
	PJ37 TXZ	1			42			L7	(L7AZ) Left (Use Uo To 10-24-97), Left
	RY70 1AZAA	1			42			W7	(W7AZ) Right, Right
		1			42			M7	(M7AZ) Right, Right
	QC59 TXZ	1	D, P		42			W5	(W5AZ) Left, Left
	RY70 1AZAA	1			42			L7	(L7AZ) Right (Use After 10-24-97), Right
	RY70 1K5AA	1			42			L7	(L7K5) Right (Use After 10-24-97), Right
	RY71 1AZAA	1			42			L7	(L7AZ) Left (Use After 10-24-97), Left
		1			42			W7	(W7AZ) Left, Left
	RY70 1AZAA	1			42			T7	(T7AZ) Right, Right
	RY70 1K5AA	1			42			T7	(T7K5) Right, Right
	RY71 1AZAA	1			42			M7	(M7AZ) Left, Left
		1			42			T7	(T7AZ) Left, Left
	RY71 1K5AA	1			42			L7	(L7K5) Left (Use After 10-24-97), Left
		1			42			T7	(L7K5) Left, Left
2									BOLSTER, Door
	PG16 TAZ	1			42			H7	Agate, Right
		1	D, P		42			W5	Agate, Right

### DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

## Door Panels - Rear Figure IPL-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	PG17 TAZ	1	D, P		42			W5	Agate, Left
	PG16 TK5	1			42			H7	Camel, Right
	PG17 TAZ	1			42			H7	Agate, Left
	PG26 RS6	1			42			F7	Quartz, Right
	PG17 TK5	1			42			H7	Camel, Left
	PJ38 TAZ	1			42			G7	Agate, (Use Up To 10-24-97), Right
		1			42			L7	Agate, (Use Up To 10-24-97), Right
	PJ39 TAZ	1			42			G7	Agate, (Use Up To 10-24-97), Left
	PG27 RS6	1			42			F7	Quartz, Left
	PJ38 TK5	1			42			G7	Camel, (Use Up To 10-24-97), Right
		1			42			L7	Tan, (Use Up To 10-24-97), Right
	PJ39 TK5	1			42			G7	Camel, (Use Up To 10-24-97), Left
	PJ39 TAZ	1			42			L7	Agate, (Use Up To 10-24-97), Left
	RY62 LAZAA	1			42			W7	Agate, (Use After 10-24-97), Right
		1			42			M7	Agate, (Use After 10-24-97), Right
	PJ39 TK5	1			42			L7	Tan, (Use Up To 10-24-97), Left
	RY62 LAZAA	1			42			L7	Agate, (Use After 10-24-97), Right
	RY62 RK5AA	1			42			G7	Tan, (Use After 10-24-97), Right
		1			42			L7	Tan, (Use After 10-24-97), Right
		1			42			T7	Tan, (Use After 10-24-97), Right
	RY63 LAZAA	1			42			G7	Agate, (Use After 10-24-97), Left
	RY62 LAZAA	1			42			T7	Agate, (Use After 10-24-97), Right
	RY63 LAZAA	1			42			L7	Agate, (Use After 10-24-97), Left
		1			42			W7	Agate, (Use After 10-24-97), Left
		1			42			M7	Agate, (Use After 10-24-97), Left
		1			42			T7	Agate, (Use After 10-24-97), Left
	RY63 RK5AA	1			42			G7	Tan, (Use After 10-24-97), Left
		1			42			L7	Tan, (Use After 10-24-97), Left
3	FC82 TAZ	1			42			H7	ARMREST, Door Agate, Right
		1			42			G7	Agate, Right
		1			42			F7	Agate, Right
		1			42			T7	Agate, Right
	FC82 TKB	1			42			H7	Camel, Right
		1			42			G7	Camel, Right
	FC83 TAZ	1			42			H7	Agate, Left
	FC82 TKB	1			42			T7	Camel, Right
	FC83 TAZ	1			42			F7	Agate, Left
		1			42			G7	Agate, Left

SERIES LINE BO

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
 DD5 = 5 Speed Manua  
 DGC = 3 Speed Automatic  
 DGL = 4 Speed Automatic  
 DG0 = All Automatics  
 DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 15, 2005**

Door Panels - Rear  
Figure IPL-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	FC83 TKB	1			42			H7	Camel, Left
		1			42			G7	Camel, Left
	FC83 TAZ	1			42			T7	Agate
	FC83 TKB	1			42			T7	Camel
4	6504 014	8			42			H7	FASTENER, Door Trim Panel
5	4665 430	2			42				BRACKET PACKAGE, Door Trim Panel, Rear
6									SCREW AND WASHER, (NOT SERVICED) (Not Serviced)
7	6501 773	4							NUT, Plastic Snap-in
8									WATERDAM, Rear Door
	4615 636	1			42				Right
	4615 637	1			42				Left


DODGE - PLYMOUTH - CHRYSLER NEON (PL)				ENGINE		TRANSMISSION	
SERIES	LINE	BODY		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic	
H=High Line	D=Dodge			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic	
S=Special	D=Chrysler					DG0 = All Automatics	
	P=Plymouth					DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



# Seat Front Trim Code H7 & T7 (T7 1998 Only) Figure IPL-515



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	CUSHION, Front Seat								
	MG05 1AZ	1	D, P		22			H7	Agate, (Use Up To 3-10-98), Right & Left
		1	Z		42			H7	Agate, (Use Up To 3-10-98), Right & Left
	MG05 1K5	1	Z		42			H7	Tan, (Use Up To 3-10-98), Right & Left
		1	D, P		42			H7	Tan, (Use Up To 3-10-98), Right & Left
	MG05 1AZ	1	D, P		42			H7	Agate, (Use Up To 3-10-98), Right & Left
	MG05 1K5	1	D, P		22			H7	Tan, (Use Up To 3-10-98), Right & Left
	RN08 1AZAA	1	P		42			T7	Agate, Right & Left
	SC52 1AZAA	1	Z		42			H7	Agate, (Use After 3-10-98), Right & Left
		1	D, P		42			H7	Agate, (Use After 3-10-98), Right & Left
	RN08 1K5AA	1	P		42			T7	Tan, Right & Left
	SC52 1K5AA	1	D, P		42			H7	Tan, (Use After 3-10-98), Right & Left
		1	D, P		22			H7	Tan, (Use After 3-10-98), Right & Left
	SC52 1AZAA	1	D, P		22			H7	Agate, (Use After 3-10-98), Right & Left
2	COVER, Front Seat Cushion								
	MF96 1AZ	1	D, P		22			H7	Agate, (Use Up To 3-10-98), Right & Left
		1	D, P		42			H7	Agate, (Use Up To 3-10-98), Right & Left
		1	Z		42			H7	Agate, (Use Up To 3-10-98), Right & Left
	MF96 1K5	1	Z		42			H7	Camel, (Use Up To 3-10-98), Right & Left
		1	D, P		22			H7	Camel, (Use Up To 3-10-98), Right & Left
		1	D, P		42			H7	Camel, (Use Up To 3-10-98), Right & Left
	RY94 1AZAA	2	P		42			T7	Agate, Right & Left
	RY94 1K5AA	2	P		42			T7	Tan, Right & Left
	SC70 1AZAA	1	Z		42			H7	Agate, (Use After 3-10-98), Right & Left


## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Seat Front Trim Code H7 & T7 (T7 1998 Only) Figure IPL-515



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P		42			H7	Agate, (Use After 3-10-98), Right & Left
	SC70 1K5AA	1	D, P		42			H7	Tan, (Use After 3-10-98), Right & Left
		1	D, P		22			H7	Tan, (Use After 3-10-98), Right & Left
	SC70 1AZAA	1	D, P		22			H7	Agate, (Use After 3-10-98), Right & Left
3									SEAT BACK, Front
	RP46 1AZAA	1	D, P		22			H7	Agate, (Use Up To 3-10-98), Right
	RP46 1K5AA	1	D, P		22			H7	Tan, (Use Up To 3-10-98), Right
	RP47 1AZAA	1	D, P		22			H7	Agate, (Use Up To 3-10-98), Left
	RP52 1AZAA	1	D, P		42			H7	Agate, (Use Up To 3-10-98)
		1	Z		42			H7	European, Right
	RP53 1AZAA	1	D, P		42			H7	Agate, (Use Up To 3-10-98), Right
								H7	Agate, (Use Up To 3-10-98)
									European, Left
	RP47 1K5AA	1	D, P		22			H7	Tan, (Use Up To 3-10-98), Left
	RP52 1K5AA	1	D, P		42			H7	Tan, (Use Up To 3-10-98)
		1	Z		42			H7	European, Right
	RP53 1K5AA	1	D, P		42			H7	Tan, (Use Up To 3-10-98), Right
									European, Left
	RP53 1AZAA	1	Z		42			H7	Agate, (Use Up To 3-10-98), Left
	RP54 1K5AA	1	D, P		42			H7	Tan, (Use Up To 3-10-98), Right
	RP53 1K5AA	1	Z		42			H7	Tan, (Use Up To 3-10-98), Left
	RP54 1AZAA	1	D, P		42			H7	Agate, (Use Up To 3-10-98), Right
	RP55 1K5AA	1	D, P		42			H7	Tan, (Use Up To 3-10-98), Left
	RY40 1AZAA	1	P		42			T7	Agate, Right
	RY40 1K5AA	1	P		42			T7	Tan, Right
	RP55 1AZAA	1	D, P		42			H7	Agate, (Use Up To 3-10-98), Left
	RY41 1AZAA	1	P		42			T7	Agate, Left
	RY41 1K5AA	1	P		42			T7	Tan, Left
	SC56 1AZAA	1	D, P		42			H7	Agate, (Use After 3-10-98)
									European, Right
		1	Z		42			H7	Agate, (Use After 3-10-98), Right
	SC68 1AZAA	1	D, P		22			H7	Agate, (Use After 3-10-98), Right
	SC56 1K5AA	1	D, P		42			H7	Tan, (Use After 3-10-98) European, Right
	SC57 1AZAA	1	D, P		42			H7	Agate, (Use After 3-10-98)
									European, Left
		1	Z		42			H7	Agate, (Use After 3-10-98), Left

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Seat Front Trim Code H7 & T7 (T7 1998 Only)**  
**Figure IPL-515**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	SC68 1K5AA	1	D, P		22			H7	Tan, (Use After 3-10-98), Right
	SC69 1K5AA	1	D, P		22			H7	Tan, (Use After 3-10-98), Left
	SC57 1K5AA	1	D, P		42			H7	Tan, (Use After 3-10-98) European, Left
	SC69 1AZAA	1	D, P		22			H7	Agate, (Use After 3-10-98), Left
	SC74 1AZAA	1	D, P		42			H7	Agate, (Use After 3-10-98), Right
	SC75 1AZAA	1	D, P		42			H7	Agate, (Use After 3-10-98), Left
	SC74 1K5AA	1	D, P		42			H7	Tan, (Use After 3-10-98), Right
	SC75 1K5AA	1	D, P		42			H7	Tan, (Use After 3-10-98), Left
4									COVER, Front Seat Back
	MG04 1AZ	1	D, P		42			H7	Agate, Middle East, (Use Up To 3-10-98), Right & Left
	MG04 1K5	1	D, P		42			H7	Tan, European, (Use Up To 3-10-98), Right & Left
	MG04 1AZ	1	D, P		42			H7	Agate, European, Right & Left
		1	Z		42			H7	Agate, (Use Up To 3-10-98), Right & Left
	MG04 1K5	1	Z		42			H7	Tan, (Use Up To 3-10-98), Right & Left
	MH23 1AZ	1	D, P		22			H7	Agate, (Use Up To 3-10-98), Left
	PV47 1AZ	1	D, P		22			H7	Agate, (Use Up To 3-10-98), Right
	MG04 1K5	1	D, P		42			H7	Tan, Middle East, (Use Up To 3-10-98), Right & Left
	MH23 1K5	1	D, P		22			H7	Tan, (Use Up To 3-10-98), Left
	QL45 1AZ	1	D, P		42			H7	Agate, (Use Up To 3-10-98), Right & Left
	RY16 1AZAA	2	P		42			T7	Agate, Right & Left
	PV47 1K5	1	D, P		22			H7	Tan, (Use Up To 3-10-98), Right
	QL45 1K5	1	D, P		42			H7	Tan, (Use Up To 3-10-98), Right & Left
	SC53 1K5AA	1	D, P		42			H7	Tan, (Use After 3-10-98) European, Right & Left
	SC66 1AZAA	1	D, P		42			H7	Agate, (Use After 3-10-98), Right & Left
	SC53 1AZAA	1	D, P		42			H7	Agate, (Use After 3-10-98) European, Right & Left
		1	Z		42			H7	Agate, (Use After 3-10-98), Right & Left
	SC66 1K5AA	1	D, P		42			H7	Tan, (Use After 3-10-98), Right & Left
	SC72 1AZAA	1	D, P		22			H7	Agate, (Use After 3-10-98), Right
	SC73 1AZAA	1	D, P		22			H7	Agate, (Use After 3-10-98), Left

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Seat Front Trim Code H7 & T7 (T7 1998 Only)**  
**Figure IPL-515**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	SC72 1K5AA	1	D, P		22			H7	Tan, (Use After 3-10-98), Right
	SC73 1K5AA	1	D, P		22			H7	Tan, (Use After 3-10-98), Left
	SE38 1K5AA	1	D, P		42			H7	Tan, (Use After 3-10-98) Middle East, Right & Left
	SE38 1AZAA	1	D, P		42			H7	Agate, (Use After 3-10-98) Middle East, Right & Left
5	RP44 1AZAA	1	D, P		22			H7	HEADREST, Front Agate, Right & Left
	RP44 1K5AA	1	D, P		22			H7	Tan, Right & Left
	RP50 1AZAA	1	D, P		42			H7	Agate, [European], Right & Left
		1	Z		42			H7	Agate, Right & Left
	RP50 1K5AA	1	D, P		42			H7	Tan, [European], Right & Left
		1	Z		42			H7	Tan, Right & Left
	RY93 1AZAA	2	P		42			T7	Agate, Right & Left
	RY93 1K5AA	2	P		42			T7	Tan, Right & Left
	JF75 1AZ	1	D, P		42			H7	Agate, Right & Left
	JF75 1K5	1	D, P		42			H7	Tan, Right & Left
6	JY09 1AZ	1	D, P		22			H7	COVER, Seat Headrest Agate
		1	D, P		42			H7	Agate
	JY09 1K5	1	D, P		22			H7	Tan
		1	D, P		42			H7	Tan
7	QX11 1AZAA	1	D, P		22			H7	SLEEVE, Headrest Agate, With Release Button
		1	Z		42			H7	Agate, With Release Button
		1	D, P		42			H7	Agate, With Release Button
		1	P		42			T7	Agate, w/Release Button
	QX11 1K5AA	1	D, P		22			H7	Tan, With Release Button
		1	Z		42			H7	Tan, With Release Button
		1	D, P		42			H7	Tan, With Release Button
		1	P		42			T7	Tan, w/Release Button
	QX12 1AZAA	1	D, P		22			H7	Agate, Without Release Button
		1	Z		42			H7	Agate, Without Release Button
		1	D, P		42			H7	Agate, Without Release Button
		1	P		42			T7	Agate
	QX12 1K5AA	1	D, P		22			H7	Tan, Without Release Button
		1	Z		42			H7	Tan, Without Release Button
		1	D, P		42			H7	Tan, Without Release Button
		1	P		42			T7	Tan
8									HOG RING, Seat, (NOT REQUIRED)
9									SHIELD, Seat Cushion
	JF76 1AZ	1	P		42			T7	Agate, Right

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat Front Trim Code H7 & T7 (T7 1998 Only)  
 Figure IPL-515

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	JF76 1K5	1	P		42			T7	Tan, Right
	JF77 1AZ	1	P		42			T7	Agate, Left
	LD94 1AZ	1	D, P		22			H7	Agate, Right
	JF77 1K5	1	P		42			T7	Tan, Left
	LD94 1K5	1	D, P		22			H7	Tan, Right
	LD95 1AZ	1	D, P		22			H7	Agate, Left
	LD95 1K5	1	D, P		22			H7	Tan, Left
10									SCREW, Side Shield, (10-24x1.030 T-20 Toax), (NOT SERVICED) (Not Serviced)



DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005

**Seat Front Trim Code G7 & L7 ( L7 - 1998 Only)**  
**Figure IPL-520**

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	QK85 1K5	1	D, P		22			G7	Tan, Right And Left
	QK85 1AZ	1	D, P		22			G7	Agate, Right And Left
		1	D, P		42			G7	Agate, Right And Left
		1	Z		42			G7	Agate, Right And Left
	QK85 1K5	1	D, P		42			G7	Tan, Right And Left
		1	Z		42			G7	Tan, Right And Left
	RV59 1K5AA	1	D, P		22			L7	Tan, Right And Left
	RV59 1AZAA	1	D, P		22			L7	Agate, Right And Left
	RV59 1K5AA	1	D, P		42			L7	Tan, Right And Left
	RV59 1AZAA	1	D, P		42			L7	Agate, Right And Left
2									COVER, Front Seat Cushion
	QK97 1AZ	1	D, P		22			G7	Agate, Right And Left
		1	D, P		22			L7	Agate, Right And Left
	QK97 1K5	1	D, P		22			G7	Tan, Right And Left
		1	D, P		22			L7	Tan, Right And Left
3									SEAT BACK, Front
	RP41 1AZAA	1	D, P		42			G7	Agate, Left
	RP41 1K5AA	1	D, P		42			G7	Tan, Left
	RP43 1AZAA	1	D, P		22			G7	Agate, Left
	RP40 1AZAA	1	D, P		42			G7	Agate, Right
	RP40 1K5AA	1	D, P		42			G7	Tan, Right
	RP42 1AZAA	1	D, P		22			G7	Agate, Right
	RV60 1AZAA	1	D, P		42			L7	Agate, Right
	RV60 1K5AA	1	D, P		42			L7	Tan, Right
	RV66 1AZAA	1	D, P		22			L7	Agate, Right
	RP42 1K5AA	1	D, P		22			G7	Tan, Right
	RP43 1K5AA	1	D, P		22			G7	Tan, Left
	RV61 1AZAA	1	D, P		42			L7	Agate, Left
	RV61 1K5AA	1	D, P		42			L7	Tan, Left
	RV70 1AZAA	1	D, P		42			G7	Agate, With Map Pocket, Right
	RV66 1K5AA	1	D, P		22			L7	Tan, Right
	RV67 1AZAA	1	D, P		22			L7	Agate, Left
	RV67 1K5AA	1	D, P		22			L7	Tan, Left
	RV70 1K5AA	1	D, P		42			G7	Tan, With Map Pocket, Right
	RV71 1AZAA	1	D, P		42			G7	Agate, With Map Pocket, Left
	RV71 1K5AA	1	D, P		42			G7	Tan, With Map Pocket, Left
4									COVER, Front Seat Back
	QK98 1AZ	1	D, P		42			G7	Agate, Without Map Pocket, Right & Left
	QK98 1K5	1	D, P		42			G7	Tan, Without Map Pocket, Right & Left

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth


BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



**Seat Front Trim Code G7 & L7 ( L7 - 1998 Only)**  
**Figure IPL-520**

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QL00 1AZ	1	Z		42			G7	Agate, Right & Left
		1	D, P		42			G7	Agate, Right & Left
	QL00 1K5	1	Z		42			G7	Tan, Right & Left
		1	D, P		42			G7	Tan, Right & Left
	QL04 1AZ	1	D, P		22			G7	Agate, Right
	QL04 1K5	1	D, P		22			G7	Tan, Right
	QL05 1AZ	1	D, P		22			L7	Agate, Without Map Pocket, Left
	QL05 1K5	1	D, P		22			L7	Tan, Without Map Pocket, Left
	RK78 1AZAA	1	D, P		22			L7	Agate, Right
	RK78 1K5AA	1	D, P		22			L7	Tan, Right
	RK79 1AZAA	1	D, P		22			L7	Agate, Left
	RK79 1K5AA	1	D, P		22			L7	Tan, Left
	RV65 1AZAA	2	D, P		42			L7	Agate, Right & Left
	RV65 1K5AA	2	D, P		42			L7	Tan, Right & Left
5	RP38 1AZAA	1	D, P		42			L7	HEADREST, Front Agate
		1	D, P		22			L7	Agate
		1	D, P		22			G7	Agate
		1	D, P		42			G7	Agate
	RP38 1K5AA	1	D, P		22			G7	Tan
		1	D, P		42			L7	Tan
	RP51 1AZAA	1	Z		42			G7	Agate
	RP38 1K5AA	1	D, P		42			G7	Tan
		1	D, P		22			L7	Tan
	RP51 1K5AA	1	Z		42			G7	Tan
	RP51 1AZAA	1	D, P		42			G7	Agate, European
	RP51 1K5AA	1	D, P		42			G7	Tan, European
6									COVER, Seat Headrest
	QK95 1AZ	1	D, P		42			G7	Agate
		1	D, P		22			G7	Agate
	QK95 1K5	1	D, P		42			G7	Tan
		1	D, P		22			G7	Tan
	QK96 1AZ	1	Z		42			G7	Agate, w/Height Adjust
		1	D, P		42			G7	Agate, w/Height Adjust
	QK96 1K5	1	Z		42			G7	Tan, w/Height Adjust
		1	D, P		42			G7	Tan, w/Height Adjust
7									SLEEVE, Headrest
	QX11 1AZAA	1	Z		42			G7	Agate, With Release Button
		1	D, P		42			G7	Agate, With Release Button
		1	D, P		22			L7	Agate, With Release Button
		1	D, P		42			L7	Agate, With Release Button
	QX11 1K5AA	1	Z		42			G7	Tan, With Release Button

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth


BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Seat Front Trim Code G7 & L7 ( L7 - 1998 Only)  
Figure IPL-520

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P		42			G7	Tan, With Release Button
		1	D, P		22			L7	Tan, With Release Button
		1	D, P		42			L7	Tan, With Release Button
	QX12 1AZAA	1	Z		42			G7	Agate, Without Release Button
		1	D, P		42			G7	Agate, Without Release Button
		1	D, P		22			L7	Agate, Without Release Button
		1	D, P		42			L7	Agate, Without Release Button
	QX12 1K5AA	1	Z		42			G7	Tan, Without Release Button
		1	D, P		42			G7	Tan, Without Release Button
		1	D, P		22			L7	Tan, Without Release Button
		1	D, P		42			L7	Tan, Without Release Button
8									HOG RING, Seat, (NOT REQUIRED)
9									SHIELD, Seat Cushion
	JF76 1AZ	1	Z		42			G7	Agate, Right
		1	D, P		42			G7	Agate, Right
		1	D, P		42			L7	Agate, Right
	JF76 1K5	1	Z		42			G7	Camel, Right
		1	D, P		42			G7	Camel, Right
		1	D, P		42			L7	Camel, Right
	JF77 1AZ	1	D, P		42			G7	Agate, Left
		1	Z		42			G7	Agate, Left
		1	D, P		42			L7	Agate, Left
	JF77 1K5	1	D, P		42			G7	Camel, Left
		1	Z		42			G7	Camel, Left
		1	D, P		42			L7	Camel, Left
10									SCREW, Side Shield (10-24x1.030 T-20 Torx), (NOT SERVICED) (Not Serviced)



DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual




Seat Front Trim Code F7 & W7 (W7 1998 Only)  
Figure IPL-522

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	CUSHION, Front Seat								
	PA43 1AZ	1	Z		42			F7	Agate, Right & Left
		1	D, P		22			F7	Agate, Right & Left
		1	D, P		42			F7	Agate, Right & Left
	RZ19 1RZAA	2	D		42			W7	Agate
		2	D		22			W7	Agate
2	COVER, Front Seat Cushion								
	PA69 1AZ	1	Z		42			F7	Agate, Right & Left
		1	D, P		22			F7	Agate, Right & Left
		1	D, P		42			F7	Agate, Right & Left
	RZ23 1RZAA	2	D		22			W7	Agate, Right & Left
		2	D		42			W7	Agate, Right & Left
3	SEAT BACK, Front								
	RV56 1AZAA	1	Z		42			F7	Agate, Right
	RV57 1AZAA	1	Z		42			F7	Agate, Left
	RT70 1AZAA	1	D, P		22			F7	Agate, Right
	RT71 1AZAA	1	D, P		22			F7	Agate, Left
	RV56 1AZAA	1	D, P		42			F7	Agate, Right
	RV57 1AZAA	1	D, P		42			F7	Agate, Left
	RZ20 1RZAA	1	D		42			W7	Agate, Right
	RZ21 1RZAA	1	D		42			W7	Agate, Left
	RZ50 1RZAA	1	D		22			W7	Agate, Right
	RZ51 1RZAA	1	D		22			W7	Agate, Left
4	COVER, Front Seat Back								
	PA71 1AZ	1	D, P		42			F7	Agate, Right & Left
		1	Z		42			F7	Agate, Right & Left
	PV45 1AZ	1	D, P		22			F7	Agate, Right
	PA75 1AZ	1	D, P		22			F7	Agate, Left
	RZ52 1RZAA	1	D		22			W7	Agate, Right
	RZ24 1RZAA	2	D		42			W7	Agate, Right & Left
	RZ53 1RZAA	1	D		22			W7	Agate, Left
5	HEADREST, Front								
	RP36 1AZAA	1	Z		42			F7	Agate, Right & Left
		1	D, P		42			F7	Agate, European, Right & Left
		1	D, P		22			F7	Agate, Right & Left
		1	D, P		42			F7	Agate, Right & Left
	RZ22 1RZAA	2	D		22			W7	Agate
		2	D		42			W7	Agate
6	COVER, Seat Headrest, (NOT SERVICED) (Not Serviced)								
7	SLEEVE, Headrest								
	QX11 1AZAA	1	Z		42			F7	Agate, With Release Button

DODGE - PLYMOUTH - CHRYSLER NEON (PL)								
SERIES	LINE	BODY	ENGINE	TRANSMISSION				
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua				
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic				
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic				
	P=Plymouth			DG0 = All Automatics				
				DBB= All 5 Speed Manual				

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Seat Front Trim Code F7 & W7 (W7 1998 Only)  
Figure IPL-522


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P		42			F7	Agate, With Release Button
		1	D		22			W7	Agate, With Release Button
	QX12 1AZAA	1	Z		42			F7	Agate, Wlthout Release Button
		1	D, P		42			F7	Agate, Wlthout Release Button
	QX11 1RZAA	1	D		42			W7	Agate, With Release Button
	QX12 1AZAA	1	D		22			W7	Agate, Wlthout Release Button
	QX12 1RZAA	1	D		42			W7	Agate, Wlthout Release Button
8									HOG RING, Seat, (NOT REQUIRED)
9									SHIELD, Seat Cushion
	JF76 1AZ	1	Z		42			F7	Agate, Right
		1	D		42			W7	Agate, Right
		1	D, P		42			F7	Agate, Right
	JF77 1AZ	1	Z		42			F7	Agate, Left
		1	D, P		42			F7	Agate, Left
		1	D		42			W7	Agate, Left
	LD94 1AZ	1	D		22			W7	Agate, Right
	LD95 1AZ	1	D		22			W7	Agate, Left
10									SCREW, Side Shield Attaching (10-24x1.030 T-20 Torx), (NOT SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat Front Trim Code W5,M7  
Figure IPL-523



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Front
	RJ02 1AZAA	1	D, P		42			W5	Agate, Right
	RJ03 1AZAA	1	D, P		42			W5	Agate, Left
	RZ38 1BZAA	1	D		42			M7	Agate, Right
	RJ08 1AZAA	1	D, P		22			W5	Agate, Right
	RJ09 1AZAA	1	D, P		22			W5	Agate, Left
	RZ54 1BZAA	1	D		22			M7	Agate, Right
	RZ39 1BZAA	1	D		42			M7	Agate, Left
	RZ55 1BZAA	1	D		22			M7	Agate, Left
2									COVER, Front Seat Back
	RJ12 1AZAA	2	D, P		22			W5	Agate, Right & Left
	RZ41 1BZAA	2	D		42			M7	Agate, Right & Left
	RJ04 1AZAA	1	D, P		42			W5	Agate, Right
	RJ05 1AZAA	1	D, P		42			W5	Agate, Left
	RZ56 1BZAA	1	D		22			M7	Agate, Right
	RZ57 1BZAA	1	D		22			M7	Agate, Left
3									CUSHION, Front Seat
	RH95 1AZAA	1	D, P		42			W5	Agate, Right & Left
		1	D, P		22			W5	Agate, Right & Left
	RZ34 1BZAA	2	D		22			M7	Agate, Right & Left
		2	D		42			M7	Agate, Right & Left
4									COVER, Front Seat Cushion
	RZ40 1BZAA	2	D		22			M7	Agate, Right & Left
		2	D		42			M7	Agate, Right & Left
	RH97 1AZAA	1	D, P		42			W5	Agate, Right & Left
		1	D, P		22			W5	Agate, Right & Left
5									HEADREST, Front
	RZ22 1RZAA	2	D		22			W7	Agate, Right & Left
		2	D		42			W7	Agate, Right & Left
	RZ35 1BZAA	2	D		22			M7	Agate, Right & Left
		2	D		42			M7	Agate, Right & Left
6									SLEEVE, Headrest
	QX11 1AZAA	1	D		22			M7	Agate, w/Release Button
		1	D		42			M7	Agate, w/Release Button
	QX12 1AZAA	1	D		42			M7	Agate, w/o Release Button
		1	D		22			M7	Agate, w/o Release Button
7									HOG RING, Seat, (NOT SERVICED)
									(Not Serviced)
8									SHIELD, Seat Cushion
	JF76 1AZ	1	D		42			W7	Agate, Right
		1	D		42			M7	Agate, Right
	JF77 1AZ	1	D		42			W7	Agate, Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat Front Trim Code W5,M7  
Figure IPL-523

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D		42			M7	Agate, Left
	LD94 1AZ	1	D		22			W7	Agate, Right
		1	D		22			M7	Agate, Right
	LD95 1AZ	1	D		22			M7	Agate, Left
		1	D		22			W7	Agate, Left
9									SCREW, (NOT SERVICED) (Not Serviced)




DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Seat Front Trim Code CL Figure IPL-524



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	SB76 1AZAA	1	D, P		42			CL	Agate, Right & Left
		1	D, P		22			CL	Agate, Right & Left
		1	Z		42			CL	Agate, Right & Left
2									COVER, Front Seat Cushion
	SB81 1AZAA	2	Z		42			CL	Agate, Right & Left
		2	D, P		22			CL	Agate, Right & Left
		2	D, P		42			CL	Agate, Right & Left
3									SEAT BACK, Front
	SB58 1AZAA	1	D, P		22			CL	Agate, Right
	SB59 1AZAA	1	D, P		22			CL	Agate, Left
	SB78 1AZAA	1	D, P		42			CL	Agate, Right
	SB79 1AZAA	1	D, P		42			CL	Agate, Left
4									COVER, Front Seat Back
	SB80 1AZAA	2	D, P		22			CL	Agate, Right & Left
		2	D, P		42			CL	Agate, Right & Left
	SB60 1AZAA	1	D, P		22			CL	Agate, Right
	SB61 1AZAA	1	D, P		22			CL	Agate, Left
	SB80 1AZAA	2	Z		42			CL	Agate, Right & Left
5									HEADREST, Front
	SB77 1AZAA	2	Z		42			CL	Agate
		2	D, P		22			CL	Agate
		2	D, P		42			CL	Agate
6									SLEEVE, Headrest
	QX11 1AZAA	1	D, P		42			CL	Agate, w/Release Button
		1	D, P		22			CL	Agate, w/Release Button
		1	Z		42			CL	Agate, w/Release Button
	QX12 1AZAA	1	D, P		22			CL	Agate, w/o Release Button
		1	D, P		42			CL	Agate, w/o Release Button
		1	Z		42			CL	Agate, w/o Release Button
7									COVER, Seat Headrest, (NOT SERVICED) (Not Serviced)
8									HOG RING, Seat, (NOT SERVICED) (Not Serviced)
9									SHIELD, Seat Cushion
	JF76 1AZ	1	D, P		42			CL	Agate, Right
	JF77 1AZ	1	D, P		42			CL	Agate, Left
		1	Z		42			CL	Agate, Left
	LD94 1AZ	1	D, P		22			CL	Agate, Right
	LD95 1AZ	1	D, P		22			CL	Agate, Left
10									SCREW, Side Shield Attaching, (NOT SERVICED) (Not Serviced)

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

# Seat Reclining Figure IPL-525



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SCREW, Side Shield Attaching (10-24x1.030 T-20 Torx), (NOT SERVICED) (Not Serviced)
2									SHIELD, Seat Cushion
	JF76 1AZ	1	Z		42			H7	Agate, Right
		1	D, P		42			L7	Agate, Right
	JF76 1K5	1	Z		42			H7	Tan, Right
		1	D, P		42			L7	Tan, Right
	JF77 1AZ	1	Z		42			H7	Agate, Left
		1	D, P		42			L7	Agate, Left
	JF77 1K5	1	Z		42			H7	Tan, Left
		1	D, P		42			L7	Tan, Left
	LD94 1AZ	1	D, P		22			L7	Agate, Right
		1	D		22			M7	Agate, Right
		1	D, P		22			H7	Agate, Right
	LD94 1K5	1	D, P		22			L7	Tan, Right
		1	D, P		22			H7	Tan, Right
	LD95 1AZ	1	D, P		22			H7	Agate, Left
	LD95 1K5	1	D, P		22			H7	Tan, Left
3									BOLT, Recliner
	4746 997	1	D, P		42			F7	
		1	Z		42			F7	
		1	D, P		42			G7	
		1	Z		42			G7	
4									RECLINER, Seat Back
	4797 318	1	D, P		42			F7	Right
		1	Z		42			F7	Right
		1	D, P		42			G7	Right
		1	Z		42			G7	Right
		1	D, P		42			L7	Right
		1	D, P		22			L7	Right
	4797 319	1	Z		42			F7	Left
		1	D, P		42			F7	Left
		1	Z		42			G7	Left
		1	D, P		42			G7	Left
		1	D, P		22			L7	Left
		1	D, P		42			L7	Left
	4798 468	1	D, P		22			G7	Right
		1	D, P		22			F7	Right
		1	D, P		22			H7	Right
	4798 469	1	D, P		22			F7	Left
		1	D, P		22			H7	Left

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Seat Reclining Figure IPL-525



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
5		1	D, P		22			G7	Left
									HANDLE, Recliner
		1	D, P		42			F7	Right
		1	Z		42			F7	Right
		1	D, P		42			G7	Right
		1	Z		42			G7	Right
		1	D, P		22			G7	Right
		1	D, P		42			H7	Right
		1	D, P		22			H7	Right
		1	D, P		42			L7	Right
	4740 987	1	D, P		42			F7	Left
	4740 986	1	D, P		22			L7	Right
	4740 987	1	Z		42			G7	Left
		1	D, P		22			G7	Left
		1	Z		42			F7	Left
		1	D, P		42			G7	Left
		1	D, P		42			H7	Left
6		1	D, P		22			H7	Left
		1	D, P		42			L7	Left
		1	D, P		22			L7	Left
									SCREW, Recliner Handle (M6x10- T30 Torx), (NOT SERVICED) (Not Serviced)
									BOLT, Adjuster Shoulder
7	4874 140	1	Z		42			F7	
		1	D, P		42			G7	
		1	D, P		42			F7	
		1	Z		42			G7	
8	4773 524	1	D, P		22			H7	LEVER, Seat Latch Release
9									FRAME, Front Seat Back, Serviced In Seat Back Assembly, (NOT SERVICED) (Not Serviced)
10									FRAME, Front Seat Cushion, Serviced In Seat Cushion Assembly, (NOT SERVICED) (Not Serviced)


## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Rear Seat Trim Code H7 & T7 (T7 1998 Only)**  
**Figure IPL-615**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	SEAT BACK, Rear								
	RU04 1AZAA	1	D, P		22			H7	Agate
	RU04 1K5AA	1	Z		42			H7	Tan
	RU04 1AZAA	1	Z		42			H7	Agate
		1	D, P		42			H7	Agate
	RU04 1K5AA	1	D, P		22			H7	Tan
		1	D, P		42			H7	Tan
	RY96 1AZAA	1	P		42			T7	Agate
	RY96 1K5AA	1	P		42			T7	Tan
2	SEAT BACK, Rear, 40%								
	RU05 1AZAA	1	D, P		22			H7	Agate
	RU05 1K5AA	1	Z		42			H7	Tan
	RU05 1AZAA	1	Z		42			H7	Agate
		1	D, P		42			H7	Agate
	RU05 1K5AA	1	D, P		22			H7	Tan
	RY97 1AZAA	1	P		42			T7	Agate
	RY97 1K5AA	1	P		42			T7	Tan
3	COVER, Rear Seat Back, 40 % Side								
	RU07 1AZAA	1	D, P		42			H7	Agate
		1	Z		42			H7	Agate
		1	D, P		22			H7	Agate
	RU07 1K5AA	1	Z		42			H7	Tan
		1	D, P		42			H7	Tan
		1	D, P		22			H7	Tan
		1	D, P		22			H7	Tan
4	SEAT BACK, Rear, 60%								
	RZ01 1AZAA	1	P		42			T7	Agate
	RZ01 1K5AA	1	P		42			T7	Tan
	RU06 1AZAA	1	Z		42			H7	Agate
		1	D, P		42			H7	Agate
		1	D, P		22			H7	Agate
	RU06 1K5AA	1	Z		42			H7	Tan
		1	D, P		42			H7	Tan
5	COVER, Rear Seat Back, 60 % Side								
	RY98 1AZAA	1	P		22			H7	Tan
		1	D, P		42			H7	Tan
	RY98 1K5AA	1	P		42			T7	Agate
		1	P		42			T7	Tan
	RU08 1AZAA	1	D, P		22			H7	Agate
	RU08 1K5AA	1	Z		42			H7	Tan
	RU08 1AZAA	1	D, P		42			H7	Agate
		1	Z		42			H7	Agate
	RU08 1K5AA	1	D, P		22			H7	Tan

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



**Rear Seat Trim Code H7 & T7 (T7 1998 Only)**  
**Figure IPL-615**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
6		1	D, P		42			H7	Tan
	RZ02 1AZAA	1	P		42			T7	Agate
	RZ02 1K5AA	1	P		42			T7	Tan
									COLLAR, Rear Seat Back
	JK58 1AZ	1	D, P		42			H7	Agate
		1	Z		42			H7	Agate
7		1	D, P		22			H7	Agate
	JK58 1K5	1	Z		42			H7	Tan
		1	D, P		22			H7	Tan
		1	D, P		42			H7	Tan
	RY99 1AZAA	1	P		42			T7	Agate
	RY99 1K5AA	1	P		42			T7	Tan
8									COVER, Seat Back Collar
	JK62 1AZ	1	Z		42			H7	Agate
		1	D, P		22			H7	Agate
	JK62 1K5	1	D, P		22			H7	Tan
	JK62 1AZ	1	D, P		42			H7	Agate
	JK62 1K5	1	Z		42			H7	Tan
9		1	D, P		42			H7	Tan
		1	D, P		42			H7	Agate, (Use Up To 3-10-98)
	MH21 1AZ	1	Z		42			H7	Agate, (Use Up To 3-10-98)
	MH21 1K5	1	Z		42			H7	Tan, (Use Up To 3-10-98)
		1	D, P		22			H7	Tan, (Use Up To 3-10-98)
	SC59 1AZAA	1	D, P		42			H7	Agate, (Use After 3-10-98)
10		1	D, P		22			H7	Agate, (Use After 3-10-98)
		1	Z		42			H7	Agate, (Use After 3-10-98)
	SC59 1K5AA	1	D, P		42			H7	Tan, (Use After 3-10-98)
		1	D, P		22			H7	Tan, (Use After 3-10-98)
		1	D, P		22			H7	Agate, (Use Up To 3-10-98)
		1	D, P		42			H7	Agate, (Use Up To 3-10-98)
11		1	Z		42			H7	Tan, (Use Up To 3-10-98)
		1	D, P		42			H7	Tan, (Use Up To 3-10-98)
		1	D, P		42			H7	Agate
	RZ00 1AZAA	1	P		42			T7	Agate
	SC65 1AZAA	1	Z		42			H7	Agate, (Use After 3-10-98)
		1	D, P		42			H7	Agate (Use After 3-10-98)
12		1	P		42			T7	Tan
	RZ00 1K5AA	1	P		42			T7	Tan
	SC65 1K5AA	1	D, P		42			H7	Tan, (Use After 3-10-98)
		1	D, P		22			H7	Tan, (Use After 3-10-98)
	SC65 1AZAA	1	D, P		22			H7	Agate, (Use After 3-10-98)
									HOG RING, Seat, (NOT REQUIRED)

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

**Rear Seat Trim Code H7 & T7 (T7 1998 Only)  
Figure IPL-615**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11									PULL STRAP, Flat Black, Serviced In Latch Assembly Only, (NOT SERVICED) (Not Serviced)
12	LE60 1AZ	1	D, P		22			H7	SEAT BACK, Rear, w/Child Seat Agate
		1	D, P		42			H7	Agate
13	LE16 1AZ	1	D, P		22			H7	COVER, Rear, With Child Seat Agate
		1	D, P		42			H7	Agate
	LE16 1K5	1	D, P		22			H7	Tan
		1	D, P		42			H7	Tan
14	LH67 1K5	1	D, P		22			H7	COVER, Child Seat Cushion Tan, Pad And Cover Child Seat
		1	D, P		42			H7	Upper Tan, Pad And Cover Child Seat Upper
	LH67 1AZ	1	D, P		22			H7	Agate, Pad And Cover Child Seat Upper
		1	D, P		42			H7	Agate, Pad And Cover Child Seat Upper
15	LR00 1AZ	1	D, P		22			H7	PAD, Child Seat Cushion And Ba Agate
		1	D, P		42			H7	Agate
	LR00 1K5	1	D, P		42			H7	Tan
16	LE63 1K5	1	D, P		42			H7	MODULE, Child Seat Complete Tan
		1	D, P		22			H7	Tan
	LE63 1AZ	1	D, P		42			H7	Agate
		1	D, P		22			H7	Agate
17	LE60 1K5	1	D, P		22			H7	SEAT BACK, Rear, w/Child Seat Tan
		1	D, P		42			H7	Tan
	LE60 1AZ	1	D, P		22			H7	Agate
		1	D, P		42			H7	Agate

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Rear Seat - Trim Code M7  
Figure IPL-619



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Rear Seat
	RH99 1AZAA	1	D, P		42			W5	Agate
		1	D, P		22			W5	Agate
	RZ42 1BZAA	1	D		22			M7	Blue
		1	D		42			M7	Blue
2									COVER, Rear Seat Cushion
	RJ06 1AZAA	1	D, P		42			W5	Agate
		1	D, P		22			W5	Agate
	RZ47 1BZAA	1	D		22			M7	Blue
		1	D		42			M7	Blue
3									SEAT BACK, Rear
	RZ43 1BZAA	1	D		22			M7	Blue, Complete
		1	D		42			M7	Blue, Complete
	RZ45 1BZAA	1	D		22			M7	Blue, 60% Side
	RP33 1AZAA	1	D, P		22			W5	Agate
		1	D, P		42			W5	Agate
	RZ44 1BZAA	1	D		22			M7	Blue, 40% Side
	RZ45 1BZAA	1	D		42			M7	Blue, 60% Side
	RZ44 1BZAA	1	D		42			M7	Blue, 40% Side
4									COVER, Rear Seat Back
	RZ48 1BZAA	1	D		22			M7	Blue, 40% Side
		1	D		42			M7	Blue, 40% Side
	RE12 1AZAA	1	D, P		42			W5	Agate
		1	D, P		22			W5	Agate
	RZ49 1BZAA	1	D		22			M7	Blue, 60% Side
		1	D		42			M7	Blue, 60% Side
-5	RZ46 1BZAA-	1	D		42			M7	COLLAR, Rear Seat Back, Blue

DODGE - PLYMOUTH - CHRYSLER NEON (PL)  
SERIES LINE BODY ENGINE TRANSMISSION  
L=Low Line Z=Chrysler, RHD 41=4 Door, 104WB ECB=2.0L 4 Cyl., 16V SMPI DD5 = 5 Speed Manua  
H=High Line D=Dodge EJD=1.6L 4 Cyl16V SOHC DGC = 3 Speed Automatic  
S=Special D=Chrysler EBD=1.8L 4 Cyl16V SEFI DGL = 4 Speed Automatic  
P=Plymouth DG0 = All Automatics  
DBB= All 5 Speed Manual

Rear Seat Trim Code G7,L7  
Figure IPL-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	SEAT BACK, Rear, Full Rear Seat								
	Back								
	RK66 1AZAA	1	D, P		22			L7	Agate
		1	D, P		22			G7	Agate
		1	D, P		42			G7	Agate
		1	Z		42			G7	Agate
	RK66 1K5AA	1	D, P		22			L7	Tan
	RK66 1AZAA	1	D, P		42			L7	Agate
	RK66 1K5AA	1	D, P		22			G7	Tan
		1	D, P		42			G7	Tan
		1	Z		42			G7	Tan
		1	D, P		42			L7	Tan
2	SEAT BACK, Rear, 40 % Side								
	RK67 1AZAA	1	D, P		22			L7	Agate
		1	D, P		22			G7	Agate
		1	D, P		42			G7	Agate
		1	Z		42			G7	Agate
	RK67 1K5AA	1	D, P		22			L7	Tan
	RK67 1AZAA	1	D, P		42			L7	Agate
	RK67 1K5AA	1	D, P		22			G7	Tan
		1	D, P		42			G7	Tan
		1	Z		42			G7	Tan
		1	D, P		42			L7	Tan
3	COVER, Rear Seat Back, 40 % Side								
	RK71 1AZAA	1	D, P		22			G7	Agate
		1	D, P		42			G7	Agate
		1	Z		42			G7	Agate
		1	D, P		22			L7	Agate
		1	D, P		42			L7	Agate
	RK71 1K5AA	1	D, P		22			G7	Tan
		1	D, P		42			G7	Tan
		1	Z		42			G7	Tan
		1	D, P		22			L7	Tan
		1	D, P		42			L7	Tan
4	SEAT BACK, Rear, 60 % Side								
	RK68 1AZAA	1	D, P		22			G7	Agate
		1	D, P		42			G7	Agate
		1	Z		42			G7	Agate
		1	D, P		22			L7	Agate
		1	D, P		42			L7	Agate
	RK68 1K5AA	1	D, P		22			G7	Tan
		1	D, P		42			G7	Tan

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

**Rear Seat Trim Code G7,L7**  
**Figure IPL-620**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Z		42			G7	Tan
		1	D, P		22			L7	Tan
		1	D, P		42			L7	Tan
5	RK72 1AZAA	1	D, P		22			L7	Agate
	RK72 1K5AA	1	Z		42			G7	Tan
	RK72 1AZAA	1	Z		42			G7	Agate
		1	D, P		42			L7	Agate
	RK72 1K5AA	1	D, P		42			L7	Tan
		1	D, P		22			L7	Tan
6									COLLAR, Rear Seat Back
	QK73 1AZ	1	D, P		22			L7	Agate
		1	D, P		22			G7	Agate
		1	D, P		42			G7	Agate
		1	Z		42			G7	Agate
	QK73 1K5	1	D, P		22			G7	Tan
		1	D, P		42			G7	Tan
		1	Z		42			G7	Tan
	QK73 1AZ	1	D, P		42			L7	Agate
	QK73 1K5	1	D, P		22			L7	Tan
		1	D, P		42			L7	Tan
7									COVER, Rear Seat Back Collar
	QK84 1AZ	1	D, P		22			G7	Agate
		1	D, P		42			G7	Agate
		1	Z		42			G7	Agate
		1	D, P		22			L7	Agate
		1	D, P		42			L7	Agate
	QK84 1K5	1	D, P		22			L7	Tan
		1	D, P		22			G7	Tan
		1	D, P		42			G7	Tan
		1	Z		42			G7	Tan
		1	D, P		42			L7	Tan
8									CUSHION, Rear Seat
	QK71 1AZ	1	Z		42			G7	Agate
		1	D, P		22			G7	Agate
		1	D, P		42			G7	Agate
		1	D, P		22			L7	Agate
		1	D, P		42			L7	Agate
	QK71 1K5	1	D, P		22			L7	Tan
		1	D, P		22			L7	Tan
		1	D, P		22			G7	Tan
		1	D, P		42			G7	Tan
		1	Z		42			G7	Tan

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Rear Seat Trim Code G7,L7  
Figure IPL-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	QK72 1AZ	1	D, P		42			L7	Tan
									COVER, Rear Seat Cushion
		1	D, P		22			G7	Agate
		1	D, P		42			G7	Agate
	QK72 1K5	1	Z		42			G7	Agate
		1	D, P		22			L7	Agate
		1	D, P		22			G7	Tan
		1	D, P		42			G7	Tan
	10	1	Z		42			G7	Tan
		1	D, P		22			L7	Tan
1		D, P		42			L7	Tan	
HOG RING, Seat, (NOT REQUIRED)									

DODGE - PLYMOUTH - CHRYSLER NEON (PL)  
SERIES L=Low Line H=High Line S=Special  
LINE Z=Chrysler, RHD D=Dodge D=Chrysler P=Plymouth  
BODY 41=4 Door, 104WB  
ENGINE ECB=2.0L 4 Cyl., 16V SMPI EJD=1.6L 4 Cyl16V SOHC EBD=1.8L 4 Cyl16V SEFI  
TRANSMISSION DD5 = 5 Speed Manua DGC = 3 Speed Automatic DGL = 4 Speed Automatic DG0 = All Automatics DBB= All 5 Speed Manual

**Rear Seat Trim Code F7 & W7 (W7 1998 Only)**  
**Figure IPL-622**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear, Complete
	RU53 1AZAA	1	Z		42			F7	Agate
		1	D, P		22			F7	Agate
		1	D, P		42			F7	Agate
	RZ27 1RZAA	1	D		42			W7	Agate
		1	D		22			W7	Agate
2									SEAT BACK, Rear, 40%
	RU44 1AZAA	1	D, P		22			F7	Agate
		1	D, P		42			F7	Agate
		1	Z		42			F7	Agate
	RZ28 1RZAA	1	D		42			W7	Agate
		1	D		22			W7	Agate
3									COVER, Rear Seat Back, 40 % Side
	RU54 1AZAA	1	Z		42			F7	Agate
		1	D, P		22			F7	Agate
		1	D, P		42			F7	Agate
	RZ32 1RZAA	1	D		42			W7	Agate
		1	D		22			W7	Agate
4									SEAT BACK, Rear, 60%
	RU52 1AZAA	1	Z		42			F7	Agate
		1	D, P		22			F7	Agate
		1	D, P		42			F7	Agate
	RZ29 1RZAA	1	D		42			W7	Agate
		1	D		22			W7	Agate
5									COVER, Rear Seat Back, 60 % Side
	RU55 1AZAA	1	Z		42			F7	Agate
		1	D, P		22			F7	Agate
		1	D, P		42			F7	Agate
	RZ33 1RZAA	1	D		42			W7	Agate
		1	D		22			W7	Agate
6									COLLAR, Rear Seat Back
	PA44 1AZ	1	Z		42			F7	Agate
		1	D, P		22			F7	Agate
		1	D, P		42			F7	Agate
	RZ30 1RZAA	1	D		42			W7	Agate
		1	D		22			W7	Agate
7									COVER, Seat Back Collar
	PA78 1AZ	1	Z		42			F7	Agate
		1	D, P		22			F7	Agate
		1	D, P		42			F7	Agate
8									CUSHION, Rear Seat
	PA47 1AZ	1	D, P		22			F7	Agate

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Seat Trim Code F7 & W7 (W7 1998 Only)  
Figure IPL-622

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P		42			F7	Agate
		1	Z		42			F7	Agate
	RZ25 1RZAA	1	D		42			W7	Agate
		1	D		22			W7	Agate
9									COVER, Rear Seat Cushion
	PA77 1AZ	1	Z		42			F7	Agate
		1	D, P		22			F7	Agate
		1	D, P		42			F7	Agate
10									HOG RING, Seat, (NOT REQUIRED)




DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Rear Seat Trim Code CL  
Figure IPL-624



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear
	SB83 1AZAA	1	D, P		42			CL	Agate
		1	Z		42			CL	Agate
2									COVER, Rear Seat Back, (NOT SERVICED) (Not Serviced)
3									SEAT BACK, Rear, 60%
	SB84 1AZAA	1	D, P		42			CL	Agate
		1	Z		42			CL	Agate
4									COVER, Rear Seat Back, 60 % Side
	SB86 1AZAA	1	D, P		42			CL	Agate
		1	Z		42			CL	Agate
5									SEAT BACK, Rear, 40%
	SB85 1AZAA	1	D, P		42			CL	Agate
		1	Z		42			CL	Agate
6									COVER, Rear Seat Back, 40 % Side
	SB87 1AZAA	1	D, P		42			CL	Agate
		1	Z		42			CL	Agate
7									COLLAR, Rear Seat Back
	SB88 1AZAA	1	D, P		42			CL	Agate
		1	Z		42			CL	Agate
8									COVER, Seat Back Collar, (NOT SERVICED) (Not Serviced)
9									CUSHION, Rear Seat
	SB82 1AZAA	1	D, P		22			CL	Agate
		1	Z		42			CL	Agate
		1	D, P		42			CL	Agate
10									COVER, Rear Seat Cushion, (NOT SERVICED) (Not Serviced)
11									HOG RING, Seat, (NOT SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Rear Seat Attaching Parts  
Figure IPL-625

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									
COLLAR, Rear Seat Back									
	JK58 1AZ	1	D, P		22			H7	Agate
		1	Z		42			H7	Agate
	JK58 1K5	1	Z		42			H7	Tan
		1	D, P		42			H7	Tan
	JK58 1AZ	1	D, P		42			H7	Agate
	JK58 1K5	1	D, P		22			H7	Tan
	PA44 1AZ	1	D, P		22			F7	Agate
		1	Z		42			F7	Agate
	QK73 1AZ	1	D, P		42			F7	Agate
		1	D, P		22			G7	Agate
		1	D, P		42			G7	Agate
		1	Z		42			G7	Agate
	QK73 1K5	1	D, P		22			G7	Tan
		1	D, P		42			G7	Tan
	QK73 1AZ	1	D, P		42			L7	Agate
		1	D, P		22			L7	Agate
	QK73 1K5	1	Z		42			G7	Tan
		1	D, P		42			L7	Tan
		1	D, P		22			L7	Tan
	RZ46 1BZAA	1	D		22			M7	Blue
		1	D		42			M7	Blue
2									
COVER, Seat Back Collar									
	JK62 1AZ	1	D, P		22			H7	Agate
		1	Z		42			H7	Agate
	JK62 1K5	1	D, P		22			H7	Tan
	PA78 1AZ	1	D, P		22			F7	Agate
	JK62 1AZ	1	D, P		42			H7	Agate
	JK62 1K5	1	Z		42			H7	Tan
		1	D, P		42			H7	Tan
	PA78 1AZ	1	D, P		42			F7	Agate
		1	Z		42			F7	Agate
3									
LATCH, Seat									
	JY05 1AZ	1	Z		42			H7	Agate
		1	D, P		22			H7	Agate
		1	Z		42			F7	Agate
		1	D, P		42			H7	Agate
		1	D, P		42			F7	Agate
		1	D, P		42			L7	Agate
		1	D		22			M7	Agate
		1	D, P		42			G7	Agate
		1	D		42			M7	Agate


DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required   - = Non illustrated part   # = New this model year

September 15, 2005



# Rear Seat Attaching Parts Figure IPL-625



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	JY05 1K5	1	D, P		22			H7	Camel
		1	Z		42			H7	Camel
		1	Z		42			G7	Tan
		1	D, P		42			H7	Tan
		1	D, P		42			G7	Tan
		1	D, P		42			L7	Tan
4									BRACKET, Inboard Pivot, 40 % Side
	4741 252	1	D, P		22			G7	
		1	D, P		42			G7	
		1	D, P		42			F7	
		1	Z		42			F7	
		1	Z		42			H7	
		1	D, P		42			H7	
		1	D, P		22			H7	
		1	D, P		42			L7	
		1	D, P		22			L7	
		1	D		22			M7	
		1	D		42			M7	
5									BRACKET, Outboard Pivot
	4741 253	1	Z		42			F7	
		1	D, P		22			G7	
		1	D, P		42			G7	
		1	Z		42			H7	
		1	D, P		42			H7	
		1	D, P		22			H7	
		1	D, P		42			L7	
		1	D, P		22			L7	
		1	D		22			M7	
		1	D		42			M7	
6									STRIKER, Seat Back Latch
	4741 265	1	D, P		42			F7	
		1	D, P		22			G7	
		1	D, P		42			G7	
		1	D, P		42			H7	
		1	Z		42			H7	
		1	D, P		22			H7	
		1	D, P		42			L7	
		1	D, P		22			L7	
		1	D		22			M7	
		1	D		42			M7	
7									BRACKET, Rear Seat Center

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Seat Attaching Parts  
Figure IPL-625

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4797 697	1	D, P		42			F7	
		1	D, P		22			G7	
		1	D, P		42			G7	
		1	D, P		42			H7	
		1	Z		42			G7	
		1	Z		42			H7	
		1	D, P		22			H7	
		1	D, P		42			L7	
		1	D, P		22			L7	
		1	D		22			M7	
		1	D		42			M7	
8	4741 261	1	D, P		22			G7	BRACKET, Lower Pivot
		1	D, P		42			G7	
		1	D, P		42			F7	
		1	Z		42			F7	
		1	Z		42			H7	
		1	D, P		42			H7	
		1	D		22			M7	
		1	D		42			M7	
		1	D, P		22			H7	
9	4741 257	1	D, P		22			G7	BRACKET, Seat
		1	D, P		42			G7	
		1	D, P		42			F7	
		1	Z		42			F7	
		1	Z		42			G7	
		1	Z		42			H7	
		1	D, P		42			H7	
		1	D, P		22			H7	
		1	D, P		42			L7	
		1	D, P		22			L7	
		1	D		42			M7	
		1	D		22			M7	
10	4741 276	1	D, P		22			G7	SCREW, Phillips Head, .25x.75
		1	D, P		42			G7	
		1	D, P		42			F7	
		1	Z		42			F7	
		1	Z		42			G7	
		1	Z		42			H7	
		1	D, P		42			H7	

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Seat Attaching Parts  
Figure IPL-625

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11	4741 274	1	D, P		22			H7	SCREW, Torx Head, .25-20x.75
		1	D, P		42			F7	
		1	Z		42			F7	
		1	D, P		22			G7	
		1	D, P		42			G7	
		1	D, P		42			H7	
		1	Z		42			G7	
		1	Z		42			H7	
		1	D, P		22			H7	
		1	D		22			M7	
		1	D		42			M7	
12	4761 016								COVER, Plastic Collar
		1	D, P		22			G7	
		1	D, P		42			G7	
		1	D, P		42			F7	
		1	Z		42			F7	
		1	Z		42			G7	
		1	Z		42			H7	
		1	D, P		42			H7	
		1	D, P		22			H7	
		1	D		22			M7	
		1	D		42			M7	
		1	D, P		42			G7	
		1	D, P		22			G7	
		1	Z		42			G7	
		1	Z		42			H7	
		1	Z		42			F7	
		1	D, P		42			F7	
13	4741 274	1	D, P		22			G7	SCREW, Torx Head, .25-20x.75
		1	D, P		42			G7	
		1	D, P		42			F7	
		1	Z		42			F7	
		1	Z		42			G7	
		1	Z		42			H7	
		1	D, P		42			H7	
		1	D		22			M7	
		1	D		42			M7	
		1	D		42			M7	

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Seat Attaching Parts  
Figure IPL-625


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	4741 256	1	D		42			M7	BRACKET, Inboard Pivot
		1	D, P		22			H7	
		1	D, P		22			G7	
		1	D, P		42			G7	
		1	D, P		42			F7	
		1	Z		42			F7	
		1	Z		42			G7	
		1	Z		42			H7	
		1	D, P		42			H7	
		1	D, P		22			H7	
15	4773 124	1	D, P		42			L7	BOLT, Shoulder
		1	D, P		22			L7	
		1	D		22			M7	
		1	D		42			M7	
		1	D, P		22			G7	
		1	D, P		42			G7	
		1	D, P		42			F7	
		1	Z		42			F7	
		1	Z		42			G7	
		1	Z		42			H7	
16	4645 794	1	D, P		42			H7	CLIP, Seat Back, Goes Between Seat And Shelf Panel, So There Is No Rattle (Only Used With Folding Seat)
		1	D, P		42			H7	
		1	D		22			M7	
		1	D		42			M7	
		1	D, P		22			H7	
17	4645 801	2							RETAINER, Seat Cushion
18	6504 118	2							U-NUT, M6 x 1.00, M6x1.00
19	6503 460	2	D, P						SCREW AND WASHER, Hex Head, M6x1x30, Child Seat Attaching
-20	4773 694	1							RETAINER PACKAGE, Rear Child Seat Tether
21									COVER, Rear Seat Back Collar
	QK84 1AZ	1	D, P		22			G7	Agate
		1	D, P		42			G7	Agate
		1	Z		42			G7	Agate
		1	D, P		22			L7	Agate
		1	D, P		42			L7	Agate

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

### Rear Seat Attaching Parts Figure IPL-625



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QK84 1K5	1	D, P		22			G7	Tan
		1	D, P		42			G7	Tan
		1	Z		42			G7	Tan
		1	D, P		42			L7	Tan
		1	D, P		22			L7	Tan

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

SERIES	LINE	BODY
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB
H=High Line	D=Dodge	
S=Special	D=Chrysler	
	P=Plymouth	


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005

# Seat Belts - Front Figure IPL-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4645 807AB	2			42				ADJUSTER, Seat Belt Turning Loop
2	PM06 SX9	1	D, P		42			O0	SEAT BELT, Front Outer
		1	Z		42			O0	Black, Right
	PM07 SX9	1	D, P		42			O0	Black, Right
		1	Z		42			O0	Black, Left
3	QL36 SX9	1	Z		42			O0	SEAT BELT, Front, Black, Right
4	6035 808	2			42				SCREW, .437-20x1.50
5	4645 780	2			42				KNOB, Seat Belt Adjuster
6	4664 039	2			42				SCREW, Pan Head, .437-20x1.244
7	PM08 SAZ	1	D, P		42			O0	SEAT BELT, Front Outer
	PM08 TK5	1	D, P		42			O0	Agate, Right
	PM10 SAZ	1	D, P		22			O0	Tan, Right
	PM09 SAZ	1	D, P		42			O0	Agate, Right
	PM09 TK5	1	D, P		42			O0	Agate, Left
	PM10 TK5	1	D, P		22			O0	Tan, Left
	PM11 SAZ	1	D, P		22			O0	Tan, Right
	PM11 TK5	1	D, P		22			O0	Agate, Left
8	6034 449	2	D, P		22				Agate, Left
9									SCREW, Pan Head, .437-20x1.79
	4680 045	1	D, P		42			F7	BUSHING, Seat Belt
		1	Z		42			F7	
10	PW88 1K5	1	D, P		22			O0	SEAT BELT, Buckle Half
		1	D, P		42			O0	Tan
	PW88 SAZ	1	D, P		42			O0	Tan
		1	D, P		42			O0	Agate
		1	D, P		22			O0	Agate
11									SEAT BELT, Front Inner
	4864 880	1	Z		42			O0	
		1	D, P		42			O0	
12	4864 865	1	D, P		42			F7	BOLT, Seat Belt
		1	Z		42			F7	
		1	Z		42			G7	
		1	D, P		42			G7	
13									EXTENDER, Seat Belt
	4856 560	1	D, P		22			W5	
		1	D, P		42			W5	
		1	Z		42			F7	
		1	D, P		42			F7	
		1	D, P		42			G7	

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Seat Belts - Front  
Figure IPL-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Z		42			G7	
		1	D, P		22			G7	
		1	D, P		42			H7	
		1	D, P		22			H7	
		1	D, P		22			L7	
		1	D, P		42			L7	
14	HX89 LAZAB	2	D, P		22			O0	COVER, Seat Belt Agate, Outboard
	HX89 RK5AB	2	D, P		22			O0	Tan, Outboard
15	JV77 PX9	2	D, P		42			O0	COVER, Adjustable Turning Loop Black
		2	Z		42			O0	Black
16									PLATE, Silencer Front Seat Belt
									Retainer
	4783 514AB	1			42				Right
	4783 515AB	1			42				Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


**Seat Belts - Rear**  
**Figure IPL-720**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6035 808	2			42				SCREW, .437-20x1.50
2	PM00 1AZ	2	D, P		42			O0	SEAT BELT, Rear Outer Agate, European
		2	Z		42			O0	Agate
	PL99 LAZ	2	D, P					O0	Agate
	PL99 RK5	2	D, P					O0	Tan
	PM00 1K5	2	D, P		42			O0	Tan, European
		2	Z		42			O0	Tan
3									BEZEL, Seat Belt, Serviced With Seat Belt, (NOT SERVICED) (Not Serviced)
4	4664 040	2							SCREW AND WASHER, Pan Head, .437-20x1.20
5	6034 819	2							SCREW, Seat Belt Attaching, .50- 20x1.38
-6	6035 737	3	Z		42				NUT, .312-18, Teather Anchor
7									SEAT BELT, Rear Inner
	PM05 SAZ	1	D, P					O0	Agate, Left
	PM05 TK5	1	D, P					O0	Tan, Left
	QH33 SX9	1	D, P		42			O0	Black, Left
	PM12 SAZ	1	D, P					O0	Agate, Right
	PM12 TK5	1	D, P					O0	Tan, Right
	QH34 SX9	1	D, P					O0	Black, Right
	QH33 SX9	1	Z		42			O0	Black, Left
	QH34 SX9	1	Z		42			O0	Black, Right
8									EXTENDER, Seat Belt
	4856 560	1	Z		42			F7	
		1	D, P		42			F7	
		1	D, P		42			G7	
		1	D, P		22			W5	
		1	D, P		42			W5	
		1	D, P		22			H7	
		1	D, P		22			L7	
		1	Z		42			G7	
		1	D, P		42			H7	
		1	D, P		42			L7	
-9	4773 694	1							RETAINER PACKAGE, Rear Child Seat Tether

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual


Seat Adjusters, Recliners and Side Shields  
Figure IPL-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SCREW, Side Shield Outer, (NOT SERVICED) (Not Serviced)
2									SHIELD, Seat Cushion
	JF76 1AZ	1	D, P		42			G7	Agate, Right
		1	D, P		42			H7	Agate, Right
		1	Z		42			H7	Agate, Right
		1	Z		42			G7	Agate, Right
		1	D, P		42			F7	Agate, Right
		1	Z		42			F7	Agate, Right
	JF76 1K5	1	D, P		42			L7	Agate, Right
		1	Z		42			H7	Tan, Right
		1	Z		42			G7	Tan, Right
		1	D, P		42			G7	Tan, Right
	JF77 1AZ	1	D, P		42			H7	Tan, Right
	JF76 1K5	1	D, P		42			G7	Agate, Left
	JF77 1AZ	1	Z		42			L7	Tan, Right
		1	D, P		42			H7	Agate, Left
		1	D, P		42			H7	Agate, Left
		1	Z		42			F7	Agate, Left
		1	Z		42			G7	Agate, Left
		1	Z		42			F7	Agate, Left
	JF77 1K5	1	D, P		42			L7	Agate, Left
		1	Z		42			H7	Tan, Left
		1	D, P		42			H7	Tan, Left
		1	D, P		42			G7	Tan, Left
		1	Z		42			G7	Tan, Left
		1	D, P		42			L7	Tan, Left
	LD94 1AZ	1	D, P		22			L7	Agate, Right
		1	D, P		22			H7	Agate, Right
	LD94 1K5	1	D, P		22			H7	Camel, Right
	LD95 1AZ	1	D, P		22			H7	Agate, Left
	LD94 1K5	1	D, P		22			L7	Tan, Right
	LD95 1AZ	1	D, P		22			L7	Agate, Left
	LD95 1K5	1	D, P		22			H7	Camel, Left
		1	D, P		22			L7	Tan, Left
3									BOLT, Recliner
	4746 997	1	Z		42			G7	
		1	D, P		42			G7	
		1	D, P		42			F7	
		1	Z		42			F7	
4									RECLINER, Seat Back
	4798 469	1	D, P		22			B5	Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

Seat Adjusters, Recliners and Side Shields  
 Figure IPL-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4798 468	1	D, P		22			B5	Right
	4798 469	1	D, P		22			CL	Left
	4798 468	1	D, P		22			CL	Right
	4798 469	1	D, P		22			F7	Left
	4798 468	1	D, P		22			F7	Right
	4798 469	1	D, P		22			H7	Left
		1	D, P		22			G7	Left
	4798 468	1	D, P		22			H7	Right
		1	D, P		22			G7	Right
	4797 318	1	Z		42			G7	Right
	4797 319	1	D, P		42			G7	Left
		1	Z		42			G7	Left
	4797 318	1	D, P		42			G7	Right
		1	D, P		42			F7	Right
	4797 319	1	D, P		42			F7	Left
		1	D, P		42			L7	Left
	4797 318	1	D, P		42			L7	Right
	4797 319	1	D		42			M7	Left
	4797 318	1	D, P		42			CL	Right
		1	Z		42			CL	Right
		1	D		42			M7	Right
		1	P		42			T7	Right
	4797 319	1	P		42			T7	Left
	4797 318	1	D		42			W7	Right
	4797 319	1	D, P		42			CL	Left
		1	D		42			W7	Left
		1	Z		42			CL	Left
5									HANDLE, Recliner
	4740 986	1	D, P		42			F7	Right
		1	Z		42			F7	Right
		1	Z		42			G7	Right
		1	D, P		22			G7	Right
		1	D, P		22			H7	
		1	D, P		42			L7	Right
		1	D, P		42			G7	Right
		1	D, P		42			H7	Right
		1	D, P		22			L7	Right
	4740 987	1	D, P		42			F7	Left
		1	Z		42			F7	Left
		1	Z		42			G7	Left
		1	D, P		22			G7	Left
		1	D, P		42			G7	Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 15, 2005

Seat Adjusters, Recliners and Side Shields  
Figure IPL-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
6		1	D, P		42			H7	Left
		1	D, P		22			H7	Left
		1	D, P		42			L7	Left
		1	D, P		22			L7	Left
									SCREW, Recliner Handle Attaching (M6x10-T30 Torx, (NOT SERVICED) (Not Serviced)
7									BOLT, Cushion To Adjuster
	4761 014	1	Z		42			G7	
		1	D, P		42			F7	
		1	Z		42			F7	
		1	D, P		42			G7	
-8	6503 675	8							SCREW AND WASHER, Hex Head, M10x1.5x40, Adjuster To Floor
9									TOWEL BAR, Seat Adjuster Handle
	4740 979	1	Z		42			G7	
		1	D, P		22			G7	
		1	D, P		42			F7	
		1	Z		42			F7	
		1	D, P		42			G7	
		1	D, P		42			H7	
		1	Z		42			H7	
		1	D, P		42			L7	
		1	D, P		22			L7	
		1	D, P		22			H7	
10									BOLT, Adjuster Shoulder
	4874 140	1	D, P		42			F7	Adjuster To Cushion
		1	Z		42			F7	Adjuster To Cushion
		1	D, P		42			G7	Adjuster To Cushion
		1	Z		42			G7	Adjuster To Cushion
11									RIVET, Pop, (NOT SERVICED) (Not Serviced)
12									BUSHING, Seat Belt
	4680 045	1	D, P		42			F7	
		1	Z		42			F7	
13									BOLT, Seat Belt
	4864 865	1	Z		42			G7	
		1	D, P		42			F7	
		1	Z		42			F7	
		1	D, P		42			G7	
14									ADJUSTER, Manual Seat
	4886 292AA	1	Z		42			G7	Inboard, Right

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Seat Adjusters, Recliners and Side Shields Figure IPL-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P		42			F7	Inboard, Right
		1	D, P		22			H7	Inboard, Right
		1	D, P		42			H7	Inboard, Right
		1	D, P		42			L7	Inboard, Right
		1	D, P		22			W5	Inboard, Right
		1	D, P		42			W5	Inboard, Right
		1	D		22			M7	Inboard, Right
		1	D		42			M7	Inboard, Right
4886 293AA		1	Z		42			G7	Inboard, Left
		1	Z		42			F7	Inboard, Left
		1	D, P		22			H7	Inboard, Left
		1	D, P		42			H7	Inboard, Left
		1	D, P		42			G7	Inboard, Left
		1	D, P		42			L7	Inboard, Left
		1	D, P		22			W5	Inboard, Left
		1	D, P		42			W5	Inboard, Left
		1	D		22			M7	Inboard, Left
4886 294AA		1	D		42			M7	Inboard, Left
		1	Z		42			G7	Outboard, Right
		1	D, P		42			F7	Outboard, Right
		1	D, P		22			H7	Outboard, Right
		1	D, P		22			G7	Outboard, Right
		1	D, P		42			H7	Outboard, Right
		1	D, P		42			G7	Outboard, Right
		1	D, P		22			W5	Outboard, Right
		1	D, P		42			W5	Outboard, Right
		1	D		22			M7	Outboard, Right
		1	D		42			M7	Outboard, Right
4886 295AA		1	Z		42			G7	Outboard, Left
		1	Z		42			F7	Outboard, Left
		1	D, P		22			H7	Outboard, Left
		1	D, P		22			G7	Outboard, Left
		1	D, P		42			H7	Outboard, Left
		1	D, P		42			G7	Outboard, Left
		1	D, P		42			L7	Outboard, Left
		1	D, P		22			W5	Outboard, Left
		1	D, P		42			W5	Outboard, Left
		1	D		22			M7	Outboard, Left
		1	D		42			M7	Outboard, Left
4897 935AA		1	D, P		42			G7	With Height Adjust (One Piece), Left

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

## Seat Adjusters, Recliners and Side Shields

### Figure IPL-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P		42			F7	With Height Adjust (One Piece), Left
	4897 936AA	1	Z		42			G7	With Height Adjust (One Piece), Right
		1	Z		42			F7	With Height Adjust (One Piece), Right

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 15, 2005**





# Group – SPL









## Body Sheet Metal Except Doors



# Group – SPL

## Body Sheet Metal Except Doors

<b>SPL-1100</b> Roof Panels 	<b>SPL-1200</b> Sunroof 	<b>SPL-1300</b> Deck Lid 	<b>SPL-1400</b> Rear Shelf Panel 
--	--	---	---

<b>SPL-200</b> Floor Pans 	<b>SPL-300</b> Plugs 	<b>SPL-400</b> Front Fenders 	<b>SPL-500</b> Hood and Hood Release 
<b>SPL-600</b> Cowl and Dash Panel 	<b>SPL-700</b> Glass and Mirror 	<b>SPL-800</b> Aperture Panel 	<b>SPL-900</b> Quarter Panel 




GROUP SPL - Body Sheet Metal Except Doors

Illustration Title	Group-Fig. No.
<b>Floor Pans</b>	
Floor Pan Front .....	Fig. SPL-201
Floor Pan, Rear .....	Fig. SPL-202
<b>Plugs</b>	
Plugs .....	Fig. SPL-301
<b>Front Fenders</b>	
Front Fender .....	Fig. SPL-401
<b>Hood and Hood Release</b>	
Hood and Hood Release .....	Fig. SPL-501
<b>Cowl and Dash Panel</b>	
Cowl and Dash Panel .....	Fig. SPL-601
<b>Glass and Mirror</b>	
Windshield, Backlite and Mirror .....	Fig. SPL-701
<b>Aperture Panel</b>	
Aperature Panel 2-Door .....	Fig. SPL-801
Aperature Panel 4-Door .....	Fig. SPL-802
<b>Quarter Panel</b>	
Quarter Panel 2-Door .....	Fig. SPL-901
Quarter Panel 4-Door .....	Fig. SPL-902
<b>Roof Panels</b>	
Roof Panel .....	Fig. SPL-1101
<b>Sunroof</b>	
Sunroof .....	Fig. SPL-1210
<b>Deck Lid</b>	
Deck Lid .....	Fig. SPL-1301
<b>Rear Shelf Panel</b>	
Rear Shelf Panel .....	Fig. SPL-1401



# Floor Pan Front Figure SPL-201



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4783 157AB	1	Z		42				BRACKET, Floor Console
	4783 251AB	1	D, P						
2	4655 508	1							BRACE, Floor Pan To Sill Right
	4655 509	1							Left
3	4741 353	1							CROSSMEMBER, Front Floor, Seat Track Mounting
4	4783 044	1							CROSSMEMBER, Rear Floor, Front, (Kick-Up) PAN, Floor
5	4897 793AA	1	Z		42				
	4897 795AA	1							
6	4783 208	1							SILENCER, Floor Pan Front Tunnel PAD, Front Floor Pan, Floor Pan Tunnel Front
7	4783 461	1							PLATE, Front Side Rail to Floor, Left
8	4783 455	1							CROSSMEMBER, Front Floor Floor Pan Tunnel To Front Side Rail Rear
9	4783 128	1	D, P						
	5256 972	1	Z		42				
10	4655 821	1							REINFORCEMENT, Floor Tunnel, Tunnel to Front Seat Crossmember, Center Front
11									PLATE, Front Seat, (NOT REQUIRED)
12	4655 842	2	D, P						TAPPING PLATE, Seat Attaching
		2	Z		42				
13	4741 228	1							PANEL, Sill Right
	4741 229	1							Left
14	6033 150	2							NUT PLATE, .25-20
15	4278 178	6							TAPE, Hole Cover, 50x50x1 mm
16	4783 210	2							SILENCER, Floor Pan Front Floor Pan Under Front Seat Aluminum Foil Facing and Self Adhesive on Back (762x203x1.5MM)
	4740 136	1							
	4783 209	1							Rear Floor Pan Under Rear Seat

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Floor Pan, Rear Figure SPL-202



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4864 506	1							PAN, Rear Floor
2									REINFORCEMENT, Rear Seat And Fuel Strap
	4783 248	1							Rear Seat Fuel Tank Strap Mounting, Right
	4783 249	1							Rear Seat Fuel Tank Strap Mounting
3	4783 209	1							SILENCER, Floor Pan, Rear Floor Pan Under Rear
4									CROSSMEMBER, Rear Floor Rear Floor Pan Rear Suspension Mounting
	4655 361	1							Rear Floor Pan Front (Kick-Up)
	4783 044	1							
5	4655 672	2							CROSSMEMBER, Rear Suspension, Rear Floor Pan Rear Suspension Outer
6									RAIL PACKAGE, Floor Pan Side
	4882 820	1							Right
	4882 821	1							Left
7	4655 016	2							REINFORCEMENT, Bumper, Rear Side Rail Shipping Tie Down and Bumper Support
8									EXTENSION, Body Side Sill
	4655 002	1							Right
	4655 003	1							Left
9	4655 831	1							BRACKET, Exhaust Hanger, Rear Side Rail Exhaust Hanger Mounting Front, Left
10									BRACKET, Exhaust Hanger
	4655 828	1							Rear Side Rail Exhaust Hanger Mounting Rear, Right
	4655 829	1							Rear Side Rail Exhaust Hanger Mounting Rear, Left
11	4278 178	6							TAPE, Hole Cover, 50x50x1 mm
12	5256 621	1							BRACKET, Towing
-13	6502 337	2							NUT, M10x1.5, Tow Bracket Attaching
-14	6101 735	2							SCREW AND WASHER, Hex Head, M10x1.5x30, Tow Bracket Attaching
15	4206 922	1							BRACKET, Spare Tire, Rear Floor Pan Spare Wheel Anchor Bolt


## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Floor Pan, Rear  
Figure SPL-202




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	4655 004	2							REINFORCEMENT, Floor Pan, Front
17	4645 801	2							Crossmember Fuel Tank Strap Mounting
18	5256 958	1	D, P		22				RETAINER, Seat Cushion, Attaching (Rubber Retainer)
									BEAM, Body Side Sill

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE		TRANSMISSION				
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua				
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic				
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic				
	P=Plymouth				DGO = All Automatics				
					DBB= All 5 Speed Manual				

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Plugs Figure SPL-301



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4586 055	3							PLUG, Floor Pan
2	4696 666	5							PLUG, Top Seal
3	4586 055	3							PLUG, Floor Pan
4	4512 495	2							PLUG, Spare Tire Bracket
5	4586 055	3							PLUG, Floor Pan
6	4696 666	3							PLUG, Top Seal
7	6029 057	1							PLUG, Body, 1.655 Diameter, Round Push-In Front Fender Side Shield and Rail Reinforcement Left Engine Mounting
8	5255 216	2							PLUG, Body, .875 Diameter, Front Hinge Pillar
9	4661 106	2	D, P						INSULATOR, Wiring
10	2860 332	1							PLUG, Anti-Rattle, Radio Antenna Cable
11	2811 825	2							PLUG, Splash Shield
		1				42			
12	4661 214	2	D, P			42			PLUG, Body, B Pillar
13	6029 939	2							PLUG, Body, .50 Diameter, Deck Lid Inner Panel, Front
14	4646 527	2							PLUG, Deck Lid, Deck Lid Inner Panel, Rear
-15	5264 670	1	D, P						PLUG, Dash Panel, Dash Drain Hole

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

# Front Fender Figure SPL-401



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SHIELD, Wheelhouse
	5256 932	1							Right
	5256 933	1							Left
-2	6030 441	1							PIN, Retainer, Fender Wheelhouse Splash Attaching
3									PLATE, Hinge
	4655 650	1							Right
	4655 651	1							Left
4									BEAM, Front Fender Shield
	5256 930	1							Upper Load Path Front, Right
	5256 931	1							Upper Load Path Front, Left
-5	6501 703	4							U-NUT, M6 x 1.00, M6x1.00, Load Beam To Fender Attaching
6	4783 805	2							SHIM, Fender, Upper Load Beam To Fender
7									SUPPORT, Load Beam
	5256 918	1							Front Upper Load Beam To Front Fender, Right
	5256 919	1							Front Upper Load Beam To Front Fender, Left
8									FENDER
	5003 644AA	1							Export, Right
	5003 645AA	1							Export, Left
	5003 642AA	1							Right
	5003 643AA	1							Left
-9	6100 567	4							SCREW AND WASHER, Hex Head, M6x1x25, Fender Attaching
10	6504 118	2							U-NUT, M6 x 1.00, M6x1.00, Fender Body Side Aperature Attaching
-11	6035 155	4							SCREW, Hex Head, .25-14x.875, Fender To Hinge Pillar Attaching
12	4655 092	1							SHIELD, Accessory Drive, Front Side Rail A/C Pulley Splash
13	5256 922	1							PANEL, Fender Side Shield, Right
14	5256 923	1							PANEL, Front Fender Shield, Left
15									PANEL, Front Strut Mounting
	4863 854	1							Right
	4863 855	1							Left
16									EXTENSION, Front Fender Side Shield
	4655 104	1							Shield, Right
	4655 105	1							Shield, Left
17									PAD, Wheelhouse

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

### Front Fender Figure SPL-401



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4783 204	2	D, P						Inner, Right
		2	Z		42				Inner, Right

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)–**

SERIES	LINE	BODY
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB
H=High Line	D=Dodge	
S=Special	D=Chrysler	
	P=Plymouth	


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
 DD5 = 5 Speed Manua  
 DGC = 3 Speed Automatic  
 DGL = 4 Speed Automatic  
 DG0 = All Automatics  
 DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 15, 2005**

## Hood and Hood Release Figure SPL-501



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HOOD
	4783 286AC	1							With Bulge
	4783 287AC	1							Without Bulge
2									HINGE, Hood
	4783 990	1							Right
	4783 991	1							Left
-3	6100 567	4							SCREW AND WASHER, Hex Head, M6x1x25, Hood Hinge To Hood PLATE, Hood Hinge to Cowl
-4									
	4783 064	1	Z		42				Right
	4783 065	1	Z		42				Left
5	4783 224	1							ROD, Hood Prop
-6	6032 824	2							BOLT, Hex Flange Head, .25-14x. 625, Hood Prop Rod Attaching SCREW, Self Piercing, .25-14x.625, Prop Rod Attaching
-7	0154 554	2	D, P						CLIP, Prop Rod
8	J400 7456	1							SILENCER, Hood
9									Without Bulge
	4783 330AB	1							With Bulge
	4783 331AB	1							FASTENER, Hood Silencer
-10	4341 060	7							SEAL, Hood To Fender
11	4856 516	2							RELEASE, Hood Latch
12									Inside Hood
	4658 909	1	D, P						Inside Hood Latch
	4888 613AA	1	Z		42				GROMMET, Hood Latch Release
-13									
	5207 294	1	D, P						
		1	Z		42				ISOLATOR, Hood Prop Rod
14	4783 513	1							LATCH, Hood
15	4615 516	1							NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00, Latch To Radiator Support
16	6503 102	2							BUMPER, Crossmember To Hood Stop
17	4783 419	1							BUMPER, Hood
18	4103 165	2							SEAL, Hood Cowl, Hood Inner To Cowl Top
19	5256 554	1							CLIP, Cable Routing, Inside Hood Latch Release Cable Attaching
-20	6504 048	7	Z		42				SHIELD, Throttle Body
21	4669 484	1							PIN, Retainer, Shield Attaching
22	6030 441	4							

### DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



### Hood and Hood Release Figure SPL-501



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

23

RIVET, Shield Attaching (M5.00x18.  
50), (NOT SERVICED) (Not  
Serviced)

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

**DODGE - PL**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005

# Cowl and Dash Panel Figure SPL-601



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4741 450	1	D, P						PANEL, Cowl And Plenum
-2	4278 178	4							TAPE, Hole Cover, 50x50x1 mm, Cowl Side Seal
3	5256 788	1							PLUG, Cowl Side Right
	5256 789	1							Left
-4	4674 461AB-	2							SEAL, Body Side To Cowl Side
5	4655 604	2							SEAL, Cowl, Cowl Top Patch
6									SILENCER, Cowl Plenum Panel
	5256 682	1	D, P						
	5256 992	1	Z		42				
7									SILENCER, Cowl Plenum Panel
	5256 682	1	D, P						
	5256 992	1	Z		42				
-8	5256 996	1	Z		42				SILENCER, Plenum And Dash Panel
9									REINFORCEMENT, Brake Booster
	4655 211	1	D, P						Brake Booster to Dash Panel
	4783 062	1	Z		42				Brake Booster to Dash Panel
10	5256 880	1	D, P						SILENCER PACKAGE, Instrument Panel
11									PANEL, Dash
	4655 148	1	D, P						
	5256 990	1	Z		42				
12									SILENCER, Dash Panel
	4783 974	1	D, P						Right
	4783 975	1	D, P						Left
	4783 242	1	Z		42				Upper Right
	4783 973	1	Z		42				Upper Left
13									SCREEN, Cowl
	4783 390AB	1	Z		42				Includes Item 18 (P.A.R.)
	4888 542AB	1	D, P						Includes Item 18 (P.A.R.)
-14	4790 753	2							RETAINER, Cowl Screen, Attaching
15									CLIP, Cowl Plenum
	4655 794	5	Z		42				Cowl Screen To Cowl Plenum
		3	D, P						Cowl Screen To Cowl Plenum
16	4783 464AB	2	D, P						CLIP, Cowl Screen, To Hinge Pillar
									Cowl Top
-17	0153 922	5	D, P						SCREW AND WASHER, Round Head, .164-15x.625, Cowl Screen Attaching
18									SEAL, Serviced With Screen Cowl
									Top Item 14, (NOT SERVICED) (Not Serviced)

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cowl and Dash Panel  
Figure SPL-601




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19									PANEL, Cowl Side
	4783 014	1	Z		42				Right
	4655 028	1	D, P						Right
	4655 029	1							Left
20	4655 756	1	D, P						BRACE, Cowl Plenum To Cowl Side, With Wiper Pivot Mounting Center
21	4655 806	2							SEAL, Cowl Reinforcement
22	4783 253AB	1	Z		42				BRACKET, Steering Column Support
	4888 878AB	1	D, P						Support
23									DAMPER, Cowl Plenum, Left, Dash Footwell (Not Required), (NOT SERVICED) (Not Serviced)
24	5264 670	1	D, P						PLUG, Dash Panel
25									EXTENSION, Front Fender Side Shield
	4655 104	1							Right
	4655 105	1							Left
26									PANEL, Cowl Side
	4773 566	1							Right
	4773 567	1							Left
27	4655 778	1							TAPPING PLATE, Wiper Motor Attaching
28									DAMPER, Cowl Plenum, (NOT REQUIRED)
29	4783 100	1							TUBE, Drain
30	5253 960	1							SEAL, Dash Panel To Hood
31	4783 252AB	1	Z		42				BRACKET, Plenum to Brake Pedal Support
32									SCREEN, Cowl
	5264 763	1	D, P						
	5264 776	1	Z		42				
33	4783 978	1	D, P						EXTENSION, Cowl Top
-34	4783 060	1	Z		42				BRACKET, Clutch Pedal
35	4783 068	1	Z		42				BRACKET, Cowl Top Wiring Connect

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Windshield, Backlite and Mirror  
Figure SPL-701



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4783 226AB	1							WINDSHIELD
-2	5288 535	1							MOLDING, Windshield
3									BACKLITE
	5255 576	1							Tinted
	4655 527	1							Tinted, Heated
	5256 525	1	Z		42				Tinted, Heated
4	4299 325	1							MIRROR, Inside Rear View, Primsmatic
5	5507 4915	1							MIRROR, Inside Rear View, Lighted
6	6031 094	1							SCREW, Pan Head Tapping, .19- 16x.375
7	4054 098	1							BUTTON, Rear View Mirror
-8	4293 039	1							ADHESIVE PACKAGE, Mirror Button
9									GLASS, Quarter Window
	4798 274	1	D, P		22				Right
	4798 275	1	D, P		22				Left
10	6502 028	10	D, P		22				NUT AND WASHER, Hex Nut-Coned Washer, M4 x 0.70

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

**Aperature Panel 2-Door  
Figure SPL-801**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL PACKAGE, Body Side
	4741 458	1	D, P		22				Aperature Front, Right
	4741 459	1	D, P		22				Front, Left
2									PANEL PACKAGE, Body Side
	4741 462	1	D, P		22				Aperature Rear, Right
	4741 463	1	D, P		22				Rear, Left
3									REINFORCEMENT, Quarter Panel
	4655 550	1							Quarter Inner Lower To Body Side Aperature, Right
	4655 551	1							Quarter Inner Lower To Body Side Aperature, Left
4									EXTENSION, Body Side Aperature Drain
	4655 716	1							Body Side Aperature Drain Trough, Right
	4655 717	1							Body Side Aperature Drain Trough, Left
5									TROUGH, Body Side Aperature Drain Right
	5255 526	1							Left
6	6503 120	4							SCREW AND WASHER, Button Head Torx
7	4512 871	2							RETAINER, Door Lock Striker
8	5525 6000	2							PLATE, Front Door Striker
9	4658 446	2							STRIKER AND BUMPER, Door Latch, Front and Rear Door
10									FRAME, Windshield
	4655 350	1							Side Opening, Right
	4655 351	1							Side Opening, Left
11	5264 595	2							EXHAUSTER, Interior Trim Panel, Body Side Aperature Panel Air
12									FRAME, Windshield Side
	4655 582	1	D, P		22				Right
	4655 583	1	D, P		22				Left
13									SUPPORT, Panel To Seal Retainer
	4783 046	1	D, P		22				Right
	4783 047	1	D, P		22				Left
14	0154 725	2	D, P		22				SCREW, Hex Head, .25-14x1.25

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

**Aperture Panel 4-Door  
Figure SPL-802**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Body Side Aperture Front
	4897 138AA	1			42				Right
	4897 139AA	1			42				Left
2									PANEL, Body Side Aperture Center
	4897 140AA	1			42				Right
	4897 141AA	1			42				Left
3									PANEL, Body Side Aperture Rear
	4798 610	1			42				Right
	4798 611	1			42				Left
4									PANEL, Body Side Aperture Inner
	4883 760AA	1			42				Right
	4883 761AA	1			42				Left
5									EXTENSION, Body Side Sill
	4655 002	1							Inner, Right
	4655 003	1							Inner, Left
6	5525 6000	2			42				PLATE, Front Door Striker
7	4512 871	2							RETAINER, Door Lock Striker
8	6503 120	4							SCREW AND WASHER, Button Head Torx
9	4658 446	2							STRIKER AND BUMPER, Door Latch, Front and Rear Door
10	4520 289	AR							SPACER, Door Latch Striker
11	4658 906	2			42				STRIKER, Door Interlock, Rear Door
12									FRAME, Windshield
	4655 350	1							Side Inner, Right
	4655 351	1							Side Inner, Left
13	5264 595	2							EXHAUSTER, Interior Trim Panel, Body Side Aperture Panel
14									PANEL, Bodyside Apperture Sill
	4897 142AA	1			42				Right
	4897 143AA	1			42				Left
15									PANEL, Body Side Aperture Rear
	4798 614	1			42				Quarter Upper, Right
	4798 615	1			42				Quarter Upper, Left
16									REINFORCEMENT, Side Impact Center Pillar
	4783 178	1			42				Right
	4783 179	1			42				Left

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Quarter Panel 2-Door  
Figure SPL-901**

[illegible]

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manual  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 15, 2005**


Quarter Panel 4-Door  
Figure SPL-902

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WHEELHOUSE, Rear Inner
	4655 042	1							Front, Right
	4655 043	1							Front, Left
2									WHEELHOUSE, Rear Inner
	4741 424	1							Right
	4741 425	1							Left
3									PANEL, Quarter Inner
	4655 346	1			42				Upper, Right
	4655 347	1			42				Upper, Left
4									REINFORCEMENT, Quarter Panel
	4655 550	1							Inner Lower To Body Side
									Aperature Panel Drain Though, Right
	4655 551	1							Inner Lower To Body Side
									Aperature Panel Drain Through, Left
5									PANEL, Quarter Inner
	4655 344	1			42				Lower, Right
	4655 345	1			42				Lower, Left
-6	6502 328	3							PIN, Push, M5.80x13.00, Adhesive To Rear Wheel House Outer
7	6033 150	2							NUT PLATE, .25-20, Seatbelt Anchor
8									WHEELHOUSE, Rear Outer
	4655 320	1							Right
	4655 321	1							Left
9									REINFORCEMENT, Jacking
	5255 502	1							Body Side Aperature Jack, Rear, Right
	5255 503	1							Body Side Aperature Jack, Rear, Left
10									EXTENSION, Shelf Panel
	5255 516	1							Outer, Right
	5255 517	1							Outer, Left
11									SUPPORT, Rear Shelf Panel
	5255 518	1							To Wheelhouse Front, Right
	5255 519	1							To Wheelhouse Front, Left
12	4655 367AB	1							DOOR, Fuel Fill
13	5256 943AB	1		D, P					HOUSING, Fuel Filler
14	4655 684	2							CAP, Wheelhouse Strut, Rear
									Wheelhouse Inner Strut Mounting Reinforcement
-15	4206 059	1							LABEL, Unleaded Fuel Only

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005





Quarter Panel 4-Door  
Figure SPL-902

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-16	4278 178	6							TAPE, Hole Cover, 50x50x1 mm, Quarter Inner Lower Gage Hole



DODGE - PLYMOUTH - CHRYSLER NEON (PL)					
SERIES	LINE	BODY	ENGINE	TRANSMISSION	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic	
	P=Plymouth			DG0 = All Automatics	
				DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Roof Panel  
Figure SPL-1101

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5255 529	1							ROOF, Panel
2	4888 917AB	1							PANEL AND REINFORCEMENT, Sunroof
-3	6504 325	2			42				SCREW, Special Head, M6x1x25, DSI Bracket
4	5255 450	1							FRAME, Windshield, Upper
5	5255 530	1							BOW, Roof
6	5255 531	1							FRAME, Rear Window, Upper
7	4278 178	6							TAPE, Hole Cover, 50x50x1 mm, Roof Rail Inner Side Gage Hole
8	4546 820	1							DEADENER, Roof Panel
9									RAIL, Roof
	5256 914	1	D, P		22				Roof Side Inner, Right
	5256 915	1	D, P		22				Roof Side Inner, Left
10									RAIL, Roof Side
	4783 154	1			42				Right,Inner
	4783 155	1			42				Left,Inner


DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

Sunroof  
Figure SPL-1210


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SUNSHADE, Sunroof
	PK53 SC1	1							Mist Gray
	PK53 TK4	1							Tan
2									WELT, Sunroof Opening
	JJ27 SC1	1							Mist Gray
	JJ27 TK4	1							Tan
3	4783 106	1							CABLE, Sunroof, Drive Assembly
4	4783 107	1							DEFLECTOR, Sunroof Wind
5	4783 108	1							MOTOR, Sunroof
-6	5016 539AA-	1							BRACKET, Sunroof Motor, Used For Repair
7	4783 109	1							GLASS, Sunroof
8									GUIDE, Sunroof Lid, Sunshade
									(Serviced With Item 16 Only), (NOT SERVICED) (Not Serviced)
9									GUIDE, Sunroof Front Track
	4783 110	1							Right
	4783 111	1							Left
10									LOCATOR, Sunroof Drive Cable, (Serviced With Item17), (NOT SERVICED) (Not Serviced)
11	5016 539AA	1							BRACKET, Sunroof Motor
12	5256 666	2							HOSE, Sunroof Drain, Rear
13	5256 667	2							HOSE, Sunroof Drain
14	5256 592	2				42			BRACKET, Sunroof Module to Roof Rail Rear
15	5256 588	2	D, P			22			BRACKET, Sunroof Module to Quarter Inner
16	4888 917AB	1							PANEL AND REINFORCEMENT, Sunroof, Sunroof
17	4886 081AA	AR							FRAME, Sunroof, (w/Tubing)
18	6500 284	4				42			NUT, Hex, M6x1.00
		4	D, P			22			

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Deck Lid  
Figure SPL-1301



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4741 215	1							DECKLID
2	4655 283	2							SPRING, Deck Lid Hinge
3	5255 544	1							HINGE, Deck Lid Right
	5255 545	1							Left
-4	6100 286	4							BOLT AND CONED WASHER, Hex Head, M6x20x20, Hinge To Shelf Panel
-5	6022 149	1							NUT, Push, .312
-6	6101 805	4							SCREW, Hex Head Tapping, M6x1x40, Deck Lid Hinge To Deck Lid
-7	4206 243	1							PIN, Deck Lid Hinge Pivot
8	4741 452	1							PANEL, Decklid Opening
9	5255 474	1							EXTENSION, Deck Opening Right
	5255 475	1							Left
10	4655 394	1							PANEL, Decklid Opening Right
	4655 395	1							Left
11	6504 118	2							U-NUT, M6 x 1.00, M6x1.00, Lower Deck Outer Reinforcement Attaching
12	4655 590	1							REINFORCEMENT, Decklid Opening Right
	4655 591	1							Left
13	4655 716	1							EXTENSION, Body Side Aperture Drain Right
	4655 717	1							Left
14	4655 660	1							BRACKET, Deck Lid Hinge Spring Spring Attaching, Right
	4655 661	1							Spring Attaching, Left
15	4658 814	1							LATCH, Decklid Without Switch
	4888 622AB	1							With Switch
16	6502 925	2							SCREW AND WASHER, Hex Head, M6x1x21
17	4615 513	1							STRIKER, Door Latch, Deck Lid Latch
18	4783 223	2							BUMPER, Deck Lid Overslam
19	4655 286	2							BUMPER, Upstop, Shelf Panel Outer Extension Deck Lid Upstop

DODGE - PLYMOUTH - CHRYSLER NEON (PL)  
SERIES L=Low Line H=High Line S=Special LINE Z=Chrysler, RHD D=Dodge D=Chrysler P=Plymouth BODY 41=4 Door, 104WB ENGINE ECB=2.0L 4 Cyl., 16V SMPI EJD=1.6L 4 Cyl16V SOHC EBD=1.8L 4 Cyl16V SEFI TRANSMISSION DD5 = 5 Speed Manua DGC = 3 Speed Automatic DGL = 4 Speed Automatic DG0 = All Automatics DBB= All 5 Speed Manual

Deck Lid  
Figure SPL-1301




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20	4888 788AA	1							WEATHERSTRIP, Decklid, Opening
21	4658 815AC	1							CABLE, Deck Lid Release
-22	4661 248	2							CLIP, Stud
23	LP89 SX9	1	Z		42				HANDLE, Deck Lid Release Black
	MW34 RX9	1	D, P						Black
24									SCREW, .164-15x.625, (NOT SERVICED) (Not Serviced)
25									TROUGH, Body Side Aperture Drain
	5255 526	1							Drain, Right
	5255 527	1							Drain, Left
26	4783 223	2							BUMPER, Deck Lid Overslam
27									BUMPER, Deck Lid, (NOT REQUIRED)
28	4773 199	1							SPOILER, Rear Air Dam, Paint As Required
29	6504 260	4							NUT AND WASHER, Hex, M6x1, Air Spoiler Attaching
30	4646 527	2							PLUG, Deck Lid, Inner Panel Rear

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Shelf Panel  
Figure SPL-1401



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5255 514	1							PANEL, Shelf
2	5255 518	1							SUPPORT, Rear Shelf Panel To Wheelhouse Front, Right
	5255 519	1							To Wheelhouse Front, Left
3									EXTENSION, Shelf Panel
	5255 516	1							Outer, Right
	5255 517	1							Outer, Left
4	4655 289	1							REINFORCEMENT, Shelf Panel Rear
5									REINFORCEMENT, Shelf Panel Front
	4655 420	1							Right
	4655 421	1							Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					